

HOW LLMS WORK

How does a large language model (LLM) work?

Teaching with AI (TAI)

Mirte van der Eyden[1], Andrea López Incera[2]

[1] Institut für Fachdidaktik, Universität Innsbruck
mirte.van-der-eyden@uibk.ac.at

[2] Departament de didàctica de la matemàtica i les ciències experimentals, Universitat Autònoma de Barcelona
andrea.lopez.incera@uab.cat

universität innsbruck

UAB Universitat Autònoma de Barcelona

Co-funded by the European Union

European International School of Barcelona

2ο ΤΕΧΝΙΚΟ ΛΥΚΕΙΟ ΟΔΥΣΣΕΑΣ ΕΛΥΤΗΣ MORE THAN A HIGH-SCHOOL

next VIBENSHUS GYMNASIUM

Project funded by Erasmus+ Programme of the European Union

Subject: Any subject for which you use an LLM, or specific subjects like technology.

No background on science or technology needed!

Activity duration: 20 min (optional warm-up activity) + 60 min

Steps:

1. Warm-up activity (20 min)
2. Word embeddings (15 min)
3. Introducing context (10 min)
4. Be an LLM (35 min)

Learning goals:

- Understand the basics behind LLMs: how they work and how they are trained.
- Secondary goal: one first needs to understand how they work to then understand why they fail in certain things, which answers to trust and which not to trust, etc.

How does a large language model (LLM) work?

Learn the inner workings of ChatGPT, Claude, Gemini, etc.

Have you ever wondered how a machine generates answers for your questions? How does it "think"?

You will go through the same steps and mechanisms that an LLM uses to generate text. Like an LLM, your goal will be to generate the word that follows in an incomplete sentence.

Warm-up: the exquisite corpse

Instructions. Play the "exquisite corpse" (folded story) game in small groups. One student writes the beginning of a sentence, then folds the paper so that only the last few words remain visible. The next student reads only those visible words and continues the sentence, then folds the paper again so that only their own last few words are visible. Repeat this process around the group until everyone has contributed. At the end, unfold the paper and read the whole text out loud.

Question 1: Was the resulting text coherent? Why do you think it was difficult to produce a text that made sense all the way through?

Solution: In general, the text is not very coherent. Each student only had access to the last few words written, not to the full sentence or paragraph that came before. Without that bigger picture (the **context**), it is very hard to choose a continuation that fits well with everything that was said before.

Now let's try something different.

Challenge: Complete the following sentence with one extra word: *"I crossed the street at the zebra ...."*

Question 2: What is different between this challenge and the exquisite corpse game?

Solution: Unlike in the exquisite corpse game, here you have the **whole sentence** as context, not just the last few words. Having access to the full context makes it much easier to find a word that fits well.

Question 3: What led you to choose that word? Are there specific words in the sentence that helped you decide? How do you know that "crossing" is a likely word to complete the sentence?


Solution: Students will likely mention words like "crossed" and "street", which point towards a street-related ending such as "crossing" (as in "zebra crossing"). It is worth highlighting that they did not need to consciously reason through every possibility: they already have a huge amount of background knowledge about language and the world, built up through years of experience, which lets them arrive at a good answer almost instantly.

Question 4: How do you think a machine could do this same process

of completing a sentence? How would it know which words share a similar meaning? And how would it know that, in this sentence, "zebra" refers to the crossing and not to the animal?

Solution: There is no unique answer here, this is meant to be an open discussion to get students thinking before the mechanisms are explained. The key ideas to draw out (which will be formalized in the next sections) are: (1) the machine needs some way of representing what words mean and how similar they are to each other, and (2) it needs some way of using the other words in the sentence to decide which meaning of "zebra" is the relevant one here.

A machine follows three main steps to complete a sentence like this one:



In this lesson, you will first learn about the first two steps, **embeddings** and the **attention mechanism**. After that, you will go through the full process yourself, step by step, as if you were the LLM.

Learning how it works

Assignment 1: Word embeddings

Machines cannot recognize words like us. Instead, they need representations of those words with numbers. More specifically, each sentence is split into tokens and each token

is then transformed or "embedded" into a vector in a vector space of a very big dimension, one that you cannot draw anymore in 2D or 3D. In the exercises below, we will make a simplification and do some exercises in 2D to be able to visualize the ideas.

Question 5: Have a look at the following link https://tiktokenizer.vercel.app/ to see how an LLM splits sentences into tokens.


Instructions to use the webpage above Write a sentence on the field on the right of "System" and you will see the sentence splitting that the machine creates on the right. Each part is marked with a color and is assigned a token number that you can see in the box below. If you hover with your mouse over a text piece, you will see the number that corresponds to it in the box below, marked with the same color. Those numbers identify the tokens. Then, each token will have a vector embedding. But we will learn about those in the exercises below.

Machines cannot recognize words like us. Instead, they need representations of those words with numbers.

Note: in the exercises below, we will ignore the transformation into tokens, since for us humans, it is easier to work with words directly.


a) Place the following words (use pencil!) on the grid below, grouping them by meaning. If you think two or more words are related in some way, place them close together. Otherwise, place them far away from each other. The word cat is already placed as an example. Don't forget to mark the bullet point for each of the words.

Words: *cat, wolf, horse, dog, zebra, tiger*



Solution: There is not a unique solution. The idea here is that the student groups the words together into clusters depending on the meaning. One possibility is that domestic animals are grouped together in one cluster (cat, horse, dog) and wild animals are grouped together in a separate cluster (tiger, zebra, wolf).

In the following picture, we added the words **kitten, puppy and foal**, which are the baby versions of cat, dog and horse respectively. This relation is indicated by the arrows. Note that all arrows have the same direction (inclination).



b) Can you find an analogous relation between the groups of words you placed in the grid above? If you do, connect with an arrow the pairs of words that follow this relation in the grid above. Note that you may need to move the words you already placed to make sure that all the arrows indicating the relation have the same direction (inclination).

Question 6: In the picture, the relation has the meaning of "baby". What is the meaning of the relation between your groups of words (also called


clusters)?

Solution: the analogous relation to "baby" is "wild version":
The wild version of the cat is the tiger
The wild version of the dog is the wolf
The wild version of the horse is the zebra
Therefore, cat and tiger need to be connected by an arrow (from cat to tiger), and analogously for dog - wolf and horse - zebra.

After splitting the sentence into tokens, the LLM learns to place or "embed" each token into a grid, grouping them by meaning, as you did above. This way, each token is represented as a point on a map of meanings (the grid), which is close to other points in the map with similar meaning. However, the LLM's grid is of much higher dimension than 2D or 3D, and cannot be drawn anymore. In this grid, meaning relations (like "baby version" or "wild version") are arrows.
Important! So far, we have not taken into consideration any particular sentence. Each word is first embedded into the map independently of the rest of surrounding words in the particular sentence the LLM is completing at the moment.

Assignment 2: Introducing context

a) Given the clusters of words below, place the word *mole* in one of them.
Pick the cluster that you think relates to the most commonly used meaning of the word mole. What you are doing now is creating an **initial embedding** of the word mole.



Solution: the solution is not unique. One would argue that the most commonly used meaning of the word *mole* is the skin spot or the animal. Thus, the student should place the word on the bottom cluster (skin spot) or the right cluster (animal). The exact position does not matter, it is enough if it is within that cluster.

Now, given the following sentence (which we call **context**):

"One mole of any substance contains $6.022 \cdot 10^{23}$ *particles, which is known as Avogadro's number"*

b) Change the position of the word mole from the one you picked above to the one that better fits the given context. Keep the old position marked.

Solution: the new position should be on the left cluster (it does not matter where exactly), the one related to Avogadro's number.

c) Draw an arrow between the old and the new positions of mole. This arrow is the transformation of the initial embedding of the word mole when taking a context into account.

The process of changing the initial embedding based on the surrounding words is what the LLM does to take into account the context and it is often referred to as **attention mechanism**.

Be an LLM yourself

Assignment 3: Be an LLM

Now, using the ideas of embedding and attention from the previous exercises, you are going to go through the same process as an LLM to predict the next word in an incomplete sentence.

Your goal as an LLM: predict the next word in the incomplete sentence: 'I crossed the street at the zebra...'. But this time, you have to follow the steps of an LLM!

STEPS:

1. Embedding:

a) Place the following words in the grid below, grouped by meaning, as you did above.

Words: *lion, traffic light, street, tiger, zebra, building, giraffe, cross, city, leopard, crocodile*

Solution: there should be two separated clusters, one with the words (lion, tiger, zebra, giraffe, leopard, crocodile) and another one with the words (traffic light, street, building, cross, city). Of course, it can happen that some student realizes that zebra can be in both, since "zebra crossing" is also an element of the city. This is ok, they can put the word in both clusters.



Question 7: Did you find it easy to put all those words in this 2D grid? What would happen if you had to create 4 groups of words instead? How do you think you could place all the words in the dictionary in this 2D grid?

In general, if you had to place all the words in the dictionary, it is impossible to do it in 2D grids, since you will eventually put together words that have nothing to do with each other in meaning. This is the reason why you need more dimensions, not just two! **Current LLMs need more than 10000 dimensions!**

Up to now, the LLM (that is you now) has just embedded some words into a grid, which is called creating a "vector representation".

2. Attention mechanism:

b) Given the following sentences (*contexts*), mark the words that make the word "zebra" have the meaning it has in the sentence.

1. I went to a zoo last week and saw many animals, but my favourite one was the zebra.
2. I crossed the street at the zebra...

Solution: again here, the students can mark different words, since all of them are important, and this is just based on their intuition. However, the words that should be marked as "the most important" (they are the ones that change the context and meaning for the word zebra in the sentence) are given in brackets [...] below:

1. I went to a [zoo] last week and saw many [animals], but my favourite one was the zebra.
2. I [crossed] the [street] at the zebra...

What you are doing here is marking (or "paying more attention to") the words in the sentences that modify the meaning of zebra in that context.

Now, we are going to pick sentence number 2:

"I crossed the street at the zebra...."

This is the sentence that is incomplete. **Your goal as an LLM is to predict the word that follows "zebra" in that sentence.**

c) First go to the grid above in assignment 3a) and move the position of the zebra embedding to fit better the context of the sentence "I crossed the street through the zebra....". Hint: Use the words you marked in part (b) (the ones you have to pay attention to) to get an idea of the words that should be closer to the new position (embedding) of zebra.

Solution: considering that with high probability, the students have initially placed zebra together with the other animals, they now have to move its position to the cluster for words related to the city (analogously to what we did in Assignment 2.b)

You have now taken into account the context (the words you paid attention to) to change the representation of the word "zebra".

3. Prediction:

Once you have taken into account the context of the sentence, it is time to predict the next word.

Question 8: Which word do you think follows in the sentence "I crossed the street at the zebra..."?

Solution: The most likely word that comes after zebra is "crossing".
Complete sentence: I crossed the street at the zebra crossing.

After having taken into account the context, and moved the representation of "zebra" accordingly, the actual LLM uses a trained neural network to make the prediction. This neural network is shown a lot of examples of many different texts from the internet, from which it *learns* to associate words to their most likely prediction.
In the grid, the neural network "moves" the point representing "zebra" around until its final position. This final position is "closer" to some words than others. Then, the LLM assigns higher probability to those words that are closer and lower probability to the words that are farther. Finally, it chooses the predicted word based on those probabilities.
All of that, you do intuitively, since you already have a lot of knowledge that you acquired through experience, and you don't even need to assign probabilities for each word, you just know.

You can predict the next word 'intuitively' because you have gained a lot of experience with language. The actual LLM trains a neural network with examples from texts in the internet to make the final prediction.

d) Create a prompt (anything that comes to your mind) and paste it in two different chats of an LLM. Does it give you the same answer in both?

For the same input text, the final prediction is not always the same. The reason for this is that the LLM assigns probabilities for each possible word that comes next and then picks the word based on them. The choice is thus probabilistic.

Reflection

Assignment 4: LLM's learning

One of the main differences between LLMs and other computer programs is that LLMs *learn*. In other computer programs, the programmer needs to tell the machine what to do in *all* the possible cases that the machine may encounter. For language, this would imply having to tell the computer what to reply to each possible prompt that the user writes.
This is not how LLMs operate. They learn from examples and then reply autonomously to each possible prompt that the user writes, without the programmer needing to do anything.

Question 9: Which of the steps that you have done in Assignment 3 do you think the LLM has to learn? Think of all the steps in which you used your intuition.

The process above that you have done intuitively, the LLM needs to learn how to do it. It needs to learn all the steps:

- How to best embed the words.
- How to pay attention to the important words in a sentence, those that may change its meaning (context).
- How to change the embedding of the word depending on the context.
- How to then predict which is the next word, for which it learns a transformation of the vector (it learns to change the position again, adding previous knowledge that it may already have).

After all this, it needs to go back from those vector embeddings into the tokens and assign a probability to each token. Finally, based on those probabilities, it selects one token and then transforms it into a word to complete the sentence.

How does it learn all those things?

By seeing tons and tons of examples of sentences from text in the internet. The analogy to how it does it is as follows: the LLM takes a sentence from the internet, "covers" the part that it wants to predict, then makes the prediction, and finally "uncovers" the sentence to check how good its prediction was. Then, it readjusts its internal mechanisms based on that feedback, and it gets better and better in its predictions the more data it

gets. This way, it learns word patterns (which words typically go together), and how to move in the embedding grid based on "concepts" (like the concept of "wild animal", as we did when we linked with arrows the "wild" versions of certain animals).
The actual way is more technical and less visual than what we have presented here, but we focused on understanding the main ideas behind it.

© 2026 “Teaching in AI” (TAI) Consortium.

This educational material was developed within the framework of the Erasmus+ project “Teaching in AI” (TAI) (2025-1-DK01-KA226-SCH-000365972).

Funded by the European Union.

The views and opinions expressed are those of the author(s) only and do not necessarily reflect those of the European Union or the granting authority. Neither the European Union nor the granting authority can be held responsible for them.

This material is licensed under the Creative Commons Attribution 4.0 International Licence (CC BY 4.0), unless otherwise indicated.