

A Mini Project Report
on
ONLINE MOTOR SERVICES

By
T. SATHVIKA
1602-18-733-102
K. SREEJA
1602-18-733-106



Department of Computer Science & Engineering
Vasavi College of Engineering (Autonomous)
(Affiliated to Osmania University)
Ibrahimbagh, Hyderabad-31
2020-21

ACKNOWLEDGEMENT

We take this opportunity with pride and enormous gratitude, to express the deeply embedded feeling and gratefulness to our respectable guide **Mr. Vinay Kumar**, Department of Computer Science and Engineering. Whose guidance was unforgettable and innovative ideas as well as his constructive suggestions has made the presentation of my thesis a grand success.

We are thankful to **Dr. T. Adilakshmi**, Head of Department (CSE), **Vasavi College of Engineering** for their help during our course work.

Finally at last but not least express our heart full thanks to the management of our college, **Vasavi College of Engineering** for providing the necessary arrangements and support to complete my seminar work successively.

We convey our heartfelt thanks to our external guide **Mr. Sampath sir** who has helped us throughout our project work.

APP TITLE AND DESCRIPTION

The title of this project is “Online Motor Services”. It is a servicing website for cars. The website works independently. It has many services like vehicle repairs, breaks service, car wash, breakdown assistance, engine oil exchange, clutch and gear work, wind shield replacement and etc. This service promises to bring speedy assistance to customers when in need. It aims to provide service to the customers with shortest turnaround time (90 mins) for scheduled services & minor repairs of their vehicles. Reducing waiting period for getting appointments for schedule service of the vehicle. Ensuring quick, timely & same day delivery of your vehicle.

IMPLEMENTATION

index.php code

```
<?php
session_start();
?>
```

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>ONLINE MOTOR SERVICE </title>
    <link rel="stylesheet" href="index.css">

  </head>
  <body>
    <div class="header">
      <div class="container">
        <div class="navbar">
          <div class="logo">
            
          </div>
          <nav>
            <ul>
              <li> <a href="index.php" >Home</a></li>
              <li><a href="services.php">Services</a></li>
              <li><a href="aboutus.php">About Us</a></li>
              <li><a href="contact.php">Contact</a></li>
              <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth'] == 'true') : ?>

                <a href="user.php"><?php echo $_SESSION['userid']; ?>

              </a>

              <?php else: ?>
                <a href="account.php">Log In/Sign Up</a>
              <?php endif;?></li>
            </ul>
          </nav>
        </div>
        <div class="row">
          <div class="col-2">
            <h1>ONLINE MOTOR SERVICE</h1>
            <p>Get your vehicle service anytime and anywhere</p>

          </div>
          <div class="col-2">

```

```
        </div>

    </div>

</div>

</div>

</body>
</html>
```

index.css code

```
*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
.navbar{
    display: flex;
    align-items: center;
    padding: 20px;
}
nav{
    flex: 1;
    text-align: right;
}
nav ul{
    display: inline-block;
    list-style-type: none;
    overflow: hidden;
}
nav ul li{
    display: inline-block;
    margin-right: 20px;
}
nav ul li a{
```

```
    color:black;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    font-size:20px ;
    display: block;
}
a{
    text-decoration: none;
    color: #555;
}
p{
    color:wheat;
}
.container{
    max-width: 1300px;
    margin: auto;
    padding-left:25px;
    padding-right: 25px;
}
.row{
    display: flex;
    align-items: center;
    flex-wrap: wrap;
    justify-content: space-around;
}
.col-2{
    flex-basis: 50%;
    min-width: 300px;
}
.col-2 img{
    max-width: 50%;
    padding: 10px 0;
}
.col-2 h1{
    font-size: 50px;
    line-height: 60px;
    margin: 25px 0;
}
.col-2 p{
    font-size: 30px;
    line-height: 60px;
```

```

    margin: 25px 0;
}
.homebtn a {

    background-color: white;

}
nav li a:hover {
    border: 1px solid grey;
    background-color: white;
}
.header{
    height: 100%;
    width: 100%;
    background-image: linear-
gradient(rgba(0,0,0,0.4), rgba(0,0,0,0.4)), url(homebackground5.jpg) ;
    background-position: center;
    background-size: cover;
    position: absolute;
}

.dropbtn {
    background-color: #4CAF50;
    color: white;
    padding: 16px;
    font-size: 16px;
    border: none;
}

/* The container <div> - needed to position the dropdown content */
.dropdown {
    position: relative;
    display: inline-block;
}

/* Dropdown Content (Hidden by Default) */
.dropdown-content {
    display: none;
    position: absolute;
    background-color: #f1f1f1;
    min-width: 160px;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

```

```

/* Links inside the dropdown */
.dropdown-content a {
    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}

/* Change color of dropdown links on hover */
.dropdown-content a:hover {background-color: #ddd;}

/* Show the dropdown menu on hover */
.dropdown:hover .dropdown-content {display: block;}

/* Change the background color of the dropdown button when the dropdown content
is shown */
.dropdown:hover .dropbtn {background-color: #3e8e41;}

```

account.php code

```

<?php
session_start();
?>
<html>
    <head>
        <title> Login and Registration Form</title>
        <link rel="stylesheet" href="account.css">
        <div class="header">
            <div class="container">
                <div class="navbar">
                    <nav>
                        <ul>
                            <li> <a href="index.php" >Home</a></li>
                            <li><a href="services.php">Services</a></li>
                            <li><a href="aboutus.php">About Us</a></li>
                            <li><a href="contact.php">Contact</a></li>
                            <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth'] == 'true') : ?>
                                <a href="user.php"><?php echo $_SESSION['userid']; ?>
                            </a>
                        </ul>
                    </nav>
                </div>
            </div>
        </div>
    </head>
    <body>
        <?php else: ?>

```

```
<a href="account.php">Log In/Sign Up</a>
<?php endif;?></li>
</ul>
</nav>
</div>
</div>
</div>
</head>
<body>
<div class="hero">
<div class="form-box">
<div class="button-box">
<div id="btn"></div>
<button type="button" class="toggle-
btn" onclick="login()">Log In</button>
<button type="button" class="toggle-
btn" onclick="register()">Register</button>

</div>
<div class="social-icons">
<img rc="google.png">
<img rc="fbimg.jpg">
</div>
<form method="POST" action="account1.php" id ="login" class="inp
ut-group" >

<input type="text" class="input-
field" placeholder="User Id" name="userid" required><br>
<input type="password" class="input-
field" id="pass" name="password" placeholder="Enter password"
minlength="5" required><br>
<input type="checkbox" class="check-
box"><span>Remember Password</span><br>
<button type="submit" class="submit-btn">Log In</button>

</form>
<form method="post" action="reg.php" id ="register" class="input-
group">

<input type="text" class="input-
field" placeholder="User Id" name="userid"required><br>
<input type="email" class="input-
field" placeholder="Email Id" name="email" required><br>
<input type="password" class="input-
field" id="pass" name="password" placeholder="Enter password"
minlength="5" required><br>
```



```

        <input type="checkbox" class="checkbox"
box"><span>I agree to the terms and conditions</span><br>
        <button type="submit" class="submit-btn">Register</button>

    </form>

</div>
</div>
<script>
    var x=document.getElementById("login");
    var y=document.getElementById("register");
    var z=document.getElementById("btn");
    function register(){
        x.style.left="-400px";
        y.style.left="50px";
        z.style.left="110px";

    }
    function login(){
        x.style.left="50px";
        y.style.left="450px";
        z.style.left="0px";

    }

</script>
</body>
</html>

```

reg.php code

```

<?php

    $userid = $_POST['userid'];
    $email = $_POST['email'];
    $password = $_POST['password'];
    $conn = new mysqli('localhost','root','','miniproject');
    if($conn->connect_error){
        echo "$conn->connect_error";
        die("Connection Failed : ". $conn->connect_error);
    } else {
        $stmt = $conn-
>prepare("insert into reg(userid, email, password) values(?,?,?)");
        $stmt->bind_param("sss", $userid, $email,$password);
        $execval = $stmt->execute();
    }
}

```

```

        //echo $execval;
        echo "Registration successfully...";
        $stmt->close();
        $conn->close();
    }
?>

```

services.php

```

<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <title>Services</title>
<link rel="stylesheet" type="text/css" href="services.css">
<div class="header">
    <div class="container">
        <div class="navbar">
            <nav>
                <ul>
                    <li> <a href="index.php" >Home</a></li>
                    <li><a href="services.php">Services</a></li>
                    <li><a href="aboutus.php">About Us</a></li>
                    <li><a href="contact.php">Contact</a></li>
                    <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth']
h']=='true') : ?>
                        <a href="user.php"><?php echo $_SESSION['userid']; ?>
                    </a>

                    <?php else: ?>
                        <a href="account.php">Log In/Sign Up</a>
                    <?php endif;?></li>
                </ul>
            </nav>
        </div>
    </div>
</div>
</head>

<body style="color: black;">

    <div class="main">

        <div class="services" name="Car Bodywork">

```

```

<div class="image">
    
</div>
<div class="title">
    <h1>CAR BODYWORK</h1>
</div>

<div class="des">

<p>Work depends upon scratch, dent or crack...</p>
<a href="carbodywork.php" >
    <button >Read More... </button>
</a>

</div>

</div>

<!--cards-->

<div class="services" name="BreakDown Assistance">
    <div class="image">
        
    </div>
    <div class="title">
        <h1>BREAKDOWN ASSISTANCE</h1>
    </div>

    <div class="des">

        <p>Expert mechanic reaches the location in shortest time...</p>

        <a href="breakdown.php" >
            <button >Read More...</button>
        </a>

    </div>

    </div>

</div>

```

```

<!--cards-->

<div class="services" name="Car Inspection">
  <div class="image">
    
  </div>
  <div class="title">
    <h1>CAR INSPECTION</h1>
  </div>

  <div class="des">

    <p>Uses most advanced inspection parameters...</p>

    <a href="carins.php" >
      <button >Read More...</button>
    </a>

  </div>

</div>

<!--cards-->

<div class="services" name="Checkup and Minor repairs">
  <div class="image">
    
  </div>
  <div class="title">
    <h1>CHECKUP AND MINOR REPAIRS</h1>
  </div>

  <div class="des">

    <p>Keeps car in perfect condition with no small repair...</p>

    <a href="checkup.php" >
      <button >Read More...</button>
    </a>
  </div>

</div>

```

```
<!--cards-->
```

```
<div class="services" name="Car Servicing">
  <div class="image">
    
  </div>
  <div class="title">
    <h1>CAR SERVICING</h1>
  </div>

  <div class="des">

    <p>All essential changes and checkups are done...</p>

    <a href="carservicing.php" >
      <button >Read More...</button>
    </a>

  </div>

</div>
```

```
<!--cards-->
```

```
<div class="services" name="Towing">
  <div class="image">
    
  </div>
  <div class="title">
    <h1>TOWING SERVICES</h1>
  </div>

  <div class="des">

    <p>Vehicle gets towed to the nearest service station shortly...</p>

    <a href="towing.php" >
      <button >Read More...</button>
    </a>

  </div>
```

```

    </div>

    <!--cards-->

</div>

</body>
</html>

```

contact.php code

```
<?php
session_start();
?>
<html>
    <head>

        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title> Contact Us </title>
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css" integrity="sha384-
wvfXxqpqZZVQGK6TAh5PVlGOfQNHSoD2xbE+QkPxCAFlNEevoEH3Sl0sibVcOQVnN" crossorigin="an
onymous">
        <link rel="stylesheet" type="text/css" href="contact.css">
        <div class="header">
            <div class="container">
                <div class="navbar">
                    <nav>

                        <ul>
                            <li> <a href="index.php" >Home</a></li>
                            <li><a href="services.php">Services</a></li>
                            <li><a href="aboutus.php">About Us</a></li>
                            <li><a href="contact.php">Contact</a></li>
                            <li><?php if(isset($_SESSION['auth'])&&$_SESSION['aut
h']=='true') : ?>
                                <a href="user.php"><?php echo $_SESSION['userid']; ?>
                            </a>

                            <?php else: ?>
                                <a href="account.php">Log In/Sign Up</a>
                            <?php endif;?></li>
                        </ul>
                    </nav>
                </div>
            </div>
        </div>
    </head>
    <body>
        <div class="content">
            <div class="container">
                <div class="row">
                    <div class="col-md-4">
                        <div class="card">
                            <div class="card-header">
                                <h3>About Us</h3>
                            </div>
                            <div class="card-body">
                                <p>This is a sample text for the About Us page. It is
                                intended to provide information about the company or
                                organization. The text is currently a placeholder and
                                should be replaced with actual content.
                            </div>
                        </div>
                    </div>
                    <div class="col-md-4">
                        <div class="card">
                            <div class="card-header">
                                <h3>Services</h3>
                            </div>
                            <div class="card-body">
                                <p>This is a sample text for the Services page. It
                                is intended to describe the various services offered
                                by the company or organization. The text is currently
                                a placeholder and should be replaced with actual
                                content.
                            </div>
                        </div>
                    </div>
                    <div class="col-md-4">
                        <div class="card">
                            <div class="card-header">
                                <h3>Contact Us</h3>
                            </div>
                            <div class="card-body">
                                <p>This is a sample text for the Contact Us page.
                                It is intended to provide contact information for the
                                company or organization. The text is currently a
                                placeholder and should be replaced with actual content.
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </body>
</html>
```



```

        <form>
            <h2>Send Message</h2>
            <br>
            <form id ="login" method="post" action="contact.php" cla
ss="input-group">
                <input type="text" name="name" class="input-
field" placeholder="Full Name" required style=" height:2.3em;width:250px; font-
size:medium"><br>
                <br>
                <input type="email" name="email" class="input-
field" placeholder="Email Id" required style=" height:2.3em;width:250px; font-
size:medium"><br>
                <br>
                <textarea required="required" name="message" class="i
nput-field" placeholder="Type Your Message" style=" height:3em;width:250px; font-
size:medium"></textarea>
                <br>
                <br>
                <input type="submit" name="" value="Send" style=" heig
ht:2.3em;width:80px; font-size:medium">
            </form>
        </div>
    </form>
</div>
</section>
</body>
</html>

```

booking code for one of the services

```

<?php
session_start();
$_SESSION['service']='Car body work';
$_SESSION['cost']='Rs. 2299';

?>
<!DOCTYPE html>
<html>
<head>
    <title>Registration Form Creation</title>
    <link rel="stylesheet" type="text/css" href="carbodyworkbooknow.css">
    <div class="header">

```



```

<div class="container">
  <div class="navbar">
    <nav>
      <ul>
        <li> <a href="index.php" >Home</a></li>
        <li><a href="services.php">Services</a></li>
        <li><a href="aboutus.php">About Us</a></li>
        <li><a href="contact.php">Contact</a></li>
        <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth']
h']=='true') : ?>
          <a href="user.php"><?php echo $_SESSION['userid']; ?>
        </a>

        <?php else: ?>
          <a href="account.php">Log In/Sign Up</a>
        <?php endif;?></li>
      </ul>
    </nav>
  </div>
</div>
</div>
</div>
</head>
<body>

  <div class = "register">
    <h2>Book A Car Service</h2>
    <label>Service Name: Car Body Work</label>

    <br><br>
    <label>Price: 2299</label>
    <br><br>

    <form method="post" action="book.php">
      <label> Location: </label><br>
      <textarea required="required" name="location" id="name" placeholder="En
ter location"></textarea><br><br>
      <label>Select Time</label><br>
      <select id="fh" name="time">
        <option>10:00am-12:00pm</option><option>
        <option>12:00pm-1:00pm</option><option>
        <option>2:00pm-4:00pm</option><option>
        <option>4:00pm-6:00pm</option><option>
      </select><br><br>
      <label>Date</label><br>
      <input type="date" name="date" id="da">
    </form>
  </div>
</div>

```

```

        <br>
        <br>

        <button type="submit" style="background-
color: rgb(134, 121, 121) ;color: black; font-size:medium ;">Submit</button>

    </form>
</div>

</body>
</html>

```

book.php

```

<?php
    $location = $_POST['location'];
    $time = $_POST['time'];
    $date = $_POST['date'];
    $conn = new mysqli('localhost','root','','miniproject');
    if($conn->connect_error){
        echo "$conn->connect_error";
        die("Connection Failed : ". $conn->connect_error);
    } else {
        $stmt = $conn-
>prepare("insert into book2(location,time,date) values(?,?,?)");
        $stmt->bind_param("sss", $location,$time,$date);
        $execval = $stmt->execute();
        //echo $execval;
        //echo "Booked successfully...";
        $query="SELECT * from book2 where id=(SELECT max(id) from book2) ";
        $result=mysqli_query($conn,$query);
        if(mysqli_num_rows($result)==1){

            session_start();
            $row=mysqli_fetch_array($result);
            $_SESSION['auth']='true';
            $_SESSION['location']=$row['location'];
            $_SESSION['time']=$row['time'];
            $_SESSION['date']=$row['date'];
            header('location:display.php');
        }
        //else{
            //echo '<script>alert("Invalid username or password")</script>';
            //header('location:account.php');
        //}
    }
}

```

```

        $stmt->close();
        $conn->close();
    }
?>

```

Code for the page that displays when read more is clicked

```

<?php
session_start();
?>
<!DOCTYPE html>
<html>
<head>
    <link rel="stylesheet" type="text/css" href="breakdown.css">
    <div class="header">
        <div class="container">
            <div class="navbar">
                <nav>
                    <ul>
                        <li> <a href="index.php" >Home</a></li>
                        <li><a href="services.php">Services</a></li>
                        <li><a href="aboutus.php">About Us</a></li>
                        <li><a href="contact.php">Contact</a></li>
                        <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth'] == 'true') : ?>
                            <a href="user.php"><?php echo $_SESSION['userid']; ?>
                        </a>

                        <?php else: ?>
                            <a href="account.php">Log In/Sign Up</a>
                        <?php endif;?></li>
                    </ul>
                </nav>
            </div>
        </div>
    </div>
</head>
<body>
    <div class="headers">
        <div class="main">
            <table class="center">
                <tr>
                    <th>Type</th>
                    <th>Services</th>
                    <th>price</th>

```

```

        </tr>
        <tr>
            <td>Breakdown Assistance</td>
            <td>Get an emergency roadside assistance for your car. Our exper
rt mechanic<br> will reach to your location in the shortest time possible.</td>
            <td>₹ 499
                (per piece)</td>
        </tr>
    </table>
    <div class="des">
        <a href="2.php" >
            <button >Book Now</button>
        </a>

    </div>
</div>

</div>

</body>
</html>

```

display.php (code of payment form page)

```

<?php
session_start();

?>
<!DOCTYPE html>
<html>
<body>

        <nav>
            <ul>
                <li> <a href="index.php" >Home</a></li>
                <li><a href="services.php">Services</a></li>
                <li><a href="aboutus.php">About Us</a></li>
                <li><a href="contact.php">Contact</a></li>
                <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth']
h'] == 'true') : ?>

                    <a href="user.php"><?php echo $_SESSION['userid']; ?>

                </a>

                <link rel="stylesheet" href="display.css">

```

```

        <?php else: ?>
            <a href="account.php">Log In/Sign Up</a>
        <?php endif;?></li>
    </ul>
</nav>
<div class="container" style="margin-top:100px;">
    <div class="col-12">
<div class="mytable">
<h3>Payment Receipt</h3>
<table>

<tr>
<td>User:</td>
<td><?php echo $_SESSION['userid']; ?></td><br>
</tr>

<tr>
<td>Service:</td>
<td><?php echo $_SESSION['service']; ?></td>
</tr>

<tr>
<td>Cost:</td>
<td><?php echo $_SESSION['cost']; ?></td>
</tr>

<tr>
<td>Address:</td>
<td><?php echo $_SESSION['location']; ?></td>
</tr>

<td>Date:</td>
<td><?php echo $_SESSION['date']; ?></td>
</tr>

<tr>
<td>Time:</td>
<td><?php echo $_SESSION['time']; ?></td>
</tr>

<tr>

```

```

        <td><button onclick="window.print()" id="print" style="font-
size:large;">Print </button></td>
</tr>
</table>

</div>
</div>
</div>
</body>
</html>

```

profile.php

```

<?php
session_start();

?>
<!DOCTYPE html>
<html>
<body>

        <nav>
                <ul>
                        <li> <a href="index.php" >Home</a></li>
                        <li><a href="services.php">Services</a></li>
                        <li><a href="aboutus.php">About Us</a></li>
                        <li><a href="contact.php">Contact</a></li>
                        <li><?php if(isset($_SESSION['auth'])&&$_SESSION['auth']
h')== 'true') : ?>

                                <a href="user.php"><?php echo $_SESSION['userid']; ?>

                        </a>

                        <link rel="stylesheet" href="display.css">

                <?php else: ?>
                        <a href="account.php">Log In/Sign Up</a>
                <?php endif;?></li>
                </ul>
        </nav>
        <div class="container" style="margin-top:100px;">
                <div class="col-12">
                        <div class="mytable">
                                <h3>Payment Receipt</h3>
                                <table>

```

```

<tr>
<td>User:</td>
<td><?php echo $_SESSION['userid']; ?></td><br>
</tr>

<tr>
<td>Service:</td>
<td><?php echo $_SESSION['service']; ?></td>
</tr>

<tr>
<td>Cost:</td>
<td><?php echo $_SESSION['cost']; ?></td>
</tr>

<tr>
<td>Address:</td>
<td><?php echo $_SESSION['location']; ?></td>
</tr>

<td>Date:</td>
<td><?php echo $_SESSION['date']; ?></td>
</tr>



<tr>
<td>Time:</td>
<td><?php echo $_SESSION['time']; ?></td>
</tr>



<tr>
    <td><button onclick="window.print()" id="print" style="font-
size:large;">Print </button></td>
</tr>
</table>



</div>
</div>
</div>
</body>
</html>



```



OUTPUTS











localhost/minipro/miniproject (x) +

localhost/minipro/miniproject%20(6)/miniproject/carins.php

Home Services About Us Contact Sreeja

Type	Services	price
Car Inspection	Get complete car check with exact problem identification and suggestion Recommended for following problem identification : Major clutch, brake, acceleration & suspension problems, Engine related electrical & mechanical problems and engine scanning using ECM or OBD device.	₹ 549 (per piece)

Book Now

localhost/minipro/miniproject (x) +

localhost/minipro/miniproject%20(6)/miniproject/checkup.php

Home Services About Us Contact Sreeja

Type	Services	price
Doorstep Checkup & Minor Repairs	General car check-up by an expert mechanic. We will also ensure the minor repairing will be done with a FREE 15-point monsoon car health report to keep your car in a perfect condition.e	₹ 499 (per piece)

Book Now

Registration Form Creation

localhost/minipro/miniproject%20(6)/miniproject/1.php

Home Services About Us Contact Sreeja

Book A Car Service

Service Name: Car Body Work

Price: 2299

Location:
9-4-5,srinagar colony, knr

Select Time
10:00am-12:00pm

Date
22-Dec-2020

Submit

localhost/minipro/miniproject (1) x

localhost/minipro/miniproject%20(6)/miniproject/display.php

Home Services About Us Contact Sreeja

Payment Receipt

User: Sreeja
Service: Car body work
Cost: Rs. 2299
Address: 9-4-5,srinagar colony, knr
Date: 2020-12-22
Time: 10:00am-12:00pm
[Print](#)