

# Cucumber Report

27-Sep-2023, 11:50:51 pm

**Start : Sep 27, 11:11:50.584 pm**

**End : Sep 27, 11:50:47.886 pm**

**Duration : 38 m 57.302 s**

Features







PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 10  
FAILED - 9  
SKIPPED - 0

Steps


PASSED - 447  
FAILED - 9  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>ValueLabs</u>		38 m 57.302 s		19	10	9	0	456	447	9	0

<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
	@Validating_the_Subscription_Packages	1	0	1	0	1	0	1	0
	@ValueLabs_E2E	19	10	9	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Lite_STC	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Lite_VISA	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Classic_STC	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Classic_VISA	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Premium_STC	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_Bh_Premium_VISA	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Lite_STC	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Lite_VISA	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Classic_STC	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Classic_VISA	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Premium_STC	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KW_Premium_VISA	1	0	1	0	1	0	1	0
	@Validating_the_Subscription_Packages_KSA_Lite_STC	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_KSA_Lite_VISA	1	1	0	0	1	0	1	0
	@Validating_the_Subscription_Packages_KSA_Classic_STC	1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@Validating_the_Subscription_Packages_KSA_Classic_VISA	1	1	0	0	1	0	1	0
@Validating_the_Subscription_Packages_KSA_Premium_STC	1	1	0	0	1	0	1	0
@Validating_the_Subscription_Packages_KSA_Premium_VISA	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>ValueLabs</u>	19	10	9	0	38 m 57.302 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>ValueLabs</u>	<u>Test Case 1 - Validating the Subscription Packages (SYSTEM WILL GET RANDOM INPUTS)</u>	24	23	1	0	1 m 47.843 s
2	<u>ValueLabs</u>	<u>Test Case 2 - Validating the Subscription Packages for BH Country For Lite Plan With STC Payment Method</u>	24	24	0	0	2 m 35.183 s
3	<u>ValueLabs</u>	<u>Test Case 3 - Validating the Subscription Packages for BH Country For Lite Plan With VISA Payment Method</u>	24	24	0	0	2 m 39.293 s
4	<u>ValueLabs</u>	<u>Test Case 4 - Validating the Subscription Packages for BH Country For Classic Plan With STC Payment Method</u>	24	24	0	0	1 m 38.922 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
5	<u>ValueLabs</u>	<u>Test Case 5 - Validating the Subscription Packages for BH Country For Classic Plan With VISA Payment Method</u>	24	23	1	0	1 m 47.155 s
6	<u>ValueLabs</u>	<u>Test Case 6 - Validating the Subscription Packages for BH Country For Premium Plan With STC Payment Method</u>	24	23	1	0	1 m 41.662 s
7	<u>ValueLabs</u>	<u>Test Case 7 - Validating the Subscription Packages for BH Country For Premium Plan With VISA Payment Method</u>	24	24	0	0	1 m 53.068 s
8	<u>ValueLabs</u>	<u>Test Case 8 - Validating the Subscription Packages for KW Country For Lite Plan With STC Payment Method</u>	24	23	1	0	1 m 37.062 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
9	<u>ValueLabs</u>	<u>Test Case 9 - Validating the Subscription Packages for KW Country For Lite Plan With VISA Payment Method</u>	24	23	1	0	1 m 37.463 s
10	<u>ValueLabs</u>	<u>Test Case 10 - Validating the Subscription Packages for KW Country For Classic Plan With STC Payment Method</u>	24	23	1	0	2 m 4.100 s
11	<u>ValueLabs</u>	<u>Test Case 11 - Validating the Subscription Packages for KW Country For Classic Plan With VISA Payment Method</u>	24	23	1	0	1 m 37.562 s
12	<u>ValueLabs</u>	<u>Test Case 12 - Validating the Subscription Packages for KW Country For Premium Plan With STC Payment Method</u>	24	23	1	0	1 m 38.598 s



#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
13	<u>ValueLabs</u>	<u>Test Case 13 - Validating the Subscription Packages for KW Country For Premium Plan With VISA Payment Method</u>	24	23	1	0	2 m 4.245 s
14	<u>ValueLabs</u>	<u>Test Case 14 - Validating the Subscription Packages for KSA Country For Lite Plan With STC Payment Method</u>	24	24	0	0	3 m 28.159 s
15	<u>ValueLabs</u>	<u>Test Case 15 - Validating the Subscription Packages for KSA Country For Lite Plan With VISA Payment Method</u>	24	24	0	0	1 m 34.330 s
16	<u>ValueLabs</u>	<u>Test Case 16 - Validating the Subscription Packages for KSA Country For Classic Plan With STC Payment Method</u>	24	24	0	0	1 m 38.098 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>ValueLabs</u>	<u>Test Case 17 - Validating the Subscription Packages for KSA Country For Classic Plan With VISA Payment Method</u>	24	24	0	0	2 m 45.991 s
18	<u>ValueLabs</u>	<u>Test Case 18 - Validating the Subscription Packages for KSA Country For Premium Plan With STC Payment Method</u>	24	24	0	0	2 m 9.692 s
19	<u>ValueLabs</u>	<u>Test Case 19 - Validating the Subscription Packages for KSA Country For Premium Plan With VISA Payment Method</u>	24	24	0	0	2 m 37.284 s

## ValueLabs




### Test Case 1 - Validating the Subscription Packages (SYSTEM WILL GET RANDOM INPUTS)




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.793 s
2	And Verify User can be able to Change Language	PASSED	9.674 s
3	Then Verify User can be able to select Country	PASSED	9.530 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	3.563 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.640 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.606 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.155 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.460 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.179 s
10	Then Verify User can be able to select Subscription package	PASSED	1.701 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.193 s
12	Then Verify user can be able to choose Payment Method	PASSED	0.448 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.319 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.856 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.258 s

#	Step / Hook Details	Status	Duration
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.398 s
17	Then Verify User can be able to change Payment Method	PASSED	1.819 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.267 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.507 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.111 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.458 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.974 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.347 s
24	And Verify user can be able to proceed to Payment  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:36) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0664a3709fcbe3f8b3b9bff29c1d0b52, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54901}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54901/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0664a3709fcbe3f8b3b9bff29c1d0b52 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)	FAILED	30.753 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	<p>AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Failed</p> 	PASSED	6.689 s


## Test Case 2 - Validating the Subscription Packages for BH Country For Lite Plan With STC Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	15.373 s
2	And Verify User can be able to Change Language	PASSED	10.134 s
3	Then Verify User can be able to select Country	PASSED	7.090 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.603 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.198 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.663 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.165 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.150 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.129 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	1.967 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.268 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.662 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.254 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.195 s
15	Then Verify User can be able to add AddOn Packages	PASSED	2.034 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.694 s
17	Then Verify User can be able to change Payment Method	PASSED	1.792 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.559 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.396 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.161 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.994 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.865 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.243 s
24	And Verify user can be able to proceed to Payment	PASSED	1 m 23.006 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	8.776 s

#	Step / Hook Details	Status	Duration
	<p>Passed</p> 		


### Test Case 3 - Validating the Subscription Packages for BH Country For Lite Plan With VISA Payment Method

PASSED	DURATION - 2 m 39.293 s  / 11:16:14.046 pm // 11:18:53.339 pm /		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
	ValueLabs  @Validating_the_Subscription_Packages_Bh_Lite_VIS-A @ValueLabs_E2E			


#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	16.023 s
2	And Verify User can be able to Change Language	PASSED	10.753 s
3	Then Verify User can be able to select Country	PASSED	7.418 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.308 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.208 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.972 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.158 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.163 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.226 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	2.100 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.194 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.658 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.289 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.663 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.555 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.619 s

#	Step / Hook Details	Status	Duration
17	Then Verify User can be able to change Payment Method	PASSED	2.083 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.513 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.753 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.171 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.080 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.279 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.174 s
24	And Verify user can be able to proceed to Payment	PASSED	1 m 27.587 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)  Passed  	PASSED	6.995 s


#### Test Case 4 - Validating the Subscription Packages for BH Country For Classic Plan With STC Payment Method



#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	16.590 s
2	And Verify User can be able to Change Language	PASSED	8.728 s
3	Then Verify User can be able to select Country	PASSED	7.130 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.529 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.835 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	1.914 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.178 s

#	Step / Hook Details	Status	Duration
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.120 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.141 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.659 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.115 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.329 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.210 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.818 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.376 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.624 s
17	Then Verify User can be able to change Payment Method	PASSED	2.215 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.490 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.634 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.143 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.863 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.502 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.282 s
24	And Verify user can be able to proceed to Payment	PASSED	29.824 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	8.323 s
	Passed		
			


### Test Case 5 - Validating the Subscription Packages for BH Country For Classic Plan With VISA Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	20.132 s
2	And Verify User can be able to Change Language	PASSED	9.619 s
3	Then Verify User can be able to select Country	PASSED	11.555 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	3.426 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	3.039 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.142 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.120 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.107 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.101 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.579 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.119 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.429 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.369 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.528 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.914 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.353 s
17	Then Verify User can be able to change Payment Method	PASSED	1.801 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.283 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.253 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.125 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.573 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.164 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.150 s
24	And Verify user can be able to proceed to Payment	FAILED	30.490 s
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629)   at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:155) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [9475bb3aefb61409636235a37c93cad6, findElement {using=id, value=proceedURLRedirection}] Capabilities</pre>		

#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56271}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56271/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9475bb3aefb61409636235a37c93cad6 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)  Failed  	PASSED	7.149 s


### Test Case 6 - Validating the Subscription Packages for BH Country For Premium Plan With STC Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	19.450 s
2	And Verify User can be able to Change Language	PASSED	9.975 s
3	Then Verify User can be able to select Country	PASSED	8.704 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.463 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.018 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.321 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.400 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.117 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.235 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	1.831 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.114 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.400 s

#	Step / Hook Details	Status	Duration
13	Then Verify system displayes Order Summery correctly	PASSED	0.286 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.820 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.864 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.328 s
17	Then Verify User can be able to change Payment Method	PASSED	1.553 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.359 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.859 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.177 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.187 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.309 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.468 s
24	<p>And Verify user can be able to proceed to Payment</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval)   at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629)   at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:184) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [348bb711920eb90e9b2c810805d0a67b, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56549}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56549/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 348bb711920eb90e9b2c810805d0a67b   at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	30.570 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Failed 	PASSED	6.100 s


## Test Case 7 - Validating the Subscription Packages for BH Country For Premium Plan With VISA Payment Method



#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.724 s
2	And Verify User can be able to Change Language	PASSED	8.740 s
3	Then Verify User can be able to select Country	PASSED	6.589 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.624 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.833 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.149 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.147 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.133 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.127 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	1.580 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.135 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.472 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.228 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.008 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.246 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.374 s
17	Then Verify User can be able to change Payment Method	PASSED	1.695 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.478 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.498 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.243 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.871 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.823 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.463 s
24	And Verify user can be able to proceed to Payment	PASSED	42.470 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	9.274 s

#	Step / Hook Details	Status	Duration
	<p>Passed</p> 		

### Test Case 8 - Validating the Subscription Packages for KW Country For Lite Plan With STC Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	18.545 s
2	And Verify User can be able to Change Language	PASSED	8.819 s
3	Then Verify User can be able to select Country KW	PASSED	7.808 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.554 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.033 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.080 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.121 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.114 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.120 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	1.458 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.139 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.440 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.222 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.596 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.661 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.339 s

#	Step / Hook Details	Status	Duration
17	Then Verify User can be able to change Payment Method	PASSED	1.366 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.242 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.383 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.449 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.653 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.214 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.187 s
24	And Verify user can be able to proceed to Payment  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:245) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85ac65b328d9ecc19b950d543dbddbe5, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57209}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57209/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85ac65b328d9ecc19b950d543dbddbe5 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	30.568 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Failed 	PASSED	6.478 s

## Test Case 9 - Validating the Subscription Packages for KW Country For Lite Plan With VISA Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.527 s
2	And Verify User can be able to Change Language	PASSED	8.701 s
3	Then Verify User can be able to select Country KW	PASSED	7.602 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.604 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.044 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.040 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.124 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.118 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.106 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	1.630 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.194 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.482 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.227 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.303 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.943 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.419 s
17	Then Verify User can be able to change Payment Method	PASSED	2.177 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.244 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.455 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.148 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.581 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.198 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.395 s
24	And Verify user can be able to proceed to Payment	FAILED	30.486 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:275) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [441b9a9d06a11268853d8db3f44ded8b, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57492}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57492/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 441b9a9d06a11268853d8db3f44ded8b at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Failed</p> 	PASSED	6.199 s

### Test Case 10 - Validating the Subscription Packages for KW Country For Classic Plan With STC Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	35.725 s
2	And Verify User can be able to Change Language	PASSED	7.309 s
3	Then Verify User can be able to select Country KW	PASSED	15.136 s


#	Step / Hook Details	Status	Duration
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	3.793 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	3.346 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.297 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.145 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.144 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.123 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.648 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.154 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.293 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.268 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.096 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.019 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.442 s
17	Then Verify User can be able to change Payment Method	PASSED	1.626 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.215 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.051 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.104 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.010 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.181 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.171 s
24	And Verify user can be able to proceed to Payment  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:305) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5d7b016ae807d49722c62957cdbec31f, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57763/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	31.138 s

#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5d7b016ae807d49722c62957cdbec31f at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.	PASSED	6.450 s

#	Step / Hook Details	Status	Duration
	<p>Failed</p> 		

### Test Case 11 - Validating the Subscription Packages for KW Country For Classic Plan With VISA Payment Method

FAILED	DURATION - 1 m 37.562 s		Steps Total - 24 Pass - 23 Fail - 1 Skip - 0	
/ 11:31:13.381 pm // 11:32:50.943 pm /				
ValueLabs				
@ValueLabs_E2E				
@Validating_the_Subscription_Packages_KW_Classic_-VISA				


#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	18.878 s
2	And Verify User can be able to Change Language	PASSED	7.955 s
3	Then Verify User can be able to select Country KW	PASSED	8.447 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.352 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.162 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.302 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.178 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.126 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.135 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.528 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.106 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.347 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.218 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.616 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.629 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.307 s

#	Step / Hook Details	Status	Duration
17	Then Verify User can be able to change Payment Method	PASSED	1.416 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.224 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.626 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.157 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.873 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.224 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.203 s
24	And Verify user can be able to proceed to Payment  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:334)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [58152aab2c4e2471b990e1ef36313864, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58045}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58045/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 58152aab2c4e2471b990e1ef36313864 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	31.307 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>Failed</p> 	PASSED	5.929 s


## Test Case 12 - Validating the Subscription Packages for KW Country For Premium Plan With STC Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.902 s
2	And Verify User can be able to Change Language	PASSED	10.341 s
3	Then Verify User can be able to select Country KW	PASSED	7.514 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.278 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.788 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.028 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.121 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.121 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.101 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	1.636 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.126 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.355 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.195 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.621 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.632 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.293 s
17	Then Verify User can be able to change Payment Method	PASSED	1.198 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.292 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.376 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.114 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.873 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.327 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.407 s
24	And Verify user can be able to proceed to Payment	FAILED	30.813 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:363) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [41f7bed30df4d8c7abc47f7f0e0fc0b6, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58311}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58311/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 41f7bed30df4d8c7abc47f7f0e0fc0b6 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</pre>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario) Failed 	PASSED	7.530 s

### Test Case 13 - Validating the Subscription Packages for KW Country For Premium Plan With VISA Payment Method


FAILED	DURATION - 2 m 4.245 s		Steps Total - 24 Pass - 23 Fail - 1 Skip - 0	
/ 11:34:29.757 pm // 11:36:34.002 pm /				
ValueLabs				
@ValueLabs_E2E @Validating_the_Subscription_Packages_KW_Premium_VISA				

#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	18.861 s
2	And Verify User can be able to Change Language	PASSED	10.477 s
3	Then Verify User can be able to select Country KW	PASSED	31.327 s


#	Step / Hook Details	Status	Duration
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.471 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.379 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.439 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.223 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.117 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.116 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	2.019 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.134 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.474 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.253 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.830 s
15	Then Verify User can be able to add AddOn Packages	PASSED	0.539 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.322 s
17	Then Verify User can be able to change Payment Method	PASSED	1.445 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.234 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.339 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.099 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.479 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.178 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.374 s
24	And Verify user can be able to proceed to Payment  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.id: proceedURLRedirection' (tried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at ?.Verify user can be able to proceed to Payment(file:///E:/Automation/eclipse/Workspace/ValueLabs/src/test/resources/featurefile/ValueLabs.feature:392) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#proceedURLRedirection"} (Session info: chrome=117.0.5938.92) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0a13075bee150130334c7ea3bab39ef8, findElement {using=id, value=proceedURLRedirection}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.92, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58578}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58578/devtoo..., se:cdpVersion: 117.0.5938.92, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	30.692 s

#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0a13075bee150130334c7ea3bab39ef8 at jdk.internal.reflect.GeneratedConstructorAccessor15.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy26.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at stepdefinition.Subscription.verify_user_can_be_able_to_proceed_to_payment(Subscription.java:629) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86)</pre>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.internal.runners.statements.RunAfters.evaluate(RunAfters.java:27) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.	PASSED	7.953 s

#	Step / Hook Details	Status	Duration
	<p>Failed</p> 		


### Test Case 14 - Validating the Subscription Packages for KSA Country For Lite Plan With STC Payment Method

PASSED	DURATION - 3 m 28.159 s  / 11:36:34.046 pm // 11:40:02.205 pm /		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
	ValueLabs  @Validating_the_Subscription_Packages_KSA_Lite_STC @ValueLabs_E2E			


#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	22.674 s
2	And Verify User can be able to Change Language	PASSED	8.170 s
3	Then Verify User can be able to select Country KSA	PASSED	7.935 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.401 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.853 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	1.874 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.108 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.129 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.180 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	1.595 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.114 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.386 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.233 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.742 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.281 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.443 s

#	Step / Hook Details	Status	Duration
17	Then Verify User can be able to change Payment Method	PASSED	1.572 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.655 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.577 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.198 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.281 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.383 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.199 s
24	And Verify user can be able to proceed to Payment	PASSED	2 m 14.374 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)  Passed  	PASSED	9.029 s


### Test Case 15 - Validating the Subscription Packages for KSA Country For Lite Plan With VISA Payment Method




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.390 s
2	And Verify User can be able to Change Language	PASSED	9.432 s
3	Then Verify User can be able to select Country KSA	PASSED	8.374 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.414 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.943 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.047 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.092 s


#	Step / Hook Details	Status	Duration
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.090 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.140 s
10	Then Verify User can be able to select Lite Subscription package	PASSED	1.629 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.149 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.307 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.219 s
14	Then Verify User can be able to view AddOn Package details	PASSED	1.757 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.379 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.480 s
17	Then Verify User can be able to change Payment Method	PASSED	2.087 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.580 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.592 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.241 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.953 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.608 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.228 s
24	And Verify user can be able to proceed to Payment	PASSED	22.348 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	6.797 s
	Passed		
			

### Test Case 16 - Validating the Subscription Packages for KSA Country For Classic Plan With STC Payment Method


PASSED	DURATION - 1 m 38.098 s  / 11:41:36.667 pm // 11:43:14.765 pm /		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
	ValueLabs  @Validating_the_Subscription_Packages_KSA_Classic-STC @ValueLabs_E2E			

#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	17.545 s
2	And Verify User can be able to Change Language	PASSED	8.229 s
3	Then Verify User can be able to select Country KSA	PASSED	9.901 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	3.289 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.923 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.166 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.154 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.135 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.117 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.901 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.388 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.417 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.458 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.009 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.658 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.413 s
17	Then Verify User can be able to change Payment Method	PASSED	1.450 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.499 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.116 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.173 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.702 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.261 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.146 s
24	And Verify user can be able to proceed to Payment	PASSED	24.978 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	8.612 s
	Passed		
			


**Test Case 17 - Validating the Subscription Packages for KSA Country For Classic Plan With VISA Payment Method**




#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	24.833 s
2	And Verify User can be able to Change Language	PASSED	10.547 s
3	Then Verify User can be able to select Country KSA	PASSED	8.786 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.504 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.780 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.633 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.143 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.148 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.166 s
10	Then Verify User can be able to select Classic Subscription package	PASSED	1.791 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.095 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.597 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.254 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.048 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.618 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.532 s
17	Then Verify User can be able to change Payment Method	PASSED	1.940 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.471 s
19	Then Verify User can be able to change Subscription plan	PASSED	2.324 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.171 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.946 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.262 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.212 s
24	And Verify user can be able to proceed to Payment	PASSED	1 m 20.764 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	9.383 s

#	Step / Hook Details	Status	Duration
	<p>Passed</p> 		


### Test Case 18 - Validating the Subscription Packages for KSA Country For Premium Plan With STC Payment Method

PASSED	DURATION - 2 m 9.692 s		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 11:46:00.868 pm // 11:48:10.560 pm /				
ValueLabs				
@ValueLabs_E2E @Validating_the_Subscription_Packages_KSA_Premium_STC				

#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	23.464 s
2	And Verify User can be able to Change Language	PASSED	8.090 s
3	Then Verify User can be able to select Country KSA	PASSED	7.200 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.616 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	2.148 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	1.862 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.190 s
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.091 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.097 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	1.363 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.229 s
12	Then Verify user can be able to choose Payment Method STC	PASSED	0.429 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.292 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.880 s
15	Then Verify User can be able to add AddOn Packages	PASSED	2.352 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	0.634 s

#	Step / Hook Details	Status	Duration
17	Then Verify User can be able to change Payment Method	PASSED	2.376 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.400 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.328 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.122 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	1.928 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.363 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.251 s
24	And Verify user can be able to proceed to Payment	PASSED	54.556 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)  Passed  	PASSED	5.966 s

### Test Case 19 - Validating the Subscription Packages for KSA Country For Premium Plan With VISA Payment Method



#	Step / Hook Details	Status	Duration
1	Given Verify User can be able to navigate to the Environment	PASSED	28.204 s
2	And Verify User can be able to Change Language	PASSED	8.659 s
3	Then Verify User can be able to select Country KSA	PASSED	9.024 s
4	Then Verify User can be able to Verify Package Details Lite Plan	PASSED	2.711 s
5	Then Verify User can be able to Verify Package Details Classic Plan	PASSED	1.990 s
6	Then Verify User can be able to Verify Package Details Premium Plan	PASSED	2.153 s
7	Then Verify User can be able to Verify Addon Package Details for Lite Plan	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
8	Then Verify User can be able to Verify Addon Package Details for Classic Plan	PASSED	0.359 s
9	Then Verify User can be able to Verify Addon Package Details for Premium Plan	PASSED	0.118 s
10	Then Verify User can be able to select Premium Subscription package	PASSED	1.841 s
11	Then Verify system displayes Subscription package price details correctly	PASSED	0.227 s
12	Then Verify user can be able to choose Payment Method VISA	PASSED	0.505 s
13	Then Verify system displayes Order Summery correctly	PASSED	0.271 s
14	Then Verify User can be able to view AddOn Package details	PASSED	2.428 s
15	Then Verify User can be able to add AddOn Packages	PASSED	1.812 s
16	Then Verify system displayes Order Summery correctly after adding AddOn packages	PASSED	1.227 s
17	Then Verify User can be able to change Payment Method	PASSED	1.731 s
18	Then Verify system displayes Subscription package price details correctly after changing payment method	PASSED	0.505 s
19	Then Verify User can be able to change Subscription plan	PASSED	1.381 s
20	Then Verify system displayes Subscription package price details correctly after changing plan	PASSED	0.131 s
21	Then Verify User can be able to add Addon packages on summary page	PASSED	2.802 s
22	Then Verify system displayes Subscription package price details correctly after changing AddOn plan	PASSED	0.281 s
23	Then Verify System gets user details for payment based on the payment method selected	PASSED	0.166 s
24	And Verify user can be able to proceed to Payment	PASSED	1 m 10.527 s
	AFTER - stepdefinition.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	10.633 s
	Passed		