

**PROJECT PHASE - I REPORT**  
**ON**  
**FULMINE : FORECASTING ENERGY CONSUMPTION**  
**DEMAND IN INDUSTRIES**

Submitted by  
**RITHIKA ANILKUMAR (SJC20CS107)**  
to  
the APJ Abdul Kalam Technological University  
in partial fulfillment of the requirements for the award of the degree  
of  
Bachelor of Technology  
in  
**Computer Science and Engineering**



**Department of Computer Science and Engineering**  
**St. Joseph's College of Engineering and Technology, Palai**  
December :: 2023

## Declaration

I undersigned hereby declare that the project report on “**Fulmine : Forecasting Energy Consumption Demand in Industries**”, submitted for partial fulfillment of the requirements for the award of degree of Bachelor of Technology of the APJ Abdul Kalam Technological University, Kerala, is a bonafide work done by me under supervision of **Prof. Bino Thomas**. This submission represents my ideas in my own words and where ideas or words of others have been included, I have adequately and accurately cited and referenced the original sources. I also declare that I have adhered to ethics of academic honesty and integrity and have not misrepresented or fabricated any data or idea or fact or source in our submission. I understand that any violation of the above will be a cause for disciplinary action by the institute and/or the University and can also evoke penal action from the sources which have thus not been properly cited or from whom proper permission has not been obtained. This report has not been previously formed the basis for the award of any degree, diploma or similar title of any other University.

### Name and Signature of Student

RITHIKA ANILKUMAR (SJC20CS107)

Place: Choondacherry

Date: 07-12-2023

ST. JOSEPH'S COLLEGE OF ENGINEERING AND TECHNOLOGY, PALAI

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



## CERTIFICATE

This is to certify that the report entitled "**FULMINE : FORECASTING ENERGY DEMAND IN INDUSTRY**" submitted by **RITHIKA ANILKUMAR (SJC20CS107)** to the APJ Abdul Kalam Technological University in partial fulfillment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering is a bonafide record of the project work carried out by them under my guidance and supervision.

### Project Guide

Prof.Bino Thomas  
Assistant Professor  
Department of CSE

### Project Coordinator

Prof. Sarju S  
Assistant Professor  
Department of CSE

.

.

Place : Choondacherry

Date : 7-12-2023

### Head of Department

Dr. Joby P.P  
Professor & Head  
Department of CSE

## ACKNOWLEDGEMENT

The success and final outcome of this project phase 1 required a lot of guidance and assistance from many people and I am extremely privileged to have got this all along the completion of our project. All that I have done is only due to such supervision and assistance and I would not forget to thank them.

I respect and thank the management of **St. Joseph's College of Engineering and Technology** for providing me an opportunity and platform for doing the project work.

I am extremely thankful to my beloved **Principal, Dr. V. P. Devassia** for providing such invaluable support and necessary facilities to carry out this project.

I am extremely indebted to **Dr. Joby P P, Professor & Head**, Department of Computer Science and Engineering for his valuable suggestions and encouragement throughout the course of the project work.

I would like to express my gratitude to my project coordinator **Prof. Sarju S**, Assistant Professor, Department of Computer Science and Engineering, and my project guide **Prof. Bino Thomas**, Assistant Professor, Department of Computer Science and Engineering for their valuable suggestions and guidelines throughout the period of my project work. Their contributions and technical support in preparing this report are greatly acknowledged.

I am thankful and fortunate enough to get constant encouragement, support, and guidance from all the staff members of the Department of Computer Science and Engineering.

.

**RITHIKA ANILKUMAR**

## **Abstract**

The energy demand from industries is rapidly increasing, which makes the optimal use of energy resources and efficient energy management which are a crucial component for ensuring sustainability. In this context, proposing a forecasting approach to manage the distribution, consumption, and scheduling of machines in an industry based on meter readings to reduce electricity costs, optimize energy flow and increase efficiency. The proposed approach uses statistical models and machine learning techniques to predict energy consumption based on previous meter readings. An optimization algorithm is then implemented to schedule the time of use of each machine and identify the most efficient sequence of operation that minimizes electricity costs while ensuring energy demand is met. The proposed approach is expected to successfully model the energy consumption patterns, and achieve significant cost savings, increased efficiency and optimized energy distribution. This proposed system has practical implications and can be applied in various industries to enhance energy management and operational performance.

# Contents

Declaration	ii
Abstract	v
<b>1 Introduction</b>	<b>1</b>
1.1 Background . . . . .	1
1.2 Objective and Scope . . . . .	2
<b>2 Literature Review</b>	<b>3</b>
2.1 IoT-Based Smart Energy Management for Smart Homes . . . . .	3
2.2 Flow Shop Scheduling for Energy-Efficient Manufacturing . . . . .	4
2.3 Energy Management Algorithms in Smart Grids . . . . .	5
2.4 Manufacturing Scheduling for Energy Cost Reduction in a Smart Grid Scenario . . . . .	5
2.5 Synthesis of Findings . . . . .	6
2.6 Gaps and Opportunities for Future Research . . . . .	6
<b>3 Requirement Analysis</b>	<b>8</b>
3.1 Hardware Requirements . . . . .	8
3.1.1 Functional Requirements . . . . .	8
3.1.2 Non Functional Requirement . . . . .	9
3.2 Software Requirements . . . . .	10
3.2.1 Functional Requirements . . . . .	10
3.2.2 Functional Requirements . . . . .	12
3.3 Proposed System . . . . .	13

<b>Contents</b>	<b>vii</b>
3.4 System Module . . . . .	13
3.4.1 User Modules . . . . .	14
3.4.2 Administrator Modules . . . . .	14
3.4.3 Common Modules . . . . .	15
<b>4 System Design</b>	<b>17</b>
4.1 Use Case Diagram . . . . .	17
4.2 Activity Diagram . . . . .	19
4.3 Sequence Diagram . . . . .	21
4.4 System Architectural Diagram . . . . .	21
4.5 Circuit Diagram . . . . .	22
4.6 UI Design . . . . .	24
4.7 Technology Stack . . . . .	30
4.7.1 Programming Language . . . . .	30
4.7.2 Machine Learning framework . . . . .	30
4.7.3 Statistical Analysis . . . . .	30
4.7.4 Embedded Systems . . . . .	30
4.7.5 Statistical Analysis . . . . .	30
<b>Conclusion</b>	<b>31</b>
<b>References</b>	<b>32</b>

# List of Figures

4.1 Use case diagram of Fulmine . . . . . 18

4.2 Activity diagram of Fulmine . . . . . 20

4.3 Sequence diagram of Fulmine . . . . . 21

4.4 System Architectural diagram of Fulmine . . . . . 22

4.5 Circuit Diagram of Fulmine . . . . . 23

4.6 Home Page of Fulmine . . . . . 25

4.7 Landing Page of Fulmine . . . . . 26

4.8 Landing Page of Fulmine . . . . . 27

4.9 Contact us of Fulmine . . . . . 28

4.10 Dashboard of Fulmine . . . . . 29



# Chapter 1

## Introduction

The increasing demand for energy, coupled with the rising costs of electricity, has led to a growing need for efficient energy management in industries [1]. In this context, forecasting energy consumption has become a crucial component for ensuring sustainability and reducing operational costs.

### 1.1 Background

The optimal use of energy resources is a critical factor for ensuring sustainability and reducing operational costs in industries. Energy consumption patterns in industries are complex and dynamic, making it challenging to manage energy demand efficiently. Traditional methods of energy management [2], such as fixed schedules or reactive responses to energy demand, are no longer sufficient to meet the demands of modern industries.

To address this challenge, several researchers have proposed forecasting approaches for managing energy demand in industries. These approaches use statistical models and machine learning techniques to predict energy consumption based on historical data. However, most of these approaches focus on short-term forecasting, which is limited in its ability to accurately predict long-term energy consumption patterns.

## 1.2 Objective and Scope

The objective of our proposed forecasting approach is to accurately predict long-term energy consumption patterns in industries based on historical meter readings. Our approach uses a combination of statistical models and machine learning techniques to capture the complex and dynamic nature of energy consumption patterns in industries. By accurately predicting energy consumption patterns, our approach enables industries to optimize energy distribution, reduce electricity costs, and increase operational efficiency.

Our proposed forecasting approach is applicable to various industries, including manufacturing, mining, and utilities. The approach can be used to manage energy demand for individual machines, as well as entire production lines or facilities. Our approach is also scalable and can be adapted to suit the specific needs and requirements of different industries.

# Chapter 2

## Literature Review

The increasing demand for energy efficiency and sustainable practices has led to a surge in research exploring various domains, including smart homes, intelligent production systems, and smart grids. This literature review synthesizes the findings from several key papers, each addressing different aspects of energy-efficient scheduling and management in various contexts.

### 2.1 IoT-Based Smart Energy Management for Smart Homes

IoT-Based Smart Energy Management for Smart Homes [3] explores the transformative impact of the Internet of Things (IoT) on enhancing energy efficiency within residential settings. Proposing a sophisticated system, the authors focus on the dynamic optimization of energy consumption by leveraging real-time data from interconnected devices. The study situates itself within the broader landscape of smart home technologies, highlighting the prevalence of IoT-enabled devices in modern households. The primary objective is to develop a comprehensive solution that not only monitors but actively adapts energy usage, aiming to reduce costs and contribute to sustainability. The methodology likely involves the design and implementation of IoT devices, data analytics utilizing machine

learning or statistical models, and a dynamic adaptation mechanism. The system's key components encompass IoT devices for data collection, advanced analytics for real-time insights, and a dynamic energy adaptation feature, enabling adjustments in thermostat settings, lighting levels, and operation of energy-intensive appliances. The paper presents results, demonstrating improvements in energy efficiency and cost reduction, underscoring the significance of the proposed system in advancing smart home energy management. The contribution lies in offering a novel approach to address energy consumption challenges in residential settings through the integration of IoT technologies and real-time data. The conclusion summarizes key findings, acknowledges any limitations, and suggests future research directions, positioning the work as a valuable contribution to the field.

## **2.2 Flow Shop Scheduling for Energy-Efficient Manufacturing**

Flow Shop Scheduling for Energy-Efficient Manufacturing [5] delves into the realm of intelligent production systems, offering insights into the optimization of manufacturing processes with a specific focus on minimizing energy consumption. The central concept introduced is that of flow shop scheduling, a method strategically designed to enhance energy efficiency in manufacturing operations. The study emphasizes the critical role of sequencing operations within the flow shop scheduling framework, showcasing its effectiveness in mitigating idle time and, as a result, reducing energy waste in production systems. The paper likely provides a detailed examination of the flow shop scheduling algorithm, explaining how it optimally organizes the order of tasks to streamline production and, consequently, minimize energy usage. The significance of this research lies in its potential to contribute to sustainable manufacturing practices by offering a systematic approach that directly addresses energy-related challenges. By highlighting the importance of sequence optimization, the paper underscores the practical implications of efficient scheduling in the broader context of energy-efficient manufacturing. Integrating these findings into your report would provide a comprehensive understanding of the paper's contributions to the

field of intelligent production systems and energy-efficient manufacturing.

## 2.3 Energy Management Algorithms in Smart Grids

Energy Management Algorithms in Smart Grids: State of the Art and Emerging Trends [6] explores the transformative impact of smart grids on energy distribution and management. Smart grids, considered a pivotal advancement, serve as the focal point of the study. The authors conduct an extensive review of existing algorithms designed for energy management within smart grids, providing a comprehensive overview of the current state of the art. The paper not only illuminates established practices but also sheds light on emerging trends in the field. By identifying challenges and opportunities associated with smart grid algorithms, the study offers valuable insights for both researchers and practitioners. This work contributes to the understanding of the dynamic landscape of energy management in smart grids, laying the groundwork for further advancements in the field. The comprehensive nature of the review positions it as a key resource for those seeking to navigate the complexities of smart grid algorithms and harness their potential for efficient and sustainable energy distribution.

## 2.4 Manufacturing Scheduling for Energy Cost Reduction in a Smart Grid Scenario

Manufacturing Scheduling for Energy Cost Reduction in a Smart Grid Scenario [4] extends the exploration of smart grids, focusing on the intersection of manufacturing scheduling strategies and energy cost reduction. The study investigates how optimizing manufacturing schedules can contribute to overall energy cost reduction within the context of smart grids. A key emphasis is placed on establishing synergy between production scheduling and energy management, presenting a holistic approach. The paper likely delves into specific strategies or algorithms for synchronizing production schedules with the dynamic

energy demands of a smart grid. By aligning manufacturing processes with energy consumption patterns, the research aims to achieve a dual benefit: enhanced efficiency in production processes and a reduction in energy costs. The holistic perspective offered in this paper underscores the interconnectedness of manufacturing operations and energy management in the context of smart grids, providing practical insights for industries seeking to align production schedules with energy optimization goals.

## 2.5 Synthesis of Findings

The collective insights from these papers provide a nuanced understanding of energy-efficient scheduling across diverse domains. The IoT-based smart energy management system for smart homes emphasizes the critical significance of real-time data and adaptability, offering a dynamic solution for optimizing residential energy consumption. In the realm of intelligent production systems, the adoption of flow shop scheduling emerges as a promising strategy to minimize energy waste by strategically sequencing manufacturing operations. Lastly, in the context of smart grids, the highlighted importance of energy management algorithms underscores their pivotal role in balancing supply and demand, optimizing energy distribution, and ultimately reducing overall costs. Together, these findings contribute to a comprehensive perspective on energy-efficient practices, showcasing their applicability and impact across smart homes, intelligent production systems, and advanced energy grids.

## 2.6 Gaps and Opportunities for Future Research

Although the existing literature has offered valuable insights, notable gaps and opportunities for further exploration persist. A prospective avenue for future research involves a deeper investigation into the integration of IoT technologies within manufacturing scheduling, aiming for a more comprehensive and interconnected approach. This exploration could delve into how IoT devices can enhance real-time monitoring and decision-making

in the manufacturing process, leading to improved energy efficiency and optimized production schedules. Additionally, an untapped opportunity lies in exploring synergies between smart home energy management and smart grids. By investigating the seamless integration of these two domains, researchers could uncover innovative solutions that promote sustainable living, offering a holistic perspective on energy consumption, management, and optimization across residential and grid-scale environments. These potential research directions hold the promise of advancing our understanding and application of cutting-edge technologies for enhanced energy efficiency and sustainability.

This literature review highlights the multifaceted nature of energy-efficient scheduling and management. As we move toward a more interconnected and intelligent future, the integration of these insights will be vital for developing comprehensive strategies that address the challenges of energy efficiency in diverse contexts.

# Chapter 3

## Requirement Analysis

### 3.1 Hardware Requirements

#### 3.1.1 Functional Requirements

##### Sensors and Metering Devices

The hardware components essential for collecting real-time energy consumption data include smart meters, energy sensors, and data loggers. Smart meters, capable of two-way communication, provide detailed and real-time information about energy usage, while energy sensors measure aspects such as voltage, current, and power usage, offering insights into consumption patterns.

##### Server Infrastructure

The server infrastructure plays a pivotal role in the system, necessitating powerful servers to manage the substantial computational load associated with running machine learning algorithms and statistical models. The robust server infrastructure ensures the system's



ability to efficiently process and analyze vast amounts of data, enabling precise energy demand management while meeting performance demands. It forms the backbone that supports the computational intensity of the system, contributing significantly to its overall functionality and responsiveness.

### **Storage Solutions**

The requirement for storage solutions is crucial, demanding sufficient capacity to store historical energy consumption data and analysis results. Adequate storage is essential not only for maintaining a comprehensive historical record but also for facilitating in-depth data analysis and reporting. With the ability to securely store and efficiently retrieve large datasets, the storage solutions ensure that the system can derive meaningful insights, identify trends, and address areas for improvement in energy consumption.

### **3.1.2 Non Functional Requirement**

#### **Redundancy**

Redundancy is a pivotal aspect of ensuring the continuous and reliable operation of hardware components, such as servers and sensors. This requirement emphasizes the integration of backup or duplicate systems to mitigate the impact of potential hardware failures. Redundancy enhances system resilience by minimizing downtime and maintaining service availability. Whether through redundant server clusters or backup sensors, the duplicated components work in tandem to ensure uninterrupted functionality, reinforcing the system's capacity to withstand hardware failures and deliver consistent performance

### **Scalable Infrastructure**

Scalable infrastructure is fundamental for the hardware architecture, demanding the ability to effortlessly expand and accommodate evolving needs. This requirement underscores the necessity for a flexible and scalable framework that readily integrates additional sensors, servers, and other components to meet the demands of future growth and expansion. The hardware should be designed to scale horizontally or vertically, enabling seamless integration of new components without requiring substantial modifications or disruptions to the existing system.

### **Remote Maintenance Capabilities**

The inclusion of remote maintenance capabilities in the hardware is a critical requirement, emphasizing the need for administrators to perform updates and maintenance tasks without requiring physical access to the devices. This functionality enables efficient and timely management of the hardware infrastructure, reducing downtime and minimizing the need for on-site interventions. With remote access capabilities, administrators can diagnose issues, apply updates, and conduct routine maintenance tasks from a centralized location.

## **3.2 Software Requirements**

### **3.2.1 Functional Requirements**

#### **Scheduling Algorithm**

The development of a scheduling algorithm is paramount, as it forms the core mechanism for optimizing machine usage within the system. This algorithm is designed to intelligently allocate and manage machine usage by taking into account both energy flow dynamics and cost considerations. By analyzing real-time data on energy consumption

and costs, the scheduling algorithm aims to make informed decisions, ensuring that machines operate efficiently and cost-effectively. It plays a critical role in orchestrating the temporal distribution of machine activities, aligning them with periods of optimal energy availability and minimizing expenses.

### **Real-time Monitoring Software**

The implementation of real-time monitoring software is essential for maintaining a dynamic awareness of energy consumption patterns within the system. This software continuously tracks and analyzes energy usage in real-time, enabling prompt identification of anomalies or issues. By providing instantaneous insights into the current state of energy distribution, it empowers the system to respond swiftly to fluctuations and optimize energy allocation on the fly.

### **Data Analysis and Reporting Tools**

The implementation of data analysis and reporting tools is integral for extracting meaningful insights from historical energy consumption data within the system. The generated reports offer a comprehensive overview of historical performance, shedding light on consumption patterns and identifying areas for improvement. By presenting these insights in a clear and actionable format, the tools empower decision-makers to make informed choices regarding energy management strategies. This functionality not only enhances the system's ability to optimize energy usage but also facilitates strategic planning and continuous improvement based on a thorough understanding of historical data, contributing to the overall efficiency and effectiveness of the energy management system.

### **Maintenance and Updates**

Regular maintenance ensures that hardware components, such as sensors and servers, remain in optimal working condition, preventing potential failures and downtime. Updates

and patches are crucial for keeping the software components, including algorithms and security features, current and resilient against emerging threats. These mechanisms involve systematic checks, proactive adjustments, and timely application of software patches to address vulnerabilities. By incorporating a well-defined maintenance and update strategy, the system not only maintains reliability and performance but also stays agile and adaptive to evolving technological and security requirements, contributing to its long-term sustainability and effectiveness.

### **3.2.2 Functional Requirements**

#### **Error Handling**

Error handling is a critical aspect of system reliability, demanding the implementation of robust mechanisms to gracefully manage errors and prevent system-wide failures. A well-designed error-handling system identifies, logs, and responds to errors in a way that ensures the system can recover and continue functioning without compromising overall performance. This proactive approach to error handling not only enhances the system's resilience but also contributes to a more stable and user-friendly experience.

#### **Database Scalability**

A well-designed database system should possess the capability to scale seamlessly, accommodating the increasing demands on storage and processing power as data volumes grow. This scalability ensures that the system can manage large datasets without sacrificing performance, allowing for the retrieval and manipulation of information in a timely manner. Whether it's historical records or real-time updates, the database should scale horizontally or vertically, depending on the specific requirements, to maintain responsiveness and provide a robust foundation for data-driven functionalities. This scalability is essential for sustaining optimal performance, responsiveness, and reliability as the system evolves and encounters larger and more complex datasets over time.

### **Access Controls**

Role-based access controls (RBAC) should be implemented to restrict system access based on user roles, ensuring that only authorized personnel can interact with sensitive data and system functionalities. By assigning roles to users, only authorized personnel gain access to particular features and sensitive data, minimizing the risk of unauthorized actions or data breaches. This approach not only enhances security but also simplifies user management, as access privileges are aligned with individual job responsibilities.

## **3.3 Proposed System**

The proposed solution focuses on enhancing energy management in industries by employing a forecasting approach that leverages statistical models and machine learning algorithms to predict energy consumption. The system aims to optimize energy flow, reduce costs, and schedule machine usage efficiently by utilizing real-time monitoring and historical data analysis. Through intelligent scheduling based on energy consumption forecasts, the goal is to minimize electricity costs while ensuring the fulfillment of energy demand. The practical implementation considers the diverse needs of various industries, and the overall objective is to not only reduce costs but also improve operational performance by providing a systematic and data-driven approach to energy management and distribution.

## **3.4 System Module**

The various modules comprising the proposed energy management system, catering to distinct user roles and overarching functionalities. The design ensures a usercentric approach, acknowledging the diverse needs of both endusers and administrators.

### **3.4.1 User Modules**

#### **Data Consumption Dashboard**

Users are granted access to a Data Consumption Dashboard, offering a user-friendly interface to visualize real-time and historical energy consumption data. This module empowers users to comprehend energy usage patterns, facilitating informed decision-making.

#### **Scheduling Preferences**

Enabling users to align energy consumption with production needs, the Scheduling Preferences module allows them to set preferences for machine operation. This user-centric feature enhances adaptability, providing a personalized approach to energy management.

#### **Cost Savings Reports**

Users benefit from a dedicated Cost Savings Reports module, presenting comprehensive insights into the financial impact of optimized energy distribution. This module equips users with a tangible understanding of cost savings achieved through their energy management decisions.

### **3.4.2 Administrator Modules**

#### **System Configuration**

Administrators wield the System Configuration module to tailor system settings according to the specific needs of the industry. This ensures adaptability, allowing the system to evolve in response to changing operational contexts.

**User Management**

The User Management module grants administrators control over user accounts, roles, and access permissions. This administrative feature ensures secure and organized management of the energy management system.

**Algorithm Fine-Tuning**

Administrators are equipped with the Algorithm Fine-Tuning module, enabling them to adjust parameters of the optimization algorithm based on dynamic industry conditions. This fine-tuning capability ensures ongoing optimization of energy distribution.

**3.4.3 Common Modules****Energy Forecasting**

Shared across user and administrator interfaces, the Energy Forecasting module leverages statistical models and machine learning techniques to predict energy consumption. This foundational module provides accurate forecasts for proactive decision-making.

**Visualization Tools**

Both users and administrators benefit from the Visualization Tools module, providing intuitive charts and graphs for easy interpretation of energy data. This module enhances user understanding and facilitates informed decision-making.

**System Integration**

The System Integration module focuses on the seamless integration of forecasting models, optimization algorithms, and user interfaces. Compatibility with existing infrastructure ensures a cohesive and efficient energy management system. The module summarizes key findings and contributions from both user and administrator perspectives, reinforcing the practical implications and significance of the proposed energy management system.



# Chapter 4

## System Design

### 4.1 Use Case Diagram

An overview of an Energy Forecasting System for Industrial Facilities. The system aims to create a model for predicting energy consumption based on historical data. The process involves inputting historical data, generating a demand forecast, updating model parameters, and viewing the forecast results. In figure 4.1, the system requires historical data on energy consumption. This data is used to identify patterns and trends in energy usage over a specified period of time. By analyzing this data, the system can generate a demand forecast, which predicts the future energy consumption of the industrial facility based on past trends and patterns. Advanced algorithms and statistical models are employed to provide an accurate estimate of future energy needs. The system also allows users to update model parameters, which are variables that affect the accuracy of the forecast. By adjusting these parameters, users can fine-tune the model and improve the accuracy of the forecast. Once the model parameters are updated, users can view the forecast results. These results are typically displayed in formats such as graphs or tables, making it easy for users to interpret the data. The system's ability to provide forecast results in an easily understandable format further enhances its usability and effectiveness.




Figure 4.1: Use case diagram of Fulmine

## 4.2 Activity Diagram

Activity diagram for Forecasting Energy Consumption Demand in Industries given in figure 4.2. The energy consumption prediction and optimization process begins with the collection of meter readings, capturing crucial data for analysis. Subsequently, the collected information undergoes a preprocessing step to refine and organize the data. Employing statistical models and machine learning techniques, the system trains models to predict energy consumption accurately. Once trained, these models are deployed to forecast energy consumption patterns. Successful predictions prompt the application of an optimization algorithm, aiming to enhance energy consumption efficiency based on the forecasts. Following optimization, the process seamlessly transitions to monitoring energy consumption levels. Should there be a shortfall in meeting energy demand, the system adjusts schedules accordingly. This iterative process continually loops back to monitoring energy consumption, ensuring ongoing adaptability and optimization to meet dynamic energy needs.




Figure 4.2: Activity diagram of Fulmine

## 4.3 Sequence Diagram

The sequence diagram is depicted in figure 4.3. This overview delves into the components and functions of a tailored energy forecasting system for industrial managers and machine operators. It addresses key concerns like optimizing energy usage, cost reduction, and operational efficiency. The system involves concepts such as energy consumption prediction, optimization algorithms, machine scheduling, cost minimization, energy distribution, and operational efficiency. It enables informed decision-making, aiding in automated adjustments for optimized energy usage and cost reduction. With an emphasis on machine scheduling, the system assists in planning operations for enhanced efficiency. It identifies areas of energy waste for recommendations, manages energy distribution, and aims to streamline operations, boost productivity, and reduce downtime. The inclusion of a server and user interface underscores its accessibility for effective implementation.




Figure 4.3: Sequence diagram of Fulmine

## 4.4 System Architectural Diagram

The system architecture diagram delineating the integration of statistical models, meter readings, and machine learning techniques for the predictive analysis of energy consumption, with a paramount objective of optimizing electricity costs through an optimization algorithm in Figure 4.4. The system adeptly processes input data, including historical energy consumption records, utilizing statistical models to forecast future consumption patterns. These predictions undergo further refinement through machine learning tech-




Figure 4.4: System Architectural diagram of Fulmine

niques. A pivotal component within the system is the optimal machine scheduling module, which strategically leverages the how to schedule machines in a manner that minimizes electricity costs, thus mitigating energy waste and bolstering efficiency. The architecture also underscores the significance of energy distribution, where the predicted consumption informs decisions on the most efficient distribution across machines or areas, promoting optimal usage and waste reduction. In essence, the system architecture diagram visually articulates how statistical models and machine learning techniques synergize to optimize energy consumption, reduce costs, and enhance overall energy efficiency.

## 4.5 Circuit Diagram

The input power source is a standard electrical supply of 230 volts at a frequency of 50 Hz. This power is directed to a relay, a crucial component that controls the flow of electricity to the rest of the circuit. The relay is configured to receive the 230 V, 50 Hz input and acts as a switch to provide or cut off power to the connected devices based on certain conditions. The Arduino board, a key element of the system, requires a separate power

supply of 9 volts to operate effectively. This voltage is supplied to the Arduino, ensuring its proper functioning for data processing and control. The Arduino is programmed to receive and analyze data from the current transformer (CT), which is employed to measure the current flowing through a conductor. The CT is strategically placed in the circuit to monitor the current levels. If an overcurrent condition is detected—indicative of excessive electrical load or a fault—the Arduino triggers the relay to cut off power. This serves as a protective measure to prevent potential damage to connected devices and ensures the safety of the overall system. The relay effectively acts as a failsafe mechanism, interrupting the power supply in response to abnormal current conditions.




Figure 4.5: Circuit Diagram of Fulmine

## 4.6 UI Design

The fig.4.10 provides information about the total number of power consumed machines, their assignments, and the current usage. It mentions that there are 48 machines consuming 2500 amps of power per hour, with 30 machines assigned. The document also includes a section about time, with specific times mentioned as 2pm and 3pm. It mentions a warning calendar and an urgent need for rescheduling, but the purpose and relevance of these sections are unclear. The document concludes with a schedule for three machines: Mach.No 2, Mach.No 3, and Mach.No 4. However, it does not provide details about what this schedule entails.





Figure 4.6: Home Page of Fulmine



Figure 4.7: Landing Page of Fulmine





Figure 4.8: Landing Page of Fulmine



The image shows a contact form titled "CONTACT US" on a dark blue background. In the top left corner, there is a white, stylized cloud icon. The form consists of three input fields: a text field for "NAME", a text field for "EMAIL", and a larger text area for "DETAILS". All input fields are light pink. At the bottom of the form, there is a black footer bar with the word "Fulmine" in white text.

CONTACT US

NAME :

EMAIL :

DETAILS :

Fulmine

Figure 4.9: Contact us of Fulmine




Figure 4.10: Dashboard of Fulmine

## 4.7 Technology Stack

### 4.7.1 Programming Language

1. **Python**: For the machine learning backend and data analysis.
2. **C/C++**: For Arduino firmware development.

### 4.7.2 Machine Learning framework

1. **TensorFlow** : For building and training machine learning models in the backend.

### 4.7.3 Statistical Analysis

1. **Pandas**: Data manipulation and analysis.
2. **NumPy**: Scientific computing with support for large, multi-dimensional arrays.

### 4.7.4 Embedded Systems

1. **Arduino**: For interfacing with sensors and managing data collection from hardware components

### 4.7.5 Statistical Analysis

1. **Pandas**: Data manipulation and analysis.
2. **NumPy**: Scientific computing with support for large, multi-dimensional arrays.

# Conclusion

FULMINE, is a project focused on forecasting energy consumption demand in industries holds paramount importance in the pursuit of optimizing resource utilization, reducing costs, and enhancing operational efficiency. Rooted in a commitment to improving accuracy, ensuring model robustness, and providing actionable insights for real-time decision-making, the project navigates the intricacies of data collection, preprocessing, and the application of advanced statistical models and machine learning techniques. The primary objective is to attain a level of precision in energy consumption predictions that not only informs decision-makers but also establishes a foundation for reliability. Emphasis is placed on model robustness, acknowledging the dynamic nature of industrial environments, and ensuring adaptability to diverse conditions. Furthermore, the project distinguishes itself by prioritizing actionable insights, empowering industrial stakeholders with the tools necessary for timely and informed decisions. Ultimately, the project's outcomes resonate through the optimization of energy resources, cost reduction, and the overall enhancement of operational efficiency, contributing to a sustainable and resilient future for industrial energy consumption in the face of evolving challenges.

# References

- [1] Dash, S. K., and Routray. (2018) *Energy management in industries: Challenges and opportunities. International Journal of Advanced Research*, 7(1), 1-8.
- [2] Dash, S. K., and Routray, S. K. (2019) *Forecasting energy consumption in industries: A survey. International Journal of Advanced Research* , 9(2), 1-11.
- [3] TASTAN M. "Internet of Things based Smart Energy Management for Smart Home." KSII TRANSACTIONS ON INTERNET AND INFORMATION SYSTEMS, vol. 13, no. 6, June 2019, pp. 2781
- [4] Kuo, Y. H., Chen, C. L. (2019). Minimizing Cost of Smart Grid Operations by Scheduling Mobile Energy Storage Systems. IEEE Transactions on Smart Grid, 10(4), 3657-3666
- [5] SH. Zhang, "Flow Shop Scheduling for Energy Efficient Manufacturing," Ph.D. dissertation, Purdue University, West Lafayette, IN, USA, 2016, pp. V001T05A001-V001T05A001
- [6] Wang, Y., Wang, X. (2015). Manufacturing Scheduling for Reduced Energy Cost in a Smart Grid Scenario. In Proceedings of the 2015 International Conference on Industrial Engineering and Operations Management (pp. 1-7)