

Meridian Diagnostics & Research Centre

Clinical Pathology | Biochemistry | Immunoassay
14 Park Circus Road, Kolkata 700017 | Ph: 033 4000 1200
NABL accredited (sample document)

Patient name	Rahul Sharma	Patient ID	MP-2026-04871
Age / Sex	54 Years / Male	Collected	12 Aug 2026, 07:40 AM
Referred by	Dr. Amit Kumar Dey, MD (Medicine)	Received	12 Aug 2026, 09:15 AM
Specimen	Serum	Reported	12 Aug 2026, 04:20 PM

VITAMIN B12 (CYANOCOBALAMIN), SERUM

Method: Chemiluminescent Immunoassay (CLIA)

INVESTIGATION	RESULT	UNIT	REFERENCE INTERVAL
Vitamin B12	174 L	pg/mL	211 - 911

SUMMARY & INTERPRETATION

Outside the reference interval (1)

Vitamin B12 174 pg/mL

Reference 211 - 911 pg/mL

Below the reference range. Long-term metformin reduces B12 absorption, so this is a recognised finding in someone treated for diabetes and is worth reviewing alongside the mildly low haemoglobin.

Dr. S. Venkatesan, MD (Pathology)
Consultant Pathologist | Reg. WBMC-48219

-- End of report --