





Step 7: Upon creating the class, please name them something other than Class 1 or Class

¥ O ¢ ¢ ¢ ¢ ¢ ¢

### Step 8: 9 3

C

C

C

C

C

Ç

Ç

W

C

C

C

—

C

C

C

C

C

Ç

C

C

C

C










**Step 9: Once you finish creating your classes and capturing your images. Click on the Train Model wait for your model to finish training**

[illegible]

¥ z Use Model button on the top right. That will bring you back to your mBlock code page.

**Step 12:** Before we can apply the model, we need to connect the MBot to the software so it can communicate with it. Click on the devices tab and click Bluetooth. That will bring a pop-up showing all connectable devices. Turn the MBot on by flipping a black switch. A blue light will flash. Find the MBot on the pop-up. If the flashing blue light no longer flashes and maintains a steady blue light.



Step 13: Once the mBot is connected, go back to the Sprites tab. We need to apply our model to the code. Everywhere it     
model name.

Step 14: Once you applied your model name, we need to ensure that the long statement contains all of our commands:



¥      z      Ç  
statement.

Ç

Ç

Ç    Ç



QHDVH QRH IKD HUURUV QNH IKLV ZW FDXVH  
IKH FRGH IR QR ZRUN SURSHU\  
QGHUQHD IK IKH JUHHQ FRGH FRQIDLQJ  
RXU PRGH HQVXUH IKD IKH FRQIGHQFH  
RI BBBB PDIFKHV ZKD LV EHLQJ  
EURDGFVDV XQGHUQHD IK HQVXUH RXU  
GHVWHG FRP PDQG PDIFKHV IKH  
EURDGFVDVHG PHVVDJH

Step 16: Finally, press the green flag where the panda is and test out your robot! Press the red square to stop the code.



