





| Device    | Voltage          | Current |
|-----------|------------------|---------|
| AD8370    | 3.3V             | 100mA   |
| LTC2208   | 3.3V IOVDD       | 90mA    |
| LTC2208   | 3.3V IVDD        | 450mA   |
| CYUSB3014 | 1.25V ICCore     | 200mA   |
| CYUSB3014 | 1.25V USB        | 60mA    |
| CYUSB3014 | 3.3V I/O Unknown | 10mA?   |

$(5V - 1.2V) \cdot 0.26A = 0.988W$   
 $(5V - 3.3V) \cdot 0.65A = 1.105W$


|           |      |      |
|-----------|------|------|
| TXC027M   | 3.3V | 2mA  |
| TCX019.2M | 3.3V | 2mA  |
| SI5351    | 3.3V | 40mA |
| TLV3501   | 3.3V | 10mA |



### TAPR TAPRX-888 HF SDR Receiver

Repo: [github.com/TAPR/TAPRX888](https://github.com/TAPR/TAPRX888)

|                                 |                           |              |
|---------------------------------|---------------------------|--------------|
| Designer: Paul Elliott (WB6CXC) | Commit: dev               | License: MIT |
| Size: A3                        | Date: 2026-07-16          | Rev: DEV     |
| Sheet: /                        | File: TAPRX-888.kicad_sch | Page 1 of 3  |



# TAPR TAPRX-888 HF SDR Receiver

Repo: [github.com/TAPR/TAPRX888](https://github.com/TAPR/TAPRX888)

|                                 |                           |              |
|---------------------------------|---------------------------|--------------|
| Designer: Paul Elliott (WB6CXC) | Commit: dev               | License: MIT |
| Size: A4                        | Date: 2026-07-16          | Rev: DEV     |
| Sheet: /Front_End_Filter/       | File: Front_End.kicad_sch | Page 2 of 3  |

