OCCULTVIISION™
Kaalchakra Pro

Core Architecture Document — Time Intelligence Engine

Version: v15 | Prepared for review by Naveen K Rai

---

1. मूल दर्शन (Core Philosophy)

Yeh app ek **layered time-scoring system** hai. Har waqt (kisi bhi din ka kisi bhi second) ek "quality score" milta hai, jo yeh batata hai ki us waqt koi particular kaam karna kitna auspicious hai.

Yeh score **5 independent astrological layers** ko combine karke banta hai:

```
1. Astronomical Base    → Sunrise/Sunset/Planetary positions (Astronomy Engine)
2. Panchang Layer       → Tithi, Vara, Nakshatra, Yoga, Karana
```

```
3. Hora-Uphora Layer    → Planetary hour +
sub-hour ruler
4. Purpose Layer        → Kaam ke hisaab
se planet ka weightage
5. Personal Layer       → Lagna-relation +
Tarabala (sirf chart bane par)
```

Koi bhi single number "sach" nahi hai — yeh saari layers **combine hoke** final score banati hain. Neeche har layer ka exact formula hai jo code mein hai.

---

2. Astronomical Engine — Foundation Layer

Library used: `astronomy-engine` (NASA JPL-grade ephemeris, npm/cdn package)

2.1 Ayanamsa (Sidereal Correction)

Tropical se Sidereal (Nirayana) mein convert karne ke liye **Lahiri Ayanamsa** formula use hota hai:

```
function lahiri(jd) {
  T = (jd - 2451545) / 36525;
  return (85885.53192 + 5028.796195*T +
1.1054348*T² + 0.00007964*T³) / 3600;
}
```

Yeh degrees mein ayanamsa deta hai jo har planet ki tropical longitude se subtract hoti hai:

```
Sidereal Longitude = Tropical Longitude
(from Astronomy Engine) − Lahiri Ayanamsa
```

2.2 Planet Positions

Sun, Moon, Mars, Mercury, Jupiter, Venus, Saturn — Astronomy Engine ke `GeoVector` + `Ecliptic` functions se geocentric tropical longitude milti hai, phir Lahiri ayanamsa subtract karke sidereal banti hai.

2.3 Rahu-Ketu

Mean Node formula (classical polynomial, NASA JPL se):

```
Rahu = 125.0445479 − 1934.1362608×T +
0.0020754×T² + T³/467441 − Ayanamsa
Ketu = Rahu + 180°
```

2.4 Sunrise / Sunset / Next-Sunrise

`Astronomy.SearchRiseSet()` function — actual observer lat/lon/elevation ke saath — sunrise, sunset, aur agle din ka sunrise nikalta hai. Yeh **exact astronomical event hai**, approximation nahi.

2.5 Ascendant (Lagna)

Standard spherical trigonometry formula (RAMC → Ascendant), Placidus-independent whole-sign method:

```
LST = Local Sidereal Time (from Julian Day + Longitude)
Ascendant = atan2(cos(RAMC), −(sin(RAMC)×cos(ε) + tan(Lat)×sin(ε))) − Ayanamsa
```

(ε = obliquity of ecliptic)

---

3. Panchang — 5 Limbs Calculation

Limb	Formula
Tithi	`floor((Moon_long − Sun_long) / 12°) + 1`
Nakshatra	`floor(Moon_long / (360/27))`, Pada = `floor((Moon_long % 13.33°) / 3.33°) + 1`
Yoga	`floor((Sun_long + Moon_long) / (360/27))`

Limb	Formula
Karana	Half-tithi based: `floor((Moon−Sun) / 6°)` → mapped to 11 karana names (4 fixed + 7 repeating)
Vara	Simple weekday from date

3.1 "Upto" Transition Times (naya feature)

Har limb (Tithi/Nakshatra/Yoga/Karana) **din mein 1-3 baar badal sakta hai**. Exact transition time nikalne ke liye **binary search algorithm** use hota hai:

```
findTransition(type, startMs, endMs):
  - Agar limb value startMs aur endMs pe same hai → no transition
  - Warna 20 iterations ka binary search karke exact minute-level
    transition time nikalta hai (1-minute precision tak converge karta hai)
```

Yeh **Drik Panchang jaisa "upto HH:MM" display** ke liye zaroori tha.

---

4. Hora System — Planetary Hours

4.1 Weekday → Day Lord Mapping

```
WEEKDAY_LORD = [Sun, Moon, Mars, Mercury,
Jupiter, Venus, Saturn]
// Sunday=0, Monday=1, ... Saturday=6
```

4.2 Chaldean Order (Hora Sequence)

```
CHRONO = [Sun, Venus, Mercury, Moon,
Saturn, Jupiter, Mars]
```

Yeh classical **Chaldean planetary order** hai (fastest-to-slowest apparent motion se derived, thousands of years purana sequence).

4.3 Hora Calculation

```
1. Din ka pehla Hora Lord = us din ka
WEEKDAY_LORD
2. CHRONO array mein us lord ka index
dhundo (starting point)
3. 12 Day-Horas: (sunrise → sunset) ko 12
equal parts mein baato
   Har part ka lord = CHRONO[(startIndex +
i) % 7]
4. 12 Night-Horas: (sunset → next sunrise)
ko bhi 12 equal parts mein baato,
   continuing from the 13th position in the
CHRONO cycle
```

Important: Hora duration **fixed 1-hour nahi hai** — sunrise-sunset ke actual duration ko 12 se divide

karte hain, isliye summer/winter mein hora length badalti hai (yeh classical method hai, clock-hour approximation nahi).

4.4 Uphora (Sub-Hora)

Har Hora ko further **7 barabar parts** mein baanta jaata hai:

```
Uphora Lord = CHRONO[(horaLordIndex + i) % 7]  for i = 0 to 6
Duration of each Uphora = HoraDuration / 7
```

---

5. Inauspicious Periods (Rahu Kaal, Yamaganda, Gulika)

Din ko **8 barabar parts** mein baant kar, weekday ke hisaab se specific part-number nikalte hain:

```
RAHU_KAAL_PART = [7,1,6,4,5,3,2]   // Sun,Mon,Tue,Wed,Thu,Fri,Sat
YAMAGANDA_PART = [4,3,2,5,6,4,3]
GULIKA_PART    = [6,5,4,3,2,1,7]
```

Example: Sunday ko Rahu Kaal = 8-parts mein se 7th part (i.e., sunset se pehle wala hissa).

---

6. Choghadiya

Din ko 8 parts, raat ko 8 parts mein baant kar, ek **fixed 8-cycle sequence** assign hoti hai jo weekday-specific hai (7 alag sequences, din ke liye alag, raat ke liye alag):

```
Sequence names: Udveg, Char, Labh, Amrit,
Kaal, Shubh, Rog
(7 names, 8 slots — pehla naam repeat hota
hai)
```

Yeh classical tables hain, koi calculation nahi — pure lookup.

---

7. Navatara / Tarabala

7.1 Formula

```
count = ((TransitNakshatraIndex −
JanmaNakshatraIndex + 27) % 27) + 1
TaraNumber (1-9) = ((count − 1) % 9) + 1
```

7.2 Tara Classification

#	Name	Score	Type
1	Janma	0%	—
2	Sampat	95%	✅ Good
3	Vipat	10%	❌ Bad
4	Kshema	82%	✅ Good
5	Pratyari	12%	❌ Bad
6	Sadhaka	90%	✅ Good
7	Vadha	5%	❌ Bad
8	Mitra	78%	✅ Good
9	Atimitra	98%	✅ Good

Ismein Janma Nakshatra ki zaroorat hai — matlab client ka birth chart bana hona chahiye. Bina chart ke sirf generic "aaj ka Nakshatra kya hai" dikhta hai, personal Tara calculate nahi hoti.

---

8. Birth Chart (Foundation)

8.1 Chart Building

```
Input: DOB + TOB + Timezone + Lat/Lon
↓
Julian Day nikalte hain (local time → UTC
→ JD)
↓
Ascendant (Lagna) calculate hota hai
(Section 2.5 formula se)
↓
Har planet ki sidereal longitude nikalte
hain
↓
House = ((PlanetRashi − LagnaRashi + 12) %
12) + 1
```

8.2 Vimshottari Dasha

```
D_SEQ = [Ketu, Venus, Sun, Moon, Mars,
Rahu, Jupiter, Saturn, Mercury]
D_YEARS = {Ketu:7, Venus:20, Sun:6,
Moon:10, Mars:7, Rahu:18, Jupiter:16,
Saturn:19, Mercury:17}
// Total = 120 years (classical Vimshottari
cycle)
```

Starting dasha lord = Janma Nakshatra ka lord. Balance dasha = birth ke time Moon nakshatra mein kitna percentage bacha tha, uske hisaab se pehli Mahadasha ka partial-year calculate hota hai. Phir Antardasha = Mahadasha period ko 9 sub-parts mein proportionally divide karke.

9. ⭐ UNIFIED SCORING ENGINE (Sabse Important Section)

Yeh woh core logic hai jo humne pichhle sessions mein discuss kiya — **3 layers combine hoti hain:**

Layer A — Purpose Weight (Base Score)

Har "purpose" (career, finance, marriage, travel, etc.) ke liye har planet ka ek **manually-assigned weight (1-10)** hai:

```
PW.career = {Sun:8, Moon:3, Mars:5,
Mercury:8, Jupiter:9, Venus:4, Saturn:7}
PW.relationship = {Sun:3, Moon:9, Mars:2,
Mercury:5, Jupiter:8, Venus:10, Saturn:3}
// ... total 9 purposes defined
```

Base formula:

```
BaseScore = 36 + (PurposeWeight[HoraLord] ×
4) + (PurposeWeight[UphoraLord] × 2)
```

⚠️ Yeh weights maine (Claude) assign kiye the classical general-principle logic se — yeh koi authoritative Jyotish text se direct nahi liye gaye. Yeh sabse pehli cheez hai jo aapko REVIEW karni chahiye.

Layer B — Lagna-Relation (Functional Nature)

Yeh sirf tab active hota hai jab client ka chart bana ho.

```
Har planet ka rashi-swamitva (fixed) pata
hai:
Mars→[Aries,Scorpio],
Venus→[Taurus,Libra],
Mercury→[Gemini,Virgo],
Moon→[Cancer], Sun→[Leo],
Jupiter→[Sagittarius,Pisces],
Saturn→[Capricorn,Aquarius]

Har owned-rashi ka HOUSE nikalte hain
(Lagna se relative):
House = ((OwnedRashi − LagnaRashi + 12) %
12) + 1

Phir house-type ke hisaab se score:
  1st (Lagna)         → +4
  5th, 9th (Trikona)  → +3
  4th, 7th, 10th (Kendra) → +2
  3rd, 11th (Upachaya)    → −1
  6th, 8th (Dusthana)     → −3
  12th (Vyaya)            → −1   [FIXED —
pehle yeh -3 tha, galat tha]
  2nd, 7th (Maraka)       → 0

Yogakaraka Bonus: agar planet EK SAATH
```

```
Kendra + Trikona dono
owner hai → +3 extra
```

Final classification:

```
score ≥ 6  → "Highly Benefic"
score ≥ 2  → "Benefic"
score ≤ −4 → "Highly Malefic"
score ≤ −1 → "Malefic"
else       → "Neutral"
```

Layer C — Tarabala Gate (Safety Cap)

```
Agar aaj ki active Tara = Vipat(3),
Pratyari(5), ya Vadha(7):
    → Final score ki UPPER LIMIT = 65%
    → (chahe upar wale layers se kitna bhi
zyada score bana ho)
Warna: koi cap nahi
```

Final Combination Formula

```
function scoreWindow(horaLord, subLord,
purpose, inRahuKaal, inYamaganda):
  score = 36 + PW[purpose][horaLord]×4 +
PW[purpose][subLord]×2

  if (chart exists):
    score +=
FunctionalNature(horaLord).score × 1.5
    score +=
```

```
FunctionalNature(subLord).score × 0.8

  if (inRahuKaal): score −= 18
  if (inYamaganda): score −= 12
  if (horaLord is Rahu/Ketu): score −= 8

  score = clamp(score, 0, 100)

  if (TarabalaGate.cap < 100 AND score >
cap):
      score = cap   // safety override

  return score
```

---

10. Numerology Engine

10.1 Two Independent Systems

```
Chaldean:
a=1,b=2,c=3,d=4,e=5,f=8,g=3,h=5,i=1,j=1,k=2
,l=3,m=4,

n=5,o=7,p=8,q=1,r=2,s=3,t=4,u=6,v=6,w=6,x=5
,y=1,z=7

Pythagorean:
a=1,b=2,c=3,...,i=9,j=1,k=2,...,r=9,s=1,...
,z=8
            (sequential 1-9 repeating)
```

10.2 Numbers Calculated

- **Life Path** = digit-sum of DOB, reduced (Master Numbers 11/22/33 preserved)
- **Soul Urge** = sum of vowels (Pythagorean)
- **Personality** = sum of consonants (Pythagorean)
- **Personal Year** = (day + month + current-year-digits), reduced **without** Master Numbers
- **Maturity** = Life Path + Name Root, reduced

10.3 Compatibility Formula

```
pairScore(a, b):
  reduce both a,b to single digit first
(even if Master Number)
  if (a,b) is (4,8) or (6,8) combination →
35% (classical karmic conflict)
  else: diff = min(|a−b|, 9−|a−b|)   //
circular distance on 1-9 wheel
        score = 100 − diff×8, minimum 55%
```

10.4 Lo Shu Grid

3 alag grids banti hain — **DOB raw digits**, **Name letters (Chaldean single-digit)**, **Mobile digits**. Life Path jaisa calculated number grid mein show NAHI hota (kyunki woh digit nahi, ek sum hai).

---

11. License System

```
Universal Trial Key: "OV-TRIAL-3DAY-
UNIVERSAL" → 3-din free (isPro:false)
Paid keys: OV-1M-* (30d), OV-1Y-* (365d),
OV-PRO* (lifetime), OV-ENT* (enterprise)
Master key: "NAVEEN" + today's date
(DDMMYYYY ya YYYYMMDD) → 15-din

Mandatory: Name + Mobile capture karna
zaroori hai activation se pehle
Trigger: Har activation par WhatsApp deep-
link admin (9669756111) ko khulta hai
         with lead details (name, phone,
city, plan, timestamp)
```

---

12. ⚠️ Aapke Review Ke Liye — Kya Verify Karna Hai

#	Item	Kyun Review Zaruri Hai
1	**Purpose Weight tables (Section 9, Layer A)**	Yeh maine assign kiye hain — classical text se directly nahi liye. Aapko har purpose ke liye correct

#	Item	Kyun Review Zaruri Hai
		weights confirm karne hain.
2	**Functional Nature scoring weights** (+4,+3,+2,-1,-3,-1)	Yeh ek simplified model hai. Kya yeh aapke Jyotish approach se match karta hai, ya different weights chahiye?
3	**Layer combination ratios** (1.5×, 0.8×, 18, 12, 8 penalty points)	Yeh arbitrary hain — koi standard formula nahi hai inke liye. Aap decide karenge ki Rahu Kaal ka penalty 18% hi sahi hai ya kam/zyada.
4	**Tarabala cap = 65%**	Kya yeh sahi threshold hai, ya different number chahiye?
5	**Choghadiya/Rahu Kaal formulas**	Yeh 100% classical/standard hain — inme koi assumption nahi hai.

#	Item	Kyun Review Zaruri Hai
6	**Astronomical engine (Section 2)**	Yeh NASA-grade library use karta hai — sabse zyada reliable part hai.

Document generated from live code inspection — kc_v15.html, September 2026.