



100





Performance

Accessibility

Best Practices

SEO




Performance

Values are estimated and may vary. The <u>performance score is calculated</u> directly from these metrics. <u>See calculator.</u>

0–49

50–89

90-100



METRICS Expand view

First Contentful Paint

0.8 s

Largest Contentful Paint

0.9 s

about:blank ص 11:18 عرب 11:18 عرب علي علي المراجع علي المراجع المراجع علي المراجع الم

Total Blocking Time

Cumulative Layout Shift

0 ms

0

Speed Index

0.9 s

View Treemap



Later this year, insights will replace performance audits. <u>Learn more and provide</u> <u>feedback here</u>.

Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲ Enable text compression — Potential savings of 353 KiB

Text-based resources should be served with compression (gzip, deflate or brotli) to minimise total network bytes. <u>Learn more about text compression</u>. FCP <u>LCP</u>

URL	Transfer size	Potential savings
127.0.0.1 First Party	428.7 KiB	352.8 KiB
bootstrap/bootstrap.css (127.0.0.1)	200.7 KiB	174.9 KiB
bootstrap/bootstrap.bundle.js (127.0.0.1)	204.8 KiB	162.3 KiB
/index.html (127.0.0.1)	12.9 KiB	8.2 KiB
/assets/maugallery.js (127.0.0.1)	6.2 KiB	4.6 KiB

about:blank 2/31

URL	Transfer size	Potential savings
/assets/style.css (127.0.0.1)	4.1 KiB	2.8 KiB

▲ Minify JavaScript — Potential savings of 170 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP LCP

URL	Transfer size	Potential savings
Unattributable	130.8 KiB	93.7 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor/@eyeo/webext-ad- filtering-solution/content.js</pre>	92.2 KiB	75.0 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/polyfill.js</pre>	10.6 KiB	5.7 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js</pre>	11.0 KiB	5.6 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner- detection.preload.js</pre>	9.9 KiB	5.3 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/composer.preload.js</pre>	7.2 KiB	2.1 KiB
127.0.0.1 First Party	204.8 KiB	76.0 KiB
bootstrap/bootstrap.bundle.js (127.0.0.1)	204.8 KiB	76.0 KiB

▲ Minify CSS — Potential savings of 39 KiB

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP

URL	Transfer size	Potential savings
127.0.0.1 First Party	201.0 KiB	39.1 KiB
bootstrap/bootstrap.css (127.0.0.1)	201.0 KiB	39.1 KiB

about:blank 3/31

علام 11:18 2025/7/5 about:blank

▲ Properly size images — Potential savings of 1,373 KiB

Serve images that are appropriately-sized to save mobile data and improve load time. Learn how to size images. $\[\]$ FCP $\[\]$ $\[\]$ $\[\]$

	URL	Resource size	Potential savings
127.0.0.1 First Party		1,410.9 KiB	1,373.4 KiB
img.gallery-item.img-fluid	mariage/jakob-owens-SiniLJkXhMc- unsplash.webp (127.0.0.1)	300.9 KiB	298.8 KiB
img.gallery-item.img-fluid	concerts/aaron-pauwebp (127.0.0.1)	226.5 KiB	225.1 KiB
img.gallery-item.img-fluid	portraits/ade-tunji-rVkhWWZFAtQ- unsplash.webp (127.0.0.1)	188.0 KiB	186.7 KiB
img.gallery-item.img-fluid	mariage/hannah-buwebp (127.0.0.1)	158.7 KiB	158.2 KiB
img	images/nina.jpg (127.0.0.1)	150.4 KiB	141.9 KiB

about:blank ص 11:18 عرب 11:18 عرب ما 11:18 عرب عبد الله عبد الله

	URL	Resource size	Potential savings
img	slider/ryoji-iwawebp (127.0.0.1)	148.8 KiB	125.8 KiB
img.gallery-item.img-fluid	entreprise/jason-goowebp (127.0.0.1)	119.8 KiB	119.3 KiB
img.gallery-item.img-fluid	entreprise/ali-morshwebp (127.0.0.1)	117.8 KiB	117.5 KiB

▲ Eliminate render-blocking resources — Potential savings of 450 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. <u>Learn how to eliminate render-blocking resources</u>. FCP LCP

✓ Show 3rd-party resources (2)

URL	Transfer size	Potential savings
jQuery CDN Cdn	30.3 KiB	370 ms
/jquery-3.4.1.min.js (code.jquery.com)	30.3 KiB	370 ms
Google Fonts Cdn	1.4 KiB	320 ms
/css2?family= (fonts.googleapis.com)	1.4 KiB	320 ms
127.0.0.1 First Party	418.5 KiB	1,370 ms
bootstrap/bootstrap.bundle.js (127.0.0.1)	205.2 KiB	570 ms
/assets/scripts.js (127.0.0.1)	1.3 KiB	90 ms
/assets/maugallery.js (127.0.0.1)	6.6 KiB	90 ms

about:blank 5/31

URL	Transfer size	Potential savings
/assets/style.css (127.0.0.1)	4.4 KiB	90 ms
bootstrap/bootstrap.css (127.0.0.1)	201.0 KiB	530 ms

▲ Reduce unused CSS — Potential savings of 193 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. <u>Learn how to reduce unused CSS</u>. FCP <u>LCP</u>

URL	Transfer size	Potential savings
127.0.0.1 First Party	200.7 KiB	192.8 KiB
bootstrap/bootstrap.css (127.0.0.1)	200.7 KiB	192.8 KiB

▲ Reduce unused JavaScript — Potential savings of 185 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP

URL	Transfer	Potential
OKL	size	savings
127.0.0.1 First Party	204.8 KiB	144.0 KiB
bootstrap/bootstrap.bundle.js (127.0.0.1)	204.8 KiB	144.0 KiB
js/src/tooltip.js	18.4 KiB	15.0 KiB
js/src/dropdown.js	13.5 KiB	9.8 KiB
js/src/carousel.js	15.7 KiB	8.7 KiB
js/src/modal.js	10.9 KiB	8.1 KiB
js/src/collapse.js	8.6 KiB	6.3 KiB
Unattributable	45.7 KiB	41.2 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	45.7 KiB	41.2 KiB

about:blank 6/31

about:blank ص 11:18 عرب 11:18 عرب علي علي المراجع علي المراجع المراجع علي المراجع الم

U	RL	Transfer size	Potential savings
	//react-devtools-shared/src/backend/fiber/renderer.js	16.2 KiB	16.2 KiB
	<pre>//build/oss-experimental/react-debug-tools/cjs/react-debug- tools.production.js</pre>	4.1 KiB	3.7 KiB
	//react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6 KiB
	//react-devtools-shared/src/backend/profilingHooks.js	2.9 KiB	2.7 KiB
	//react-devtools-shared/src/utils.js	2.4 KiB	2.3 KiB

▲ Page prevented back-forward cache restoration — 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back-forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>

Reason for failure	Failure type
Pages with WebSocket cannot enter back-forward cache.	Pending browser support
/index.html (127.0.0.1)	

Serve images in next-gen formats — Potential savings of 41 KiB

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. <u>Learn more about modern image formats</u>. <u>FCP</u> <u>LCP</u>

	URL	Resource size	Potential savings
127.0.0.1 First Party		150.4 KiB	41.0 KiB
img	images/nina.jpg (127.0.0.1)	150.4 KiB	41.0 KiB

Remove duplicate modules in JavaScript bundles — Potential savings of 21 KiB

about:blank 7/31

about:blank عر 11:18 2025/7/5

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP

Source	Transfer size	Potential savings
node_modules/webextension-polyfill		20 KiB
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/polyfill.js</pre>	10 KiB	
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass.preload.js</pre>	10 KiB	
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage-dialog- ui.preload.js</pre>	10 KiB	
<pre>chrome-extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie-banner- detection.preload.js</pre>	10 KiB	

O User Timing marks and measures — 2 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more about User Timing marks</u>.

Name	Туре	Start Time	Duration
_v3	Mark	0.00 ms	
clearMarks	Mark	113.51 ms	

O Avoid large layout shifts — One layout shift found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to windowing. Learn how to improve CLS CLS

Element	Layout shift score
	nav.nav 0.000

about:blank مر 11:18 2025/7/5

Element	Layout shift score
img	Media element lacking an explicit size
v19/UcCO3FwrKwoff2 (fonts.gstatic.com)	Web font loaded
v14/rnCu-xNNwwoff2 (fonts.gstatic.com)	Web font loaded
v14/rnCu-xNNwwoff2 (fonts.gstatic.com)	Web font loaded
v14/rnCr-xNNwwoff2 (fonts.gstatic.com)	Web font loaded

O Avoid chaining critical requests — 10 chains found

The critical request chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load. <u>Learn how to avoid chaining critical requests</u>.

Maximum critical path latency: 384.931 ms

Initial Navigation

```
/index.html (127.0.0.1)
```

```
/css2?family=... (fonts.googleapis.com)
```

...v19/UcCO3FwrK....woff2 (fonts.gstatic.com) - 58.108 ms, 23.27 KiB

...v14/rnCu-xNNw....woff2 (fonts.gstatic.com) - 57.799 ms, 14.65 KiB

...v14/rnCu-xNNw....woff2 (fonts.gstatic.com) - 57.77 ms, 15.38 KiB

...v14/rnCr-xNNw....woff2 (fonts.gstatic.com) - 59.65 ms, 13.73 KiB

...bootstrap/bootstrap.css (127.0.0.1) - 17.263 ms, 201.01 KiB

/assets/style.css (127.0.0.1) - 28.536 ms, 4.43 KiB

...bootstrap/bootstrap.bundle.js (127.0.0.1) - 34.593 ms, 205.16 KiB

/jquery-3.4.1.min.js (code.jquery.com) - 100.306 ms, 30.25 KiB

/assets/maugallery.js (127.0.0.1) - 28.71 ms, 6.60 KiB

/assets/scripts.js (127.0.0.1) - 26.311 ms, 1.33 KiB

Minimise third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn how to minimise third-party impact. TBT

Third-party	Transfer size	Main-thread blocking time
Google Fonts Cdn	68 KiB	0 ms
v19/UcCO3FwrKwoff2 (fonts.gstatic.com)	23 KiB	0 ms

about:blank 9/31

Third-party	Transfer size	Main-thread blocking time
v14/rnCu-xNNwwoff2 (fonts.gstatic.com)	15 KiB	0 ms
v14/rnCu-xNNwwoff2 (fonts.gstatic.com)	15 KiB	0 ms
v14/rnCr-xNNwwoff2 (fonts.gstatic.com)	14 KiB	0 ms
/css2?family= (fonts.googleapis.com)	1 KiB	0 ms
jQuery CDN Cdn	30 KiB	0 ms
/jquery-3.4.1.min.js (code.jquery.com)	30 KiB	0 ms

O Largest contentful paint element — 900 ms

This is the largest contentful element painted within the viewport. <u>Learn more about the Largest Contentful Paint element</u> (LCP)

Element			
img			

Phase	% of LCP	Timing
TTFB	14%	130 ms
Load delay	0%	0 ms
Load time	2%	20 ms
Render delay	84%	760 ms

O Avoid long main-thread tasks — 1 long task found

Lists the longest tasks on the main thread – useful for identifying worst contributors to input delay. <u>Learn how to avoid long main-thread tasks</u> TBT

URL	Start Time	Duration
127.0.0.1 First Party		81 ms

about:blank ص 11:18 ع 2025/7/5

URL	Start Time	Duration
/index.html (127.0.0.1)	188 ms	81 ms

More information about the performance of your application. These numbers don't <u>directly affect</u> the performance score.

SED AUDITS (22)	
Defer off-screen images	
Consider lazy loading offscreen and hidden images after all critical resource to Interactive. <u>Learn how to defer offscreen images</u> . FCP LCP	es have finished loading to lower Time
Efficiently encode images	
Optimised images load faster and consume less mobile data. <u>Learn how to</u>	o efficiently encode images. FCP LCP
Pre-connect to required origins	
Consider adding preconnect or dns-prefetch resource hints to establish party origins. Learn how to preconnect to required origins. LCP FCP	n early connections to important third-
Initial server response time was short — Root document took 0 ms	
Keep the server response time for the main document short because all ot about the Time to First Byte metric. FCP LCP	her requests depend on it. <u>Learn more</u>
URL	Time Spen
127.0.0.1 First Party	0 ms
/index.html (127.0.0.1)	0 ms
Avoid multiple page redirects	
Avoid multiple page redirects Redirects introduce additional delays before the page can be loaded. Learn	n how to avoid page redirects. (LCP) Fo

about:blank 11/31

about:blank مر 11:18 2025/7/5

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. <u>Learn more about HTTP/2</u>. [LCP] [FCP]

Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more about efficient video formats FCP [LCP]</u>

Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile <u>Baseline</u> features, unless you know you must support legacy browsers. <u>Learn why most sites can deploy ES6+ code without transpiling FCP</u>

[LCP]

Preload largest contentful paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. <u>Learn</u> more about preloading <u>LCP</u> elements. <u>(LCP)</u>

Avoids enormous network payloads — Total size was 1,946 KiB

Large network payloads cost users real money and are highly correlated with long load times. <u>Learn how to reduce payload sizes</u>.

URL	Transfer size
127.0.0.1 First Party	1,819.8 KiB
mariage/jakob-owens-SiniLJkXhMc-unsplash.webp (127.0.0.1)	301.2 KiB
concerts/aaron-pauwebp (127.0.0.1)	226.9 KiB
bootstrap/bootstrap.bundle.js (127.0.0.1)	205.2 KiB
bootstrap/bootstrap.css (127.0.0.1)	201.0 KiB
portraits/ade-tunji-rVkhWWZFAtQ-unsplash.webp (127.0.0.1)	188.4 KiB
mariage/hannah-buwebp (127.0.0.1)	159.1 KiB
images/nina.jpg (127.0.0.1)	150.7 KiB

about:blank 12/31

about:blank ص 11:18 عرب 11:18 عرب ما 11:18 عرب عبد الله عبد الله

URL	Transfer size
slider/ryoji-iwawebp (127.0.0.1)	149.1 KiB
entreprise/jason-goowebp (127.0.0.1)	120.2 KiB
entreprise/ali-morshwebp (127.0.0.1)	118.1 KiB

Uses efficient cache policy on static assets — 0 resources found

A long cache lifetime can speed up repeat visits to your page. Learn more about efficient cache policies.

Avoids an excessive DOM size — 126 elements

A large DOM will increase memory usage, cause longer <u>style calculations</u> and produce costly <u>layout reflows</u>. <u>Learn</u> <u>how to avoid an excessive DOM size</u>. (TBT)

Statistic	Element	Value
Total DOM Elements		126
Maximum DOM Depth	div.mg-prev	10
Maximum Child Elements	div.gallery-items-row.row	9

JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to reduce Javascript execution time</u>. (TBT)

✓ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
127.0.0.1 First Party	238 ms	24 ms	50 ms

about:blank 13/31

URL	Total CPU Time	Script Evaluation	Script Parse
/index.html (127.0.0.1)	238 ms	24 ms	50 ms
jQuery CDN Cdn	81 ms	36 ms	3 ms
/jquery-3.4.1.min.js (code.jquery.com)	81 ms	36 ms	3 ms
Unattributable	68 ms	3 ms	0 ms
Unattributable	68 ms	3 ms	0 ms

Minimises main-thread work — 0.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimise main-thread work TBT

Category	Time Spent
Other	154 ms
Style & Layout	97 ms
Script Evaluation	77 ms
Script Parsing & Compilation	64 ms
Parse HTML & CSS	26 ms
Rendering	7 ms

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure that text is user-visible while webfonts are loading. <u>Learn more about font-display</u>.

Lazy load third-party resources with facades

علام 11:18 2025/7/5 about:blank

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Le	<u>earn</u>
Largest contentful paint image was not lazily loaded	^
Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the Largest Contentful Paint. Learn more about optimal lazy loading. (LCP)	
Element	
img	
Uses passive listeners to improve scrolling performance	^
Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance Learn more about adopting passive event listeners.	
Avoids document.write()	^
For users on slow connections, external scripts dynamically injected via document.write() can delay page loatens of seconds. Learn how to avoid document.write().	nd by
Avoid non-composited animations	^
Animations that are not composited can be poor, slow and increase CLS. <u>Learn how to avoid non-composited</u> <u>animations</u> <u>CLS</u>	
Image elements have explicit width and height	^
Set an explicit width and height on image elements to reduce layout shifts and improve CLS. <u>Learn how to set image dimensions</u> <u>CLS</u>	
Has a <meta name="viewport"/> tag with width or initial-scale	^
A <meta name="viewport"/> not only optimises your app for mobile screen sizes, but also prevents a 300	

about:blank 15/31

millisecond delay to user input. Learn more about using the viewport meta tag.

about:blank ص 11:18 2025/7/5



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)	Hide
Interactive controls are keyboard focusable	^
Custom interactive controls are keyboard focusable and display a focus indicator. <u>Learn how to make custom controls focusable</u> .	
Interactive elements indicate their purpose and state	^
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. <u>Learn how to decorate interactive elements with affordance hints</u> .	
O The page has a logical tab order	^
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <u>Learn morabout logical tab ordering</u> .	<u>e</u>
O Visual order on the page follows DOM order	^
DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more about DOM as visual ordering.</u>	nd_
O User focus is not accidentally trapped in a region	^
A user can tab into and out of any control or region without accidentally trapping their focus. <u>Learn how to avoid focus traps</u> .	<u>bid</u>
The user's focus is directed to new content added to the page	^
If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn how to direct focus</u> new content.	us to

about:blank 16/31

علام 11:18 2025/7/5 about:blank

HTML5 landmark elements are used to improve navigation	
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.</nav></main>	
Offscreen content is hidden from assistive technology	
Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.	
 Custom controls have associated labels 	
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <u>Learn more about custom controls and labels</u> .	
 Custom controls have ARIA roles 	
Custom interactive controls have appropriate ARIA roles. <u>Learn how to add roles to custom controls</u> .	
accessibility review.	
PASSED AUDITS (26)	ide
	ide
PASSED AUDITS (26) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-*	
PASSED AUDITS (26) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.	
PASSED AUDITS (26) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document</body>	
PASSED AUDITS (26) [aria-*] attributes match their roles Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles. [aria-hidden="true"] is not present on the document <body> Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.</body></body>	

about:blank 17/31

about:blank عر 11:18 2025/7/5

Assistive technologies, such as screen readers, can't interpret ARIA attributes with invalid values. <u>Learn more about</u> valid values for ARIA attributes.

[aria-*] attributes are valid and not misspelled

^

Assistive technologies, such as screen readers, can't interpret ARIA attributes with invalid names. <u>Learn more about valid ARIA attributes</u>.

Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as 'button', making it unusable for users who rely on screen readers. <u>Learn how to make buttons more accessible</u>.

Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an empty alt attribute. <u>Learn more about the alt attribute</u>.

Input buttons have discernible text.



Adding discernable and accessible text to input buttons may help screen reader users to understand the purpose of the input button. <u>Learn more about input buttons</u>.

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.



Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. <u>Learn more about the viewport meta tag.</u>

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. <u>Learn more about conditional ARIA attributes</u>.

[aria-hidden="true"] elements do not contain focusable descendents



Focusable descendants within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. <u>Learn how aria-hidden affects focusable elements</u>.

Elements use only permitted ARIA attributes



about:blank 18/31

about:blank عر 11:18 و 11:18 مر

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. <u>Learn more about prohibited ARIA roles.</u>

[role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.

Background and foreground colours have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient colour contrast.

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more about document titles</u>.

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. <u>Learn more about the lang attribute</u>.

<html> element has a valid value for its [lang] attribute

Specifying a valid <u>BCP 47 language</u> helps screen readers announce text properly. <u>Learn how to use the lang attribute</u>.

Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, such as screen readers. <u>Learn</u> more about form element labels.

Links have a discernible name

Link text (and alternative text for images, when used as links) that is discernible, unique and focusable improves the navigation experience for screen reader users. <u>Learn how to make links accessible</u>.

Lists contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output.

about:blank 19/31

about:blank عر 11:18 2025/7/5

Learn more about proper list structure.

List items () are contained within , or <menu> parent elements

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. Learn more about proper list structure.

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. <u>Learn more about touch targets</u>.

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more about heading order</u>.

Uses ARIA roles only on compatible elements

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. <u>Learn more about ARIA roles</u>.

Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. <u>Learn more about deprecated ARIA roles.</u>

Image elements do not have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute.

NOT APPLICABLE (31)

O [accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys.

about:blank 20/31

علام 11:18 2025/7/5 about:blank

O button, link and menuitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making in unusable for users who rely on screen readers. <u>Learn how to make command elements more accessible</u> .	t
 Elements with role="dialog" Or role="alertdialog" have accessible names. 	^
ARIA dialogue elements without accessible names may prevent screen reader users from discerning the purpo these elements. <u>Learn how to make ARIA dialog elements more accessible</u> .	se of
ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making unusable for users who rely on screen readers. <u>Learn more about input field labels</u> .	g it
ARIA meter elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, make it unusable for users who rely on screen readers. Learn how to name meter elements.	king
ARIA progressbar elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic na making it unusable for users who rely on screen readers. <u>Learn how to label progressbar elements</u> .	me,
Elements with an ARIA [role] that require children to contain a specific [role] have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. <u>Lean</u> more about roles and required children elements.	<u>rn</u>
 [role]s are contained by their required parent element 	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessible functions. <u>Learn more about ARIA roles and required parent element</u> .	lity
 Elements with the role=text attribute do not have focusable descendents. 	^
Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. <u>Learn more about the role=text attribute</u> .	
ARIA toggle fields have accessible names	^

about:blank 21/31

about:blank ص 11:18 2025/7/5

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn more about toggle fields</u>.

ARIA tooltip elements have accessible names	^
When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, mait unusable for users who rely on screen readers. <u>Learn how to name tooltip elements</u> .	aking
ARIA treeitem elements have accessible names	^
When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name making it unusable for users who rely on screen readers. <u>Learn more about labelling treeitem elements</u> .	,
The page contains a heading, skip link or landmark region	^
Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. <u>Learn more bypass blocks</u> .	<u>about</u>
O <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td><td>^</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output Learn how to structure definition lists correctly.</td><td>t.</td></tr><tr><td>O Definition list items are wrapped in <d1> elements</td><td>^</td></tr><tr><td>Definition list items (<dt> and <dd>) must be wrapped in a parent <d1> element to ensure that screen reader properly announce them. Learn how to structure definition lists correctly.</td><td>s can</td></tr><tr><td>O ARIA IDs are unique</td><td>^</td></tr><tr><td>The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs.</td><td></td></tr><tr><td>No form fields have multiple labels</td><td>^</td></tr><tr><td>Form fields with multiple labels can be confusingly announced by assistive technologies, like screen readers, vuse either the first, the last or all of the labels. <u>Learn how to use form labels</u>.</td><td>vhich</td></tr><tr><td>O <frame> Or <iframe> elements have a title</td><td>^</td></tr><tr><td>Screen reader users rely on frame titles to describe the contents of frames. <u>Learn more about frame titles</u>.</td><td></td></tr></tbody></table></script></dd></dt></dl>	

about:blank 22/31

علام 11:18 2025/7/5 about:blank

<html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.</html>	^
If the webpage does not specify a consistent language, then the screen reader might not announce the page's correctly. <u>Learn more about the lang attribute</u> .	text
<pre>O <input type="image"/> elements have [alt] text</pre>	^
When an image is being used as an <input/> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.	
Links are distinguishable without relying on colour.	^
Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. <u>Learn how to make links distinguishable</u> .	
The document does not use <meta http-equiv="refresh"/>	^
Users do not expect a page to refresh automatically and doing so will move focus back to the top of the page. may create a frustrating or confusing experience. Learn more about the refresh meta tag.	This
O <object> elements have alternative text</object>	^
Screen readers cannot translate non-text content. Adding alternative text to <object> elements helps screen readers convey meaning to users. Learn more about alt text for object elements.</object>	
 Select elements have associated label elements. 	^
Form elements without effective labels can create frustrating experiences for screen reader users. <u>Learn more about the select element</u> .	
O Skip links are focusable.	^
Including a skip link can help users skip to the main content to save time. Learn more about skip links.	
No element has a [tabindex] value greater than 0	^
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more about the tabindex attribute</u> .	
Tables have different content in the summary attribute and <caption>.</caption>	^

about:blank 23/31

about:blank عر 11:18 2025/7/5

The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption.

Cells in a element that use the [headers] attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring that cells using the [headers] attribute only refer to other cells in the same table may improve the experience for screen reader users. <u>Learn more</u> about the headers attribute.

elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring that table headers always refer to some set of cells may improve the experience for screen reader users. <u>Learn more about table headers</u>.

[lang] attributes have a valid value

Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn how to use the lang attribute</u>.

When a video provides a caption it is easier for deaf and hearing-impaired users to access its information. <u>Learn</u> more about video captions.



Best Practices

GENERAL

Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. <u>Learn more about this errors in console diagnostic audit</u>

about:blank 24/31

about:blank ص 11:18 عرب 11:18 عرب ما 11:18 عرب عبد الله عبد الله

Source	Description
127.0.0.1 First Party	
shooting.webp:1	Failed to load resource: the server responded with a status of 404 (Not Found)
reportage.webp:	Failed to load resource: the server responded with a status of 404 (Not Found)
portrait.webp:1	Failed to load resource: the server responded with a status of 404 (Not Found)
scripts.js:20	TypeError: Cannot read properties of null (reading 'addEventListener') at http://127.0.0.1:5500/assets/scripts.js:20:6

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. <u>Learn more about this JavaScript library detection</u> <u>diagnostic audit</u>.

Name	2	Version
Boots	trap	5.1.3
jQuer	у	3.4.1

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. <u>Learn how to use a CSP to prevent XSS</u>

Description	Directive	Severity
No CSP found in enforcement mode		High

Use a strong HSTS policy

about:blank 25/31

about:blank عر 11:18 و 11:18 مر

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. <u>Learn more about using a strong HSTS policy.</u>

Description	Directive	Severity
No HSTS header found		High

Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. <u>Learn more about deploying the COOP header.</u>

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. <u>Learn more about mitigating clickjacking</u>.

Description	Severity
No frame control policy found	High

PASSED AUDITS (13)

Uses HTTPS

A

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding <u>mixed</u> <u>content</u>, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. <u>Learn more about HTTPS</u>.

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

about:blank 26/31

about:blank عر 11:18 و 11:18 مر

Avoids third-party cookies Chrome is moving towards a new experience that allows users to choose to browse without third-party cookies. Learn more about third-party cookies. Allows users to paste into input fields Preventing input pasting is bad practice for the UX and weakens security by blocking password managers. Learn more about user-friendly input fields. Avoids requesting the geolocation permission on page load Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission. Avoids requesting the notification permission on page load Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications. Displays images with correct aspect ratio Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio. Serves images with appropriate resolution Image natural dimensions should be proportional to the display size and the pixel ratio to maximise image clarity. Learn how to provide responsive images. Has a <meta name="viewport"> tag with width or initial-scale A <meta name="viewport"> not only optimises your app for mobile screen sizes, but also prevents a 300 millisecond delay to user input. Learn more about using the viewport meta tag. Page has the HTML doctype Specifying a DOCTYPE prevents the browser from switching to quirks mode. Learn more about the doctype declaration. Properly defines charset

about:blank 27/31

11:18 2025/7/5 ص about:blank

> A character encoding declaration is required. It can be done with a <meta> tag in the first 1,024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.

No issues in the Issues panel in Chrome DevTools

Issues logged to the Issues panel in Chrome DevTools indicate unresolved problems. They can come from network request failures, insufficient security controls and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers to debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps.

URL	Map URL
Unattributable	
chrome-	chrome-
extension://fmkadmapgofadopljbjfkapdkoienihi/build/ installHook.js	<pre>extension://fmkadmapgofadopljbjfkapdkoienihi/bui ld/installHook.js.map</pre>
Warning: missing 46 items in `.sourcesContent`	
chrome-	
extension://cfhdojbkjhnklbpkdaibdccddilifddb/vendor	
/@eyeo/webext-ad-filtering-solution/content.js	
chrome-	chrome-
extension://cfhdojbkjhnklbpkdaibdccddilifddb/polyfi	extension://cfhdojbkjhnklbpkdaibdccddilifddb/pol
11.js	yfill.js.map
chrome-	chrome-
extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage	extension://cfhdojbkjhnklbpkdaibdccddilifddb/onp
-dialog.preload.js	age-dialog.preload.js.map
chrome-	chrome-
extension://cfhdojbkjhnklbpkdaibdccddilifddb/onpage	extension://cfhdojbkjhnklbpkdaibdccddilifddb/onp
-dialog-ui.preload.js	age-dialog-ui.preload.js.map
chrome-	chrome-
extension://cfhdojbkjhnklbpkdaibdccddilifddb/cookie	extension://cfhdojbkjhnklbpkdaibdccddilifddb/cod
extension.,, ernaojokjimkiopkaaioaceaaiii aab, eookie	externation, condensation and condensation and content

28/31 about:blank

about:blank عر 11:18 2025/7/5

URL	Map URL
<pre>chrome- extension://cfhdojbkjhnklbpkdaibdccddilifddb/compos er.preload.js</pre>	<pre>chrome- extension://cfhdojbkjhnklbpkdaibdccddilifddb/com poser.preload.js.map</pre>
<pre>chrome- extension://cfhdojbkjhnklbpkdaibdccddilifddb/bypass .preload.js</pre>	<pre>chrome- extension://cfhdojbkjhnklbpkdaibdccddilifddb/byp ass.preload.js.map</pre>
127.0.0.1 First Party	
bootstrap/bootstrap.bundle.js (127.0.0.1)	bootstrap/bootstrap.bundle.js.map (127.0.0.1)

NOT APPLICABLE (2) Hide

Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u>.

Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to 'pinch to zoom' in order to read. Strive to have >60% of page text $\ge 12px$. Learn more about legible font sizes.



SFO

These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search
essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

about:blank 29/31

about:blank مر 11:18 2025/7/5

Structured data is valid

Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about structured data. Run these additional validators on your site to check additional SEO best practices. PASSED AUDITS (8) Hide Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles. Document has a meta description Meta descriptions may be included in search results to concisely summarise page content. Learn more about the meta description. Page has successful HTTP status code Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes. Links have descriptive text Descriptive link text helps search engines understand your content. Learn how to make links more accessible. Links are crawlable Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination so that more pages of the site can be discovered. Learn how to make links crawlable Image elements have [alt] attributes Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an

about:blank 30/31

about:blank عر 11:18 2025/7/5

empty alt attribute. Learn more about the alt attribute.

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about hreflang.

NOT APPLICABLE (2)

Hide

robots.txt is valid

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. <u>Learn more about robots.txt</u>.

O Document has a valid rel=canonical

^

Canonical links suggest which URL to show in search results. Learn more about canonical links.

Captured at 5 Jul 2025, 11:15 CEST Initial page load Emulated desktop with Lighthouse 12.6.0 Custom throttling Single-page session

Using Chromium 137.0.0.0 with devtools

Generated by **Lighthouse** 12.6.0 | File an issue

about:blank 31/31