



CSE3023 PEMBANGUNAN APLIKASI BERASASKAN WEB

Lab Module 6

Nama: Kishor A/L Mohan

Kumpulan: K1

Nama Pensyarah: Assoc. Prof. Ts. Dr. Wan Nural Jawahir

Tarikh: 12/5/202

insertUser.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>Register User</title>
    <style>
      body {
        font-family: Arial, sans-serif;
        background-color: #f0f0f0;
        margin: 0;
        padding: 20px;
      }

      h2 {
        text-align: center;
      }

      form {
        background-color: #ffffff;
        width: 350px;
        margin: 30px auto;
        padding: 20px;
        border: 1px solid #cccccc;
      }

      table {
        width: 100%;
      }

      td {
        padding: 6px;
      }
    </style>
  </head>
  <body>
    <h2>Register</h2>
    <form>
      <table>
        <tr>
          <td><input type="text" value="Name" /></td>
        </tr>
        <tr>
          <td><input type="password" value="Password" /></td>
        </tr>
        <tr>
          <td><input type="password" value="Confirm Password" /></td>
        </tr>
        <tr>
          <td><input type="button" value="Register" /></td>
        </tr>
      </table>
    </form>
  </body>
</html>
```

```

40
41     input[type="submit"] {
42         width: 100%;
43         padding: 8px;
44         background-color: #4a90d9;
45         color: white;
46         border: none;
47         cursor: pointer;
48         margin-top: 10px;
49     }
50
51     input[type="submit"]:hover {
52         background-color: #357abd;
53     }
54
55     a {
56         display: block;
57         text-align: center;
58         margin-top: 10px;
59         font-size: 13px;
60     }
61 </style>
62 </head>
63 <body>

```

```

64
65 <h2>User Registration</h2>
66
67 <form action="processUser.jsp" method="post">
68     <table>
69         <tr>
70             <td>Username:</td>
71             <td><input type="text" name="username" maxlength="15" required /></td>
72         </tr>
73         <tr>
74             <td>Password:</td>
75             <td><input type="password" name="password" maxlength="10" required /></td>
76         </tr>
77         <tr>
78             <td>First Name:</td>
79             <td><input type="text" name="firstname" maxlength="50" required /></td>
80         </tr>
81         <tr>
82             <td>Last Name:</td>
83             <td><input type="text" name="lastname" maxlength="50" required /></td>
84         </tr>
85         <tr>
86             <td colspan="2">
87                 <input type="submit" value="Register" />
88             </td>
89         </tr>
90     </table>
91 </form>
92
93 <div style="text-align:center;">
94     Already have an account? <a href="login.jsp">Login here</a>
95 </div>
96
97 </body>
98 </html>

```

processUser.jsp

```
<%@ page import="java.sql.*" %>
<%
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    String firstname = request.getParameter("firstname");
    String lastname = request.getParameter("lastname");

    String message = "";
    boolean success = false;

    if (username == null || username.trim().isEmpty() ||
        password == null || password.trim().isEmpty() ||
        firstname == null || firstname.trim().isEmpty() ||
        lastname == null || lastname.trim().isEmpty()) {

        message = "All fields are required.";

    } else {

        Connection conn = null;
        PreparedStatement ps = null;

        try {
            Class.forName("com.mysql.cj.jdbc.Driver");
            conn = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/csa3203",
                "root",
                "admin"
            );

```

```
        String sql = "INSERT INTO userprofile (username, password, firstname, lastname) VALUES (?, ?, ?, ?)";
        ps = conn.prepareStatement(sql);
        ps.setString(1, username.trim());
        ps.setString(2, password.trim());
        ps.setString(3, firstname.trim());
        ps.setString(4, lastname.trim());
        ps.executeUpdate();

        success = true;
        message = "User registered successfully!";

    } catch (SQLException e) {
        message = "Username already exists. Please choose another.";
    } catch (Exception e) {
        message = "Error: " + e.getMessage();
    } finally {
        if (ps != null) try { ps.close(); } catch (Exception ignored) {}
        if (conn != null) try { conn.close(); } catch (Exception ignored) {}
    }
}
%>
```

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Registration Result</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f0f0f0;
      padding: 20px;
    }

    .box {
      background-color: #ffffff;
      width: 350px;
      margin: 40px auto;
      padding: 20px;
      border: 1px solid #cccccc;
      text-align: center;
    }

    .success { color: green; }
    .error { color: red; }

    a {
      display: inline-block;
      margin-top: 12px;
      color: #4a90d9;
      text-decoration: none;
      font-size: 14px;
    }

    a:hover { text-decoration: underline; }
  </style>
</head>

```

```

<body>
  <div class="box">
    <h2>Registration Result</h2>
    <p class="<%= success ? "success" : "error" %>"><%= message %></p>
    <% if (success) { %>
      <a href="login.jsp">Go to Login</a>
    <% } else { %>
      <a href="insertUser.html">Go Back</a>
    <% } %>
  </div>
</body>
</html>

```

login.jsp

```
<%@ page contentType="text/html; charset=UTF-8" %>
<%
    String errorMsg = request.getParameter("errorMsg");
%>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <title>Login</title>
    <style>
        body {
            font-family: Arial, sans-serif;
            background-color: #f0f0f0;
            margin: 0;
            padding: 20px;
        }

        h2 {
            text-align: center;
        }

        form {
            background-color: #ffffff;
            width: 320px;
            margin: 30px auto;
            padding: 20px;
            border: 1px solid #cccccc;
        }

        table {
            width: 100%;
        }
    </style>

```

```
td {
  padding: 6px;
}

input[type="text"],
input[type="password"] {
  width: 100%;
  padding: 5px;
  box-sizing: border-box;
}

input[type="submit"] {
  width: 100%;
  padding: 8px;
  background-color: #4a90d9;
  color: white;
  border: none;
  cursor: pointer;
  margin-top: 10px;
}

input[type="submit"]:hover {
  background-color: #357abd;
}

.error {
  color: red;
  text-align: center;
  font-size: 13px;
  margin-bottom: 8px;
}
```

```

        .register-link {
            text-align: center;
            font-size: 13px;
            margin-top: 10px;
        }
    </style>
</head>
<body>

    <h2>User Login</h2>

    <form action="doLogin.jsp" method="post">

        <% if (errorMsg != null && !errorMsg.isEmpty()) { %>
            <p class="error"><%= errorMsg %></p>
        <% } %>

        <table>
            <tr>
                <td>Username:</td>
                <td><input type="text" name="username" maxlength="15" required /></td>
            </tr>
            <tr>
                <td>Password:</td>
                <td><input type="password" name="password" maxlength="10" required /></td>
            </tr>
            <tr>
                <td colspan="2">
                    <input type="submit" value="Login" />
                </td>
            </tr>
        </table>

    </form>

```

```

    <div class="register-link">
        No account? <a href="insertUser.html">Register here</a>
    </div>

</body>
</html>

```


doLogin.jsp

```
<%@ page import="java.sql.*" %>
<%
    String username = request.getParameter("username");
    String password = request.getParameter("password");

    if (username == null || password == null ||
        username.trim().isEmpty() || password.trim().isEmpty()) {
        response.sendRedirect("login.jsp?errorMsg=Invalid+username+or+password..!");
        return;
    }

    Connection conn = null;
    PreparedStatement ps = null;
    ResultSet rs = null;
    boolean valid = false;
    String firstname = "";
    String lastname = "";

    try {
        Class.forName("com.mysql.cj.jdbc.Driver");
        conn = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/csa3203",
            "root",
            "admin"
        );

        String sql = "SELECT firstname, lastname FROM userprofile WHERE username = ? AND password = ?";
        ps = conn.prepareStatement(sql);
        ps.setString(1, username.trim());
        ps.setString(2, password.trim());
        rs = ps.executeQuery();
```

```
        if (rs.next()) {
            valid = true;
            firstname = rs.getString("firstname");
            lastname = rs.getString("lastname");
        }

    } catch (Exception e) {
        e.printStackTrace();
    } finally {
        if (rs != null) try { rs.close(); } catch (Exception ignored) {}
        if (ps != null) try { ps.close(); } catch (Exception ignored) {}
        if (conn != null) try { conn.close(); } catch (Exception ignored) {}
    }

    if (valid) {
        session.setAttribute("username", username.trim());
        session.setAttribute("firstname", firstname);
        session.setAttribute("lastname", lastname);
        response.sendRedirect("main.jsp");
    } else {
        response.sendRedirect("login.jsp?errorMsg=Invalid+username+or+password..!");
    }
}
```

<%>

main.jsp

```
<%@ page contentType="text/html" pageEncoding="UTF-8"%>
<%
    String username = (String) session.getAttribute("username");
    String firstname = (String) session.getAttribute("firstname");
    String lastname = (String) session.getAttribute("lastname");

    // If session does not exist, redirect to login page
    if(username == null){
        response.sendRedirect("login.jsp");
    }
%>

<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8">
    <title>Main Page</title>

    <style>
        body{
            font-family: Arial, sans-serif;
            background-color: #f2f2f2;
        }

        .container{
            width: 400px;
            margin: 100px auto;
            background: white;
            padding: 30px;
            border-radius: 10px;
            box-shadow: 0px 0px 10px gray;
        }
    </style>
</head>
<body>
```

```

    h2{
        text-align: center;
        color: #333;
    }

    p{
        font-size: 18px;
        margin: 15px 0;
    }

    .logout{
        text-align: center;
        margin-top: 20px;
    }

    .logout a{
        text-decoration: none;
        background-color: crimson;
        color: white;
        padding: 10px 20px;
        border-radius: 5px;
    }

    .logout a:hover{
        background-color: darkred;
    }
</style>
</head>

```

```

<body>

<div class="container">
    <h2>Welcome to Main Page</h2>

    <p><b>Username:</b> <%= username %></p>
    <p><b>First Name:</b> <%= firstname %></p>
    <p><b>Last Name:</b> <%= lastname %></p>

    <div class="logout">
        <a href="login.jsp">Logout</a>
    </div>
</div>

</body>
</html>

```

Database:

The screenshot shows a database management tool interface. At the top, it indicates the server is '127.0.0.1', the database is 'csa3203', and the table is 'userprofile'. A menu bar includes options like 'Browse', 'Structure', 'SQL', 'Search', 'Insert', 'Export', 'Import', 'Privileges', 'Operations', 'Tracking', and 'Triggers'. Below the menu, a status bar says 'Showing rows 0 - 0 (1 total, Query took 0.0003 seconds.)'. The SQL query editor contains 'SELECT * FROM `userprofile`'. Below the query, there are links for 'Profiling', 'Edit inline', 'Edit', 'Explain SQL', 'Create PHP code', and 'Refresh'. A control bar shows 'Show all', 'Number of rows: 25', and 'Filter rows: Search this table'. An 'Extra options' button is also present. The table view shows columns: 'username', 'password', 'firstname', and 'lastname'. A single row is displayed with values: 'Kishormohan85', 'qwerty', 'Kishor', and 'Mohan'. Below the table, there are action buttons: 'Edit', 'Copy', 'Delete', 'Check all', 'With selected', 'Edit', 'Copy', 'Delete', and 'Export'.

username	password	firstname	lastname
Kishormohan85	qwerty	Kishor	Mohan

Output:

The output shows a 'User Registration' form. The form has four input fields: 'Username:', 'Password:', 'First Name:', and 'Last Name:'. Below these fields is a blue 'Register' button. At the bottom of the form, there is a link 'Login here'.

User Registration

Username:

Password:

First Name:

Last Name:

[Register](#)

Already have an account?
[Login here](#)

User Login

Username:

Password:

Login

No account? [Register here](#)

Welcome to Main Page

Username: Kishormohan85

First Name: Kishor

Last Name: Mohan

Logout

User Login

Invalid username or password..!

Username:

Password:

Login

No account? [Register here](#)