



Registry Module

TASAF MIS – End-User Manual

TANZANIA SOCIAL ACTION FUND

MFUKO WA MAENDELEO YA JAMII

VERSION 1.0

Audience: Registry officers • PAA staff • PMT analysts • Enrollment officers
Document: docs/tasaf-registry/user-manual.html

CONTENTS

- | | |
|------------------------------------|----------------------------------|
| 1. Introduction | 7. PMT (Proxy Means Test) |
| 2. Login & access | 8. Eligible Households / Members |
| 3. Menu navigation | 9. Survey Monitoring Dashboard |
| 4. Households | 10. Statuses & field meanings |
| 5. Household members | 11. Common errors & resolutions |
| 6. Importing from Survey Solutions | 12. Quick procedures |

1. Introduction

The Registry Module is where household and household-member data lives in TASAF MIS. It is the social protection registry that feeds PMT classification, enrollment, payroll, and MUSE-driven payments.

From the Registry Module you can:

- Search and view households and their members.
- Open and review interview records pulled from Survey Solutions.
- Identify non-consented households (*kaya ambazo hazijahojiwa*).
- Identify PMT-eligible households (*POOR* class) and enrollable members.
- Trigger a fresh Survey Solutions import per PAA / district.
- Reconfigure and re-run PMT scoring per district.

OUT OF SCOPE

This module does not send payments, generate playlists, or talk to MUSE – those live under the **TASAF Payment** module.

2. Login and access

- 1 Open TASAF MIS in your browser. The login screen shows the TASAF logo and the *tasafMIS* app name.
- 2 Enter your **Username** and **Password** and click **LOG IN**.
- 3 If you've forgotten your password, click **FORGOT PASSWORD?** and follow the recovery flow.
- 4 After login, the **Registry** menu on the left shows the Registry Module entries you have rights for. If you do not see them, your role needs to be granted the relevant permission codes.




FIG. 2.1 TASAF MIS login screen – username, password, and the FORGOT PASSWORD link.

Recover your account

Enter your username to be able to recover your account. An e-mail with the instructions will be sent to your e-mail address.

If you do not receive an e-mail, please check with your administrator.


Username *

SUBMIT

FIG. 2.2 Recover your account – enter your username; the system emails password-reset instructions.

LOGIN FAILED?

If the login screen shows an error such as *"can't access property tokenAuth, response.payload.data is undefined"*, the backend may be unreachable. Confirm with your administrator that the backend service is up before retrying.



The image shows a login form for 'tasafMIS'. At the top is the TASAF logo, which is a circular emblem with 'TASAF' in green at the top, a central illustration of a group of people, and the text 'TANZANIA SOCIAL ACTION FUND' and 'MIPAKO WA MAENDELEO YA JUMUI' around the bottom. Below the logo, the text 'tasafMIS' is displayed. The form has two input fields: 'Username *' with the value 'Admin' and 'Password *' with masked characters. Below the password field, a red error message is shown: 'can't access property "tokenAuth", response.payload.data is undefined'. At the bottom of the form is a green 'LOG IN' button and a link for 'FORGOT PASSWORD ?'.

FIG. 2.3 Example error message shown when the backend is unreachable or credentials are invalid.

REQUIRED RIGHTS PER REGISTRY MENU ITEM

Menu item (as shown in the UI)	Right (permission code)
Import Data	159001
Targeted Households	180001
Targeted Members	159001
Uninterviewed	159001
PMT Rerun	180005
Enrollment List	180005
Eligible Households	180001
Eligible Members	159001
Survey Monitoring	159001

If you do not have any of the above rights at all, ask an administrator to grant them.

Administrators manage users, roles, and locations from **Administration** → *Users / Roles Management / Locations*:




FIG. 2.4 Administration submenu – Users, Roles Management, Locations, My Profile, Change Password. Use this section to grant Registry Module rights or to update your own profile / password.

3. Registry Module menu navigation

After login you land on the TASAF MIS welcome screen. The left side bar carries the application menu, the top bar carries the global search box, logout, and help icons.




FIG. 3.1 Welcome screen – left sidebar shows the top-level menu (Dashboards, Registry, Programs, Payments, Public Works, Economic Inclusion, Case Management, Grievance, Reports, Tasks Management, PSSN II Registry, Administration).

3.1 The Registry menu

Click **Registry** in the side bar to expand it. The Registry Module exposes the following entries:

Import Data Trigger and monitor Survey Solutions imports (per PAA / district)	Targeted Households List of all household records (Groups)
Targeted Members List of all household members (Individuals)	Uninterviewed Kaya ambazo hazijahojiwa (non-consented households)
PMT Rerun Configure cutoff and recalculate PMT scores	Enrollment List PMT-classified households for enrollment

Eligible Households


POOR + consented households

Eligible Members

Members of eligible households

Survey Monitoring

Real-time field-monitoring dashboard



3.2 Related sections

You will see two more sections that interact with the Registry Module:

- **PSSN II Registry** – PSSN II Individuals, PSSN II Households, Legacy Imports. Use these when you need to consult or import the previous PSSN II registry data alongside the current Registry Module.
- **Dashboards** – Individual Reports, Group Reports, Beneficiary Reports, Data Updates Reports, Grievance Reports, Invoice Reports, Payment Reports, Manage Dashboards. These render summary views over the Registry data.




FIG. 3.3 PSSN II Registry submenu – legacy individuals, households, and the Legacy Imports page.




FIG. 3.4 Dashboards submenu – reports built on top of Registry data.

4. Households (Targeted Households)

4.1 Search the household list

- 1 Open Registry → Targeted Households.

- 2 Use the **Search Criteria** bar at the top to narrow by HHID, head name (first / last), village code, or "Missing Location" flag.
- 3 Pick a Region, District, Ward, and Village using the location pickers. Click **SEARCH** (top-right) to apply, or **RESET FILTERS** to clear.
- 4 The result table shows total count ("*6507 Households Found*"), and per row: **HHID**, **Head**, **HH Size**, **Region**, **District**, **Ward**, **Village**. The pencil icon opens the household detail.
- 5 Top-right buttons: **DOWNLOAD** exports the filtered list and **ENROLLMENT** drives the enrollment flow.

The screenshot shows the 'Targeted Households' section of the tasafMIS 25.04+ application. The interface includes a sidebar with navigation options and a main content area with a search criteria bar and a table of results. The search criteria bar allows filtering by Region, District, Ward, and Village, and includes a 'Missing Location' checkbox. The table displays 6507 households found, with columns for HHID, Head, HH Size, Region, District, Ward, and Village. Each row has a pencil icon for editing. The top right of the table has buttons for 'DOWNLOAD' and 'ENROLLMENT'.

HHID	Head	HH Size	Region	District	Ward	Village	
P3-020109103-48039491	Tumaini Melakiti Lukumay	3	Arusha	Monduli	Makuyuni	Mbuyuni	
P3-020408103-42709752	Dafi Gege Tlae	4	Arusha	Karatu	Daa	Mang'ola Juu	
P3-020404101-69486048	Emmanuel Gaho Qaray	6	Arusha	Karatu	Endabash	Qaru	
P3-020109103-68169904	Maria Sairiamu Laizer	4	Arusha	Monduli	Makuyuni	Mbuyuni	
P3-020412103-67832172	Adaudi John Qaduwe	7	Arusha	Karatu	Rhotia	Rhotia Kainam	
P3-020404101-41266554	Hana Surumbu Ama	8	Arusha	Karatu	Endabash	Qaru	
P3-020408103-93592772	Gidamasho Gaseri Gingaa	10	Arusha	Karatu	Daa	Mang'ola Juu	

FIG. 4.1 Targeted Households – search criteria bar, total count, paginated table, and per-row edit (pencil) action.

4.2 View household details

- 1 Click the pencil icon on a row (or double-click the row) to open the household detail page.
- 2 The head panel shows: HHID, head, primary recipient, location, PMT score and class.
- 3 Tabs: Individuals, Benefit Plans, Change Log, Benefits, Tasks.

- 4 To edit, change the field then click the floating **Save** button. The change is journalised and visible in the Change Log.
- 5 To delete, use the trash icon – a confirmation dialog appears before the soft delete.

4.3 Add or move members

- **Add an existing member:** click the  icon, search for the member, pick a role and recipient type, confirm.
- **Move a member into a new household:** from the member's detail page, this creates a new household with the moved member as HEAD and produces a maker/checker task.

5. Household members (Targeted Members)

5.1 Search the member list

- 1 Open Registry → Targeted Members.
- 2 Filter by First Name, Last Name, Village Code, or use the Region / District / Ward / Village pickers. Toggle **DEDUPLICATE**, **Show Deleted**, or **Missing Location** as needed.
- 3 The result table shows total count ("*23983 Household Members Found*") and per row: First Name, Last Name, Day of birth, Region, District, Ward, Village.
- 4 Top-right buttons: **DOWNLOAD**, **ENROLLMENT**, **UPLOAD**, **UPLOAD HISTORY**. Click the pencil icon to open a member detail page.

FIG. 5.1 Targeted Members – search bar with the DEDUPLICATE toggle, total count, and the action buttons for download / enrollment / upload history.

5.2 View member details

The detail page shows the head panel (names, DOB, location) plus tabs: **Benefit Plans**, **Change Log**, **Tasks**, **Benefits**, **Group history**.

5.3 Edit or delete a member

- Update any editable field and click **Save**. Row-level security (your district scope) is enforced. Every save creates a mutation log entry.
- Deletion is soft (sets `is_deleted = true`). Admins can undo through an undo-delete mutation. Tick **Show Deleted** on the search bar to bring back hidden rows.

5.4 Uninterviewed households (kaya ambazo hazijahojiwa)

Open **Registry** → **Uninterviewed**. The list shows households whose head was not interviewed or who declined consent (`json_ext.consent_res = "2"` / `"02"`). The **Reason** column carries the Swahili description (e.g. *Mwakilishi wa kaya hajahudhuria mahojiano* = "household representative did not attend the interview"). Use this page to triage data-quality issues from the field.




FIG. 5.2 Uninterviewed Households – head name, district, village, interview key, and the reason for not interviewing. **DOWNLOAD PDF** exports the filtered list.

6. Importing registry data from Survey Solutions

The Registry Module imports interview data through the PAA-based ETL.

6.1 Trigger a PAA import

- 1 Open **Registry** → **Import Data**. The page is split into three blocks: *Import Data – API*, *Import Survey Solutions Data by PAA*, and *Import History*.
- 2 The **API** block (top) lists registered ETL services (currently **SurveySolutionService**). Clicking **PULL DATA** there runs the named service end-to-end. This is the legacy entry point.
- 3 The **by PAA** block is the normal path. Pick **Region** and **District / PAA**. Only districts you have rights for appear.
- 4 The system auto-detects the questionnaire that matches the PAA. Open **Show Advanced Options** to pick a specific questionnaire, paste a manual identity (**GUID\$version**), or tick *Dry run*.
- 5 For Zanzibar districts the page shows a "Zanzibar PAA scope" hint (**PEMBA** / **UNGUJA**).

- 6 Click **TRIGGER IMPORT**. Confirm in the dialog.
- 7 The page polls Import History every 12 seconds and refreshes the row count while the import is **running**.

FIG. 6.1 Import Data – top: API trigger for SurveySolutionService . Middle: PAA-based import with Region / District pickers and Advanced Options. Bottom: Import History table with the District/PAA, household count, member count, questionnaire version, date, and status chips.

District / PAA	Households	Members	Qnr Version	Import Date	Status
Kondoa TC	88	279	2	4/30/2026	✓ Completed
Nkasi	72	129		4/30/2026	✓ Completed
Njombe	45	81		4/17/2026	✓ Completed
Karatu	0	0		4/17/2026	✗ Failed
Monduli	331	774		4/9/2026	✓ Completed

6.2 Monitor import history

The "Pulled questionnaires" table at the bottom of the page shows one row per import:

Column	Meaning
PAA name	District display name.
Number of households	Unique households touched (insert + update).
Number of members	Individuals touched.
Questionnaire version	Numeric version of the HQ questionnaire.
Date pulled	When the import started.
Status	running • completed • failed • cancelled

TIP

If a row stays **running** longer than 12 hours, it is automatically marked **failed** the next time the page is loaded.

6.3 Legacy single-service trigger

The top "Import Data – API" card lists every ETL service registered in the backend. Pressing **PULL DATA** there runs the named service end-to-end. In current TASAF use only `SurveySolutionService` is wired; other services are demos.

7. PMT (Proxy Means Test)

7.1 PMT Rerun (configuration & recalculation)

- 1 Open Registry → PMT Rerun.
- 2 Pick the district whose cutoff you want to set.
- 3 The page shows the current cutoff (default `11.01`). Update it (allowed range `0 ≤ cutoff ≤ 50`) and save.
- 4 Optionally click **Run PMT recalculation**. A progress dialog appears showing percentage complete, processed households, and newly enrolled POOR households.
- 5 When finished, the audit summary table refreshes.


7.2 PMT Audit Summary

The audit summary table shows one row per district with:

- District code and name.
- Total households scored.
- **POOR** / **NON_POOR** counts.
- Average and median PMT score.
- Last rerun timestamp.

7.3 Enrollment List

Open **Registry** → **Enrollment List**. The page is district-scoped. The list shows, for each household: **HHID**, **Head Name**, **Village**, **PMT Score**, and **Status** (**POOR** / **NON_POOR**). Filter by HHID, head name, PMT Status, and the Region / District / Ward / Village pickers. Click **DOWNLOAD PDF** (top-right) to export the filtered list.



- **Eligible Households:** households where `pmt_class_household = P00R` AND the head is consented.
- **Eligible Members:** members whose household is PMT-eligible and consented.

Use them when running an enrollment campaign. The action bar lets you trigger maker-checker enrollment confirmation.

9. Survey Monitoring Dashboard

Open **Registry** → **Survey Monitoring** for a real-time view of Survey Solutions field activity. The page header shows the last sync time from HQ, an Auto-refresh (30s) toggle, and a **SYNC NOW** button. The dashboard auto-refreshes every 30 seconds and shows:

- **Filters** — questionnaire (PAA) picker, "Submitted since" date filter, auto-refresh toggle, "Sync now" button.
- **Pipeline strip** — 4-stage funnel: Started → Completed → Approved by supervisor → Approved by HQ, with conversion percentages.
- **KPI tiles** — rejection rate, awaiting-supervisor count, awaiting-HQ count, active enumerators (with sparkline).
- **Interview feed** — latest interviews; clicking a status chip filters the feed; "Open in HQ" opens the interview directly in Survey Solutions HQ.
- **Enumerator leaderboard** — top producers; click a row to filter the feed.
- **Trends** — completion S-curve, daily productivity bars, 7×24 activity heatmap.

HOW ACCURATE ARE THE NUMBERS?

KPIs (Data collection pipeline tiles) are exact — per-status TotalCount queries against HQ. Live interview activity, the leaderboard, and the heatmap are based on a bounded sample of interviews (sample size shown in the UI).




FIG. 9.1 Survey Monitoring – header with Sync Now, PAA / date filters, the 4-stage Data collection pipeline (Assigned → Completed → Approved by supervisor → Approved by HQ), KPI tiles (Rejection rate, Awaiting supervisor review, Awaiting HQ approval, Active enumerators), live interview activity feed, and enumerator leaderboard.

10. Common statuses and what they mean

Where	Status	Meaning
Import history	running	The ETL Celery task is in flight.
Import history	completed	The ETL finished successfully; counts saved.
Import history	failed	The task raised an exception or was timed out; tooltip carries the error.
Import history	cancelled	The task was cancelled before completion. <i>To confirm from implementation:</i> how a user cancels (no UI control exists today).
PMT enrollment	PENDING	Default after creation; not yet decided.
PMT enrollment	ENROLLED	Auto- or operator-enrolled into a programme.
PMT enrollment	DISENROLLED	Manually disenrolled; reason stored.
PMT enrollment	SUSPENDED	Temporarily withheld.
PMT enrollment	REJECTED	Rejected at maker-checker.
PMT class	POOR	PMT score $\leq$ active cutoff.
PMT class	NON_POOR	PMT score $>$ active cutoff.
Member role	HEAD • SPOUSE • SON • DAUGHTER • MOTHER • FATHER • GRANDFATHER • GRANDMOTHER • GRANDSON • GRANDDAUGHTER • SISTER • BROTHER • OTHER RELATIVE • NOT RELATED	
Recipient type	PRIMARY • SECONDARY	

Where	Status	Meaning
Consent	<code>consent_res = 2</code> / <code>02</code>	Non-consented household head – surfaces on the Kaya ambazo hazijahojiwa page.

11. Common errors and how to resolve them

Symptom	Likely cause	Resolution
<i>"An import is already running for this district."</i>	A previous PAA ETL is still running (or stuck) for the same district.	Wait, or ask an admin to inspect the row and worker logs. Stale rows (>12h) are auto-failed on next page load.
<i>"Questionnaire validation failed: Selected questionnaire X does not belong to PAA/district Y"</i>	The chosen questionnaire identity does not match the picked PAA.	Pick a questionnaire whose title matches the PAA, or leave on auto-detect. For Zanzibar, use the PEMBA / UNGUJA alias districts.
<i>"No matching questionnaire found"</i>	HQ has no questionnaire whose title matches the prefix and PAA.	Open Survey Monitoring → questionnaire picker to confirm HQ has the right version. As a workaround, paste the identity manually in Advanced options.
Import row stuck in running for hours	Worker crashed mid-task, or HQ export timed out.	Re-run the same district. The ETL is idempotent and dedups by interview key. Admins can also force-stale at the 12 h mark.
<i>"No data + no questionnaire dropdown"</i> on Survey Monitoring	Backend is on an older build without the latest dashboard schema.	Ask an admin to restart the backend container so the editable install reloads.
Empty Eligible Households / Members list	No PMT recalculation has been run, or the chosen district has no POOR households.	Open Registry → PMT Rerun → run PMT recalculation for the district.
<i>"Unauthorized"</i>	Your role is missing the right.	Ask your administrator (see §2).

12. Quick procedures

Run a fresh import for a district

- 1 Registry → Import Data → pick Region → pick District / PAA.
- 2 Leave questionnaire on Auto-detect (unless you know a specific identity).
- 3 Click **TRIGGER IMPORT** → confirm.
- 4 Watch the row in *Import History* turn from **running** to **completed**.
- 5 Open Registry → Targeted Households, filter by that district, confirm the new households appear.

Reclassify a district after a cutoff change

- 1 Registry → PMT Rerun → pick the district.
- 2 Update the cutoff → save.
- 3 Click **Run PMT recalculation** → watch the progress dialog.
- 4 Registry → Enrollment List → pick the district → verify the new POOR / NON_POOR split.
- 5 Registry → Eligible Households → confirm the new POOR + consented households appear.

Find why a household isn't on the Eligible list

- 1 Registry → Targeted Households → search by HHID.
- 2 Open the household — check PMT score and class on the head panel.
- 3 If PMT class is **NON_POOR**, the household isn't eligible. Verify the cutoff under PMT Rerun.
- 4 If PMT class is empty, the household has no PMT yet — run PMT recalculation.

- 5 Open the household head member → confirm `consent_res` is not `2 / 02` in `json_ext`. If it is, the head is non-consented, which excludes the household from the Eligible list.

ASSUMPTIONS AND ITEMS TO CONFIRM

- UI control to cancel a **running** PAA import is not present today.
- Region-wide PMT recalculation: backend supports it; UI currently drives a single district.
- Non-consented filter accepts only `consent_res ∈ {"2", "02"}`.
- Screenshots are placeholders — replace before publishing.

