TASAF Mifumo

Systems Directory — End-User Manual

TANZANIA SOCIAL ACTION FUND

MFUKO WA MAENDELEO YA JAMII

VERSION 1.0

Audience: All TASAF staff • ICT Unit administrators

Document: docs/mifumo/user-manual.html

CONTENTS

1. Introduction
2. The public directory
3. Finding and opening a system
4. Status badges and what they mean
5. The internal directory
6. Installing Mifumo as an app
7. Signing in
8. Managing systems
9. Managing categories
10. The launch log
11. Common problems

1. Introduction

TASAF Mifumo is the directory of TASAF systems. It answers one question — *where is the system I need, and is it working?* — and then opens it.

Before Mifumo, the addresses of TASAF systems lived in bookmarks, emails and chat messages, and there was no way to tell a system that was down from one whose address had changed. Mifumo keeps one catalogue, checks the recorded addresses on a schedule, and shows the result on every row.

From Mifumo you can:

- Search every TASAF system by name, description or address.
- See whether a system answered the last check before you try to open it.
- Open a system in a new tab, and return to the ones you use most from the "Recent" row.
- Reach the administration consoles the ICT Unit runs, on a separate signed-in page.

- Install the directory as an app on a computer or phone.

> **OUT OF SCOPE**
>
> Mifumo holds no beneficiary, payment or programme data, and it does not sign anyone in to the systems it lists. Every system keeps its own login; Mifumo only points at it.

2. The public directory

Open a web browser and type the address of TASAF Mifumo. The directory is displayed. No login is asked for, and nothing on the page identifies you.




FIG. 2.1 The public directory — categories on the left, systems as cards grouped by category, and the search box with the online summary above them.

The panel on the left lists the categories and how many systems each holds. The cards on the right are the systems themselves, grouped under their category heading. Each card carries

the system's short name, its address, a one-line description, a status badge, and how the system is reached.

3. Finding and opening a system

Opening a system

Click **Open system** on the card, or click anywhere on the card. The system opens in a new browser tab and Mifumo stays where it is. The action at the foot of the card changes with the state of the system:

Action	Meaning
Open system	The system has an address and answered the last check.
Open anyway	The system did not answer the last check. The link still works — a check can fail for reasons that do not affect you, most often because it ran from outside the TASAF network.
Request access	Access is granted per user and there is no address to open. The action starts an email to the ICT Unit instead.

A system with no address on record is shown greyed, marked *Address not yet recorded*, and cannot be opened.

Searching

Type in the search box at the top of the page. The list narrows as you type, matching the short name, the full name, the description, the category and the address. Searching runs inside your browser, so it responds immediately and sends nothing to the server.

KEYBOARD

Key	Does
`Ctrl` + `K`	Jump to the search box from anywhere on the page (`⌘` + `K` on macOS).
`↑` / `↓`	Move the highlight through the matching systems.
`Enter`	Open the highlighted system.
`Esc`	Clear the search and the category filter.

Filtering by category

Click a category in the left panel to show only its systems, and **All systems** to go back. Only categories that hold a visible system appear in the panel.

Recently opened

The systems you opened most recently appear as chips under the search box, so the system you use every morning is one click away. This list is kept in your own browser and never reaches the server; the public and internal directories keep separate lists. On a first visit the row is not shown at all.

4. Status badges and what they mean

Every card carries a badge in words as well as colour, so the state is readable without relying on colour alone.

Badge	Meaning	What to do
ONLINE	The system answered the last check.	Open it.
SIGN-IN REQUIRED	The system answered but refused anonymous access — what a portal behind a login does.	Open it; you will land on its login page.
UNREACHABLE	Nothing answered at the recorded address.	Read the address line for the reason, then see §11.
RESTRICTED	Access is granted per user by the ICT Unit; there is no address to open.	Use **Request access**.
NOT CHECKED	No check has run yet, or the system has no address on record.	Nothing — an administrator adds the address.

When a check fails, the card's address line says what went wrong:

Reason shown	What it means
address not found	The hostname does not resolve. The recorded address is wrong, or DNS does not know it.
timed out	Nothing answered in time. Usually the network path or the VPN.
connection refused	The host is there and refused the connection. Usually the port.
certificate error	The HTTPS certificate could not be negotiated.
server error	The system answered with an error of its own.

Above the cards, a summary line reports how many of the checked systems are online and how long ago the last check ran.

> **SYSTEMS ON 192.168.X ADDRESSES**
>
> Several TASAF systems live on internal addresses and can only be reached from inside the TASAF network or over the corporate VPN. Seen from outside, they are reported as unreachable even when they are perfectly healthy. Such a system shows *Unreachable — check VPN* rather than a bare failure. Connect to the VPN and try again before reporting an outage.

5. The internal directory

The internal directory lists what the ICT Unit administers rather than what staff work in: consoles, servers, storage and the other services that keep the estate running. It is the same page as the public directory, reading the same catalogue, with the same search, categories and status badges.

It is reached at `/internal`, or from **Internal directory** in the administration panel, and is served only to a signed-in administrator or editor. A visitor who is not signed in is sent to the login page.




FIG. 5.1 The internal directory — the word INTERNAL under the logo is what distinguishes it from the public page, which is otherwise identical.

> **DIRECTORY IS NOT ACCESS TYPE**
>
> **Show in** decides *which page lists a system*. **Access type** records *how the system is reached* once opened. A public system can require the VPN, and an internal console can be reachable without it.

6. Installing Mifumo as an app

Mifumo can be installed on a computer or a phone so that it opens from the desktop or home screen in its own window, without the browser's address bar.

1. **Chrome or Edge on a computer:** open the directory, click the install icon at the right of the address bar, and confirm.
2. **Safari on a Mac:** choose **File** → **Add to Dock**.
3. **Chrome on Android:** open the menu and choose **Install app** or **Add to Home screen**.
4. **Safari on iOS:** use the share button and choose **Add to Home Screen**.

Mifumo is a directory of other systems, so it is of limited use with no network. The installed app keeps only its own design files and a short offline notice: the directory itself is always fetched fresh, because it carries a sign-in state and a list that changes. Opened with no connection, the app says it is offline rather than showing an out-of-date list.

> **INSTALL NEEDS HTTPS**
>
> Browsers only offer to install a site served over HTTPS. If the install option never appears, check that Mifumo is being reached over `https://` and not plain `http://`.

7. Signing in

Browsing the directory needs no account. Signing in is for the people who maintain the catalogue and for the internal directory. There is no public registration — an administrator creates every account.

1. Go to `/login`, or click **Sign in** at the foot of the directory's left panel.
2. Enter the email address and password of your account.
3. Click **Log in**. Tick **Remember me** only on a computer that is yours.




FIG. 7.1 The sign-in page. The eye button at the right of the password field shows what you have typed, for checking a password before submitting it.

LOCKED OUT

Five failed attempts in a minute lock the account briefly. The page then says how many seconds remain. Wait, then try again — the count clears on its own.

Forgotten password

Click **Forgot your password?** on the sign-in page, enter the email address of your account, and click **Email password reset link**. A link arrives by email; opening it leads to a page for choosing a new password. The link can be used once.




FIG. 7.2 Requesting a reset link. The page reports that a link has been sent whether or not the address belongs to an account, so nobody can use it to discover which addresses have accounts.

The dashboard

A successful sign-in opens the administration dashboard.




FIG. 7.3 The dashboard counts the catalogue — listed, online, down, restricted, and without an address — then lists the systems needing attention grouped by what went wrong, with the systems opened most often this month beside them.

ROLES

Role	Can do
Administrator	Systems, categories, the launch log, and user accounts.
Editor	Systems and categories. Cannot manage user accounts.

Log out sits at the foot of the left panel and in the account menu at the top right.

8. Managing systems

Open **Systems** in the left panel. The table lists everything both directories carry, including systems that are hidden from their directory.




FIG. 8.1 The systems list, with filters for search, category, status, access type and directory above it.

Adding or editing a system

Click **Add system**, or the name of an existing system.




FIG. 8.2 The system form. Details on the left, and the settings that decide who sees the row on the right.

Field	What to put in it
Short name	The name shown on the directory card, e.g. *TASAF MIS*.
Full name	The formal name of the system.
Slug	Leave blank to generate it from the short name. Seeding matches on this, so avoid changing it once set.
Description	One line, under 45 characters, so every directory row stays one line tall. The form counts as you type.
Address	A full URL (`https://example.go.tz/`) or a bare host or IP (`192.168.0.158`). Never put a colon and port here.
Port	Only when the system answers on a non-standard port.
Logo	PNG, SVG or JPG up to 512 KB. Without one, the card shows a monogram built from the short name.
Notes	For administrators only. Never shown on either directory page.
Show in	**Public directory** for a system staff work in; **Internal directory** for a console the ICT Unit administers.
Category	The group the card sits under on the directory.
Access type	**Public** or **VPN** — shown as a chip on the card.
Status	**Available** (has an address and should work), **Restricted** (access granted per user, no address), or **Pending** (no address on record yet).
Sort order	Lower numbers come first within a category.
Active	Untick to hide the system from its directory without deleting it. It stays in this list.

Testing the connection

An existing system's form carries a **Test connection** panel. **Test now** runs the same check the scheduler runs and reports the result immediately, which is the quickest way to confirm a corrected address.

> **THE TEST RUNS FROM THE SERVER**
>
> Not from your browser. A VPN system will only answer if the server hosting Mifumo is itself inside the TASAF network.

9. Managing categories

Categories are the headings systems are grouped under, on both directories and in the left panel.




FIG. 9.1 Categories, with the number of systems in each.

A category carries a name, an optional description, a sort order and an active toggle. Deleting a category that still holds systems is refused; move them to another category first.

DEACTIVATING A CATEGORY HIDES ITS SYSTEMS

An inactive category is removed from the directory along with every system inside it, even systems that are themselves active. Deactivate a category only when you intend its whole group to disappear from the directory.

10. The launch log

The launch log records every click-through from the directory, so the ICT Unit can see which systems are actually used.




FIG. 10.1 The launch log — a bar chart of this month's launches by system, then the individual click-throughs, filterable by system and date range.

ANONYMOUS BY DESIGN

No account, session or name is recorded — only the system, the time, the IP address and the browser agent string. The log cannot say *who* opened a system, and is not intended to.

11. Common problems

What you see	What it usually is	What to do
A system you know is running shows **UNREACHABLE — check VPN**.	The check ran from outside the TASAF network.	Connect to the VPN. If the card still says so from inside the network, tell the ICT Unit.
address not found on a system that used to work.	The hostname no longer resolves, or the address was recorded wrongly.	An administrator should open the system and use **Test connection** after correcting the address.
A system is missing from the directory.	It is inactive, its category is inactive, or it is on the other directory.	Check the systems list in the administration panel — hidden systems still appear there.
Every system shows **NOT CHECKED**.	Status checking is switched off, or the scheduler is not running on the server.	An administrator should check `STATUS_CHECK_ENABLED` and the scheduler on the host.
The install option never appears in the browser.	Mifumo is being served over plain HTTP.	Reach it over `https://`.
Too many login attempts.	Five failed sign-ins in a minute.	Wait the number of seconds shown, then try again, or use **Forgot your password?**.

© Tanzania Social Action Fund • Version 1.0 • Mifumo docs