

TBP Global Strategist

Complete Project Backup

Snapshot Date: July 16, 2026 — Git Tag: backup-2026-07-16

Commit: 03c8ba8 — chore: backup snapshot before 2026-07-16 session


Table of Contents

1. Technology Stack
2. Project Statistics
3. Directory Structure
4. Configuration Files
5. Database Schema (Prisma)
6. Database Migrations
7. Seed Data
8. API Endpoints
9. Page Routes
10. React Components
11. Library Modules
12. Dependencies
13. Environment Configuration
14. Deployment Info
15. Restore Instructions

1. Technology Stack

Layer	Technology	Version
Framework	Next.js (App Router)	16.2.6
UI Library	React	19.2.4
Language	TypeScript	5.x
ORM	Prisma	7.8.0
Database	PostgreSQL (Supabase + PgBouncer)	Port 6543
Authentication	NextAuth.js v5 (Credentials + Google)	5.0.0-beta.31
Styling	Tailwind CSS	4.x
UI Components	Custom shadcn/ui-style	—
State Management	Zustand + TanStack React Query	5.x
Form Handling	React Hook Form + Zod	7.x / 4.x
Animation	Framer Motion	12.x
Charts	Recharts	3.x
Icons	Lucide React	1.16.0
Email	Nodemailer	7.x
PDF Generation	Puppeteer Core	25.x
Package Manager	npm	—
Deployment	Vercel (primary), Docker, PM2	—

2. Project Statistics



3. Directory Structure

```
C:\xampp\htdocs\tbpglobalstrategist\
├── .env                                # Environment variables (Supabase + auth)
├── .env.example                       # Template for env vars
├── .gitignore                         # Git ignore rules
├── .vercel/                          # Vercel deployment config
├── DEPLOYMENT.md                     # Deployment documentation (133 lines)
├── eslint.config.mjs                 # ESLint config
├── next.config.ts                    # Next.js config
├── package.json                     # NPM package config
├── postcss.config.mjs                # PostCSS config
├── prisma.config.ts                  # Prisma config
├── README.md                         # Project readme
├── tsconfig.json                     # TypeScript config
├──
├── prisma/                          # DATABASE LAYER
│   ├── migrations/                  # 6 migration files
│   ├── schema.prisma                 # Prisma schema (430 lines)
│   ├── seed.ts                       # Seed script (258 lines)
│   ├── seed.mjs / seed.cjs           # ESM/CJS seed variants
│   └── seed-runner.mjs               # Seed runner
├──
├── scripts/                          # UTILITY SCRIPTS
│   ├── generate-pdfs.mjs             # PDF generation
│   ├── project-overview.html         # HTML template
│   └── user-guide.html                # HTML template
├──
├── public/                          # STATIC ASSETS
│   ├── docs/                        # 3 PDFs
│   ├── images/                      # 8 project images
│   ├── uploads/                     # 7 user uploads
│   └── *.svg                         # Default Next.js icons
├──
└── src/                              # SOURCE CODE (216 files)
    ├── proxy.ts                     # NextAuth middleware proxy
    ├── app/                         # NEXT.JS APP ROUTER
    │   ├── layout.tsx               # Root layout
    │   ├── page.tsx                 # Home/landing (857 lines)
    │   ├── globals.css              # Global styles (225 lines)
    │   ├── (auth)/                  # Auth routes (login, register)
    │   ├── (marketing)/             # Marketing routes (10 pages)
    │   ├── dashboard/               # Dashboard routes (15+ pages)
    │   └── api/                     # API routes (36 files)
    ├── components/                  # REACT COMPONENTS (~60+)
    │   ├── admin/                   # Admin components
    │   ├── cards/                   # Card components (4)
    │   ├── chat/                    # Chat components (2)
    │   ├── dashboards/              # Dashboard-specific
    │   ├── forms/                   # Form components
    │   ├── layout/                  # Layout components (7)
    │   └── shared/                  # Shared/reusable (10)
```

```
| |─ strategist-profile-2/ # Profile v2 (10)
| |─ notifications/      # Notification components
| |  └─ ui/              # Base UI components (20)
| └─ config/
|   └─ categories.ts     # Category badge styling
| └─ data/
|   └─ strategists.ts    # Mock strategist data (723 lines)
| └─ lib/                # UTILITY LIBRARIES (16 files)
|   └─ auth.ts           # NextAuth config
|   └─ auth.config.ts    # Auth middleware
|   └─ prisma.ts         # Prisma singleton
|   └─ utils.ts          # cn(), formatDate, etc.
|   └─ validations.ts    # Zod schemas
|   └─ constants.ts      # Nav items, expertise areas
|   └─ categories.ts     # Strategist categories
|   └─ countries.ts      # 202 countries
|   └─ email.ts          # Nodemailer setup
|   └─ notifications.ts  # Notification helpers
|   └─ progression-pathway.ts # 6-stage pathway (245 lines)
|   └─ project-utils.ts  # Milestone/progress
|   └─ stage-messages.ts # Stage messages
|   └─ format-bio.tsx    # Bio formatter
|   └─ export.ts         # CSV export
|   └─ image-optimize.ts # Image optimization
| └─ hooks/              # Custom hooks (empty)
| └─ stores/             # Zustand stores (empty)
| └─ types/
|   └─ index.ts          # TypeScript interfaces
|   └─ next-auth.d.ts    # NextAuth type augmentation
```

4. Configuration Files

File	Lines	Purpose
package.json	54	NPM config, scripts, dependencies
tsconfig.json	34	TypeScript compiler options with @/* path alias
next.config.ts	10	Ignores build errors; allowed dev origins
postcss.config.mjs	7	Tailwind CSS PostCSS plugin
eslint.config.mjs	18	ESLint with Next.js core-web-vitals + TypeScript
prisma.config.ts	13	Prisma schema path, migrations, seed config
.env	8	Live Supabase PostgreSQL + auth secret
.env.example	7	Template for env vars
.gitignore	46	Standard Next.js ignores + Prisma generated

NPM Scripts

```
"dev": "set NODE_OPTIONS=--max-http-header-size=65536 && next dev --webpack"
"build": "prisma generate && next build --webpack"
"start": "next start"
"lint": "eslint"
```

5. Database Schema (Prisma)

Models (20)

Model	Purpose
User	Core user with role (ADMIN, STRATEGIST, CORPORATE, ORGANIZATION_ADMIN, RESEARCHER, MODERATOR, PARTNER)
Account	NextAuth OAuth accounts
Session	NextAuth sessions
VerificationToken	Email verification tokens
StrategistProfile	Extended profile with bio, stage, sector, category, location, experience
Organization	Company/organization entity
OrganizationMember	User-org membership
Project	Core project entity with status, budget, dates, categories
Milestone	Project milestones with weight-based progress
ProjectMedia	Media attachments (images, videos, documents)
ProjectRelation	Relationships between projects
ProjectContributor	User-project membership
Tag	Tags for projects and expertise
ExpertiseTag	Profile-expertise tag junction
Publication	Research publications
Achievement	User achievements/certificates
Notification	In-app notifications
Message	Direct messages between users
Conversation	Chat conversations (1:1 and group)
ConversationParticipant	Conversation membership
ActivityLog	Audit trail
WorkArea	Work specialization areas (11 default)
UserWorkArea	User-work area assignments
Submission	Document submissions for progression

Enums

Enum	Values
Role	ADMIN, STRATEGIST, CORPORATE, ORGANIZATION_ADMIN, RESEARCHER, MODERATOR, PARTNER
ProjectStatus	DRAFT, ACTIVE, COMPLETED, CANCELLED
NotificationType	MESSAGE, PROJECT_INVITE, ORGANIZATION_INVITE, ACHIEVEMENT_UNLOCKED, PUBLICATION_APPROVED, SYSTEM
ProgressionStage	CANDIDATE, STRATEGIST, CONTRIBUTOR, PROJECT_ALIGNED, SECTOR_LEAD, PAID_ADVISER
ActivityAction	CREATE, UPDATE, DELETE, LOGIN, LOGOUT, JOIN_ORGANIZATION, LEAVE_ORGANIZATION, JOIN_PROJECT, LEAVE_PROJECT, PUBLISH

6. Database Migrations

#	Migration ID	Purpose	Lines
1	202507060001_init	Full schema creation	415
2	202507070001_progression_stage	ProgressionStage enum + stage/sector columns	10
3	202507080001_location_fields	Added city, country, countryCode	4
4	202507080002_global_strategist_category	Added category field	2
5	202507080003_work_areas	Created WorkArea/UserWorkArea tables with 11 defaults	42
6	202507080004_submissions	Created Submission table	24

7. Seed Data

Entity	Count	Notes
Users	15	Default password: Password123!
Organizations	5	TBP partner organizations
Organization Memberships	6	User-org links
Tags	15	Expertise tags
Projects	10	Various statuses
Notifications	5	Sample notifications
Messages	4	Sample conversations
Activity Logs	10	Audit trail entries

Default Admin: admin@tbp.global / Password123!

8. API Endpoints

Authentication

Method	Endpoint	Auth	Purpose
GET/POST	/api/auth/[...nextauth]	Public	NextAuth handler
POST	/api/register	Public	User registration
GET	/api/seed	Public	Seed database

Profile

Method	Endpoint	Auth	Purpose
GET	/api/profile	Required	Get current user profile
PATCH	/api/profile	Required	Update profile
GET	/api/profile/featured-project	Required	Get featured project
PUT	/api/profile/featured-project	Required	Set featured project

Projects

Method	Endpoint	Auth	Purpose
GET	/api/projects	Public	List projects by status
POST	/api/projects	Admin	Create project
GET	/api/projects/[id]	Required	Get project details
PATCH	/api/projects/[id]	Admin	Update project
DELETE	/api/projects/[id]	Admin	Delete project
GET	/api/projects/featured	Public	Get featured projects
GET	/api/projects/categories	Required	Get all categories
GET	/api/projects/search	Required	Search projects
PATCH	/api/projects/[id]/feature	Admin	Toggle featured
POST	/api/projects/[id]/join	Required	Join project
POST	/api/projects/[id]/media	Admin	Add media
DELETE	/api/projects/[id]/media	Admin	Remove media
GET	/api/projects/[id]/milestones	Public	List milestones

POST	/api/projects/[id]/milestones	Admin	Create milestone
POST	/api/projects/[id]/relations	Admin	Add relation
DELETE	/api/projects/[id]/relations	Admin	Remove relation

Messages

Method	Endpoint	Auth	Purpose
GET	/api/messages	Required	List conversations
POST	/api/messages	Required	Create conversation
GET	/api/messages/[conversationId]	Required	Get messages
POST	/api/messages/[conversationId]	Required	Send message
PATCH	/api/messages/[conversationId]	Required	Mark as read

Notifications & Submissions

Method	Endpoint	Auth	Purpose
GET	/api/notifications	Required	List notifications
PATCH	/api/notifications	Required	Mark as read
GET	/api/submissions	Required	List user submissions
POST	/api/submissions	Required	Create submission
GET	/api/submissions/download	Public	Download file

File Upload & Dashboard

Method	Endpoint	Auth	Purpose
POST	/api/upload	Required	Upload to Supabase Storage
GET	/api/uploads	Required	List uploaded files
GET	/api/dashboard/stats	Required	Dashboard statistics
GET	/api/dashboard/activities	Required	Activity feed
GET	/api/dashboard/collaborations	Required	Collaboration list
GET	/api/dashboard/my-projects	Required	User's projects

Admin

Method	Endpoint	Auth	Purpose
--------	----------	------	---------

POST	/api/admin/users	Admin	Create user
DELETE	/api/admin/users/[id]	Admin	Delete user
PATCH	/api/admin/users/[id]/stage	Admin	Change progression stage
PATCH	/api/admin/users/[id]/role	Admin	Change user role
PATCH	/api/admin/users/[id]/password	Admin	Reset password
GET	/api/admin/users/[id]/areas	Admin	Get user work areas
PATCH	/api/admin/users/[id]/areas	Admin	Assign work areas
GET	/api/admin/work-areas	Admin	List work areas
POST	/api/admin/work-areas	Admin	Create work area
POST	/api/admin/migrate-files	Admin	Migrate Supabase files

9. Page Routes

Public Marketing Routes (14)

Route	File
/	src/app/page.tsx (Home, 857 lines)
/about	src/app/(marketing)/about/page.tsx
/contact	src/app/(marketing)/contact/page.tsx
/insights	src/app/(marketing)/insights/page.tsx
/initiatives	src/app/(marketing)/initiatives/page.tsx
/innovation	src/app/(marketing)/innovation/page.tsx
/on-boarding-brief	src/app/(marketing)/on-boarding-brief/page.tsx
/partners	src/app/(marketing)/partners/page.tsx
/research	src/app/(marketing)/research/page.tsx
/summit	src/app/(marketing)/summit/page.tsx
/strategists	src/app/(marketing)/strategists/page.tsx
/strategists/[id]	src/app/(marketing)/strategists/[id]/page.tsx
/projects	src/app/(marketing)/projects/page.tsx
/projects/[id]	src/app/(marketing)/projects/[id]/page.tsx

Auth Routes (2)

Route	File
/login	src/app/(auth)/login/page.tsx
/register	src/app/(auth)/register/page.tsx

Dashboard Routes (15+)

Route	File
/dashboard	src/app/dashboard/page.tsx
/dashboard/admin	src/app/dashboard/admin/page.tsx
/dashboard/admin/notifications	src/app/dashboard/admin/notifications/page.tsx
/dashboard/analytics	src/app/dashboard/analytics/page.tsx

/dashboard/individual	src/app/dashboard/individual/page.tsx
/dashboard/individual/browse	src/app/dashboard/individual/browse/page.tsx
/dashboard/individual/browse/[id]	src/app/dashboard/individual/browse/[id]/page.tsx
/dashboard/individual/notifications	src/app/dashboard/individual/notifications/page.tsx
/dashboard/messages	src/app/dashboard/messages/page.tsx
/dashboard/profile	src/app/dashboard/profile/page.tsx
/dashboard/projects	src/app/dashboard/projects/page.tsx
/dashboard/projects/[slug]	src/app/dashboard/projects/[slug]/page.tsx
/dashboard/settings	src/app/dashboard/settings/page.tsx
/dashboard/system	src/app/dashboard/system/page.tsx
/dashboard/users	src/app/dashboard/users/page.tsx
/dashboard/[...slug]	src/app/dashboard/[...slug]/page.tsx (Catch-all)

10. React Components

UI Primitives (20)

avatar badge button card dialog dropdown-menu input label progress scroll-area
select separator sheet skeleton stage-badge table tabs textarea toast tooltip

Layout Components (7)

dashboard-layout footer marketing-layout navbar providers sidebar theme-provider

Shared Components (10)

animated-section empty-state glass-card gradient-text image-upload loading-spinner
milestone-input page-header rich-text-editor search-input

Card Components (4)

featured-project-card organization-card project-card strategist-card

Profile v2 Components (10)

activity-timeline current-tbp-projects data featured-project navbar profile-hero profile-project-grid
project-grid right-sidebar strategist-focus-card

Other

chat-integration marketing-chat notifications-client

11. Library Modules

File	Lines	Purpose
auth.ts	53	NextAuth setup with Credentials + Google providers
auth.config.ts	47	Auth callbacks/middleware for route protection
prisma.ts	14	Prisma client singleton with PgBouncer
utils.ts	24	cn(), formatDate, truncate, slugify
validations.ts	59	Zod schemas for login, register, profile, org, project
constants.ts	79	Navigation, expertise areas, industry categories
categories.ts	67	11 strategist categories with styling
countries.ts	202	202 countries with codes and flags

<code>email.ts</code>	35	Nodemailer transport configuration
<code>notifications.ts</code>	47	Create notifications, notify admins
<code>progression-pathway.ts</code>	245	6-stage pathway data with tasks and outputs
<code>project-utils.ts</code>	46	Milestones, progress calculation helpers
<code>stage-messages.ts</code>	34	Stage notification message templates
<code>format-bio.tsx</code>	38	Rich text bio renderer
<code>export.ts</code>	29	CSV export utility
<code>image-optimize.ts</code>	47	Client-side image optimization

12. Dependencies

Production (26)

Package	Version	Purpose
next	16.2.6	React framework
react / react-dom	19.2.4	UI library
@prisma/client	^7.8.0	Database ORM
@prisma/adapters-pg	^7.8.0	PostgreSQL adapter
@auth/prisma-adapter	^2.11.2	Auth ORM adapter
next-auth	^5.0.0-beta.31	Authentication
bcryptjs	^3.0.3	Password hashing
zod	^4.4.3	Schema validation
react-hook-form	^7.76.1	Form handling
@hookform/resolvers	^5.4.0	Zod resolver
@tanstack/react-query	^5.100.14	Data fetching
zustand	^5.0.13	State management
framer-motion	^12.40.0	Animations
recharts	^3.8.1	Charts
lucide-react	^1.16.0	Icons
class-variance-authority	^0.7.1	Component variants
clsx	^2.1.1	Class merging
tailwind-merge	^3.6.0	Tailwind class merge
date-fns	^4.3.0	Date formatting
sonner	^2.0.7	Toast notifications
nodemailer	^7.0.13	Email sending
puppeteer-core	^25.3.0	PDF generation
dotenv	^17.4.2	Env loading
@libsql/client	^0.17.3	LibSQL client
@prisma/adapters-libsql	^7.8.0	LibSQL adapter

Dev Dependencies (8)

Package	Version	Purpose
prisma	^7.8.0	ORM CLI
typescript	^5	Language
tailwindcss	^4	CSS framework
@tailwindcss/postcss	^4	PostCSS plugin
eslint	^9	Linting
eslint-config-next	16.2.6	Next.js ESLint
@types/node	—	Node types
@types/react / @types/react-dom	—	React types

13. Environment Configuration

.env (Live)

```
DATABASE_URL="postgresql://postgres:[REDACTED]@aws-0-eu-west-1.pooler.supabase.com:6543/postgres"
AUTH_SECRET="[REDACTED]"
AUTH_URL="https://tbpglobalstrategist.vercel.app"
AUTH_TRUST_HOST=true
```

.env.example (Template)

```
DATABASE_URL="postgresql://postgres:[PASSWORD]@[HOST]:6543/postgres?pgbouncer=true"
AUTH_SECRET="your-secret-here"
AUTH_TRUST_HOST=true
```

Additional Env Vars Referenced in Code

- `GOOGLE_CLIENT_ID` / `GOOGLE_CLIENT_SECRET` — Google OAuth
- `SMTP_HOST` , `SMTP_PORT` , `SMTP_SECURE` , `SMTP_USER` , `SMTP_PASS` , `SMTP_FROM` — Email
- `SUPABASE_URL` , `SUPABASE_SERVICE_ROLE_KEY` — File storage
- `NEXT_PUBLIC_APP_URL` — Client-side URL

14. Deployment Info

Aspect	Detail
Primary Platform	Vercel (configured in <code>.vercel/project.json</code>)
Production URL	<code>https://tbpglobalstrategist.vercel.app</code>
Database	Supabase PostgreSQL (PgBouncer on port 6543)
File Storage	Supabase Storage
Build Command	<code>prisma generate && next build --webpack</code>
Alternative Deployments	Docker, PM2 (documented in <code>DEPLOYMENT.md</code>)

15. Restore Instructions

Git Restore

To restore the project to this exact backup state:

```
git reset --hard backup-2026-07-16
```

Commit Info

Field	Value
Tag	backup-2026-07-16
Commit	03c8ba8
Message	chore: backup snapshot before 2026-07-16 session
Date	July 16, 2026

Full Reset (if needed)

```
# Hard reset to backup tag
git reset --hard backup-2026-07-16

# Or reset to specific commit
git reset --hard 03c8ba8

# Clean untracked files
git clean -fd
```

Notable Gaps (Not Yet Implemented)

- No test files or test framework configured
- `src/hooks/` directory is empty
- `src/stores/` directory is empty (Zustand not yet used)
- Google OAuth env vars not in `.env`
- Email/SMTP env vars not configured
- Supabase Storage env vars not in `.env`