

## Object Explorer

- > FTS Templates
- > Foreign Tables
- > Functions
- > Materialized Views
- > Operators
- > Procedures
- > 1.3 Sequences
- ▼ Tables (5)
  - ▼ cinema\_halls\_seats
    - ▼ Columns (4)
      - id
      - id\_rooms
      - seat\_number
      - row
    - ▼ Constraints (2)
      - cinema\_halls\_seats\_pkey
      - id\_rooms\_fkey
    - > Indexes
    - > RLS Policies
    - > Rules
    - > Triggers
  - > cinema\_rooms
  - > cinemas
  - > customers
  - > movies
- > Trigger Functions
- > Types
- > Views

Dashboard Properties SQL Statistics Dependencies Dependents Processes cinemas\_in\_Cracow/postgres@PostgreSQL 16rc1\*

cinemas\_in\_Cracow/postgres@PostgreSQL 16rc1



Query Query History

```
19
20 );
21
22 CREATE TABLE cinema_halls_seats(
23     id SERIAL PRIMARY KEY,
24     id_rooms INT NOT NULL,
25     CONSTRAINT id_rooms_fkey FOREIGN KEY(id_rooms) REFERENCES cinema_rooms(id),
26     seat_number VARCHAR (10) NOT NULL,
27     "row" VARCHAR (5) NOT NULL
28 );
29
30
31
32
33
34
35
36
37
38
39
40
41
```

Scratch Pad x

Output Messages Notific ...

CREATE TABLE

Query returned successfully in  
71 msec.