
TD SYNNEX
Microsoft
Microsoft
InnovAIte
INNOVATION POWERS ACTION

TD SYNNEX | Microsoft

Microsoft InnovAIte

Purview Technical Session

Implementing Data Security in Microsoft 365

Caleb Nguyen
Microsoft Solutions Architect

Implementing Sensitivity Labels

Introduction

TD SYNNEX

To implement sensitivity labels, an organization must first develop a Data Classification framework that provides the foundation upon which it will build its labels

This module examines:

1. Sensitivity label requirements
2. Developing a data classification framework
3. Enabling sensitivity labels for files in SharePoint and OneDrive
4. How to create and publish sensitivity labels
5. How to remove and delete sensitivity labels

Plan your deployment strategy for sensitivity labels

TD SYNNEX

To successfully deploy sensitivity labels, an organization should create a project team that identifies and manages:

- Business and technical requirements
- Proof of concept testing
- Internal checkpoints and approvals
- Final deployment for the production environment



See the chart of common sensitivity label scenarios in the Learn documentation

Organizations should include the following tasks when planning their deployment strategy:


- Study the documentation links for the scenarios that map to their most impactful business requirements
- Provide end users with customized guidance and instructions for the label names and configurations it chooses
- Use the label policy setting "**Provide users with a link to a custom help page**" to specify an internal link for this documentation

Enable sensitivity labels for files in SharePoint and OneDrive

TD SYNNEX

There are two primary reasons why an organization should enable sensitivity labels for supported Office files and PDF files in SharePoint and OneDrive:

- So that its users can apply the company's sensitivity labels in Office for the web
- So that SharePoint and OneDrive can process the contents of Office files and PDF documents that were encrypted by using a sensitivity label
  - The label can be applied in Office for the web or in Office desktop apps and uploaded or saved in SharePoint and OneDrive
  - Until you enable sensitivity labels for SharePoint and OneDrive, these services can't process encrypted files
  - As a result, collaborative features such as coauthoring, eDiscovery, data loss prevention, and search won't work for these files



When you enable sensitivity labels for files in SharePoint and OneDrive:

- For encrypted files in Word, Excel, PowerPoint, plus uploaded PDF files, SharePoint and OneDrive recognize the label and can process the contents of the encrypted file
- When users download or access these files from SharePoint or OneDrive, the sensitivity label and any encryption settings from the label are enforced and remain with the file, wherever it's stored
- The permissions that were assigned with the encryption are enforced. You can also use auto-labeling for these documents
- External users can access documents that are labeled with encryption by using guest accounts
- eDiscovery supports full-text search for these files and data loss prevention (DLP) policies support content in these files

Examine the requirements to create a sensitivity label


TD SYNNEX

Use sensitivity labels to protect your organization's data:

1. Create the labels
2. Define what each label can do
3. Publish the labels

Review the subscription and licensing requirements for sensitivity labels

- Several different subscriptions support sensitivity labels
- The licensing requirements for users depend on the features an organization uses



Create sensitivity labels


To implement sensitivity labels, an organization must first create and configure the labels that it wants to make available for apps and other services

Once an organization has created its sensitivity labels, it must create one or more label policies

- In doing so, it will assign the appropriate sensitivity labels to each policy, and it will configure policy settings
- An organization only requires multiple label policies if its users need different labels or different policy settings

As a best practice, organizations should have as few label policies as possible


It's not uncommon for an organization to have just one label policy for the entire company



Publish sensitivity labels

Sensitivity labels are published by creating a label policy

- By default, tenants don't have any label policies; organizations must create them
- To publish a label, select the **Publish label** option. This starts the **Create policy** wizard. The label policy is published when you complete the wizard
- To make changes to a published policy, you just need to edit it; there's no specific publish or republish action for you to select
- For labels and label policy settings, allow 24 hours for the changes to propagate through the Microsoft 365 services before you troubleshoot labels and label policies for recent changes



Remove and delete sensitivity labels



Removing a label from a label policy


- When you remove a label from a label policy, the next time the label policy is refreshed, users no longer see that label to select in their Office app
- For labels that are removed but have previously been applied to content, users who are using built-in labeling for Word, Excel, and PowerPoint still see the applied label name on the status bar

Delete a label

- If the label applied encryption, the underlying protection template is archived so that previously protected content can still be opened
- The label information in the metadata remains, but because a label ID to name mapping is no longer possible, users don't see the applied label name displayed
- Users don't see the label name on the status bar or in the **Sensitivity** column. The label information in the metadata remains only if the label didn't apply encryption

Lab exercises

TD SYNNEX



Lab 1: Implement Sensitivity labels

Task 1

Create a sensitivity label

Task 2

Assign a pre-existing Sensitivity Label to a document

Task 3

Protect a document using Microsoft Purview Information Protection

Implementing Data Loss Prevention

Introduction

In Microsoft 365, data loss prevention (DLP) is implemented by defining and applying DLP policies

This module examines how to:

1. Create a DLP implementation plan
2. Implement Microsoft Purview's default DLP policies
3. Create a custom DLP policy
4. Create policy tips for users when a DLP rule applies
5. Configure email notifications for DLP policies

TD SYNNEX

Making IT Personal™

Plan to implement Microsoft Purview Data Loss Protection

TD SYNNEX

Common steps to plan a Microsoft Purview DLP implementation include:

- Identify stakeholders
- Describe categories of sensitive information to protect
- Set goals
- Create an implementation plan
- Map out path from start to end state
- Discover sensitive items
- Plan DLP policies
- Plan for prerequisites
- Deploy DLP policies
- Train end-users
- Review DLP requirements and update strategy




Diagram showing a set of steps that are commonly used to deploy DLP

Implement Microsoft Purview's default DLP policies


TD SYNNEX

Microsoft Purview includes two default DLP policies that protect sensitive information

1. Default policy for devices

This default DLP policy notifies an organization when email or documents containing sensitive information are shared with someone outside the organization

- This recommendation is displayed in a tile on the Home page of the Microsoft Purview compliance portal (see diagram)
- This tile enables an organization to quickly view when and how much sensitive information was shared.
- This default DLP policy can be edited as it's fully customizable
- It can also be turned off or deleted so that users no longer receive policy tips or email notifications



Making IT Personal™

Implement Microsoft Purview's default DLP policies (continued)

TD SYNNEX

2. Default policy for Teams

This default DLP policy applies to chat and channel messages in Microsoft Teams

- This default DLP policy tracks sensitive information shared internally and externally to the organization
- This policy is turned on by default for all users of the tenant
- It doesn't generate any policy tips for end users
- It does generate an Alert event and triggers a low severity email to an administrator, who you must add in the policy
- Administrators can view the activities and edit the policy's details in the Microsoft Purview compliance portal



Both default DLP policies check for the following types of sensitive information:

- Credit Card Number
- Content containing source code
- Content matching Microsoft's U.S HIPAA Enhanced template
- Content containing the organization's intellectual property

Design a custom DLP policy



TD SYNNEX

Organizations should complete the following steps when designing a custom DLP policy:

1. Plan for data loss prevention
2. Understand all the components of a DLP policy and how each one influences the behavior of a policy
3. Familiarize yourself with what the DLP policy templates include
4. Develop your policy intent statement with your key stakeholders
5. Determine how this policy fits into your overall DLP policy strategy
6. Map the items in your policy intent statement to configuration options
7. Decide which policy template you'll start from, predefined or custom
8. Go through the template and assemble all information required before you create the policy
9. Document the configuration of all the policy settings and review them with your stakeholders
10. Create a draft policy and refer back to your policy deployment plan

Create a custom DLP policy from a template

TD SYNNEX

The easiest way to get started with DLP policies is to use one of the templates included in the Microsoft Purview compliance portal

Microsoft 365 includes over 40 ready-to-use templates that can help an organization meet a wide range of common regulatory and business policy needs

Organizations can fine-tune a template by modifying any of its existing rules or adding new ones

You create a DLP policy from scratch by choosing the **Custom** template, which has no default rules

The DLP Compliance Management role provides the permissions necessary to create DLP policies

Configure email notifications for DLP policies

TD SYNNEX

When an organization creates a DLP policy, it can enable User notifications

- When this setting is enabled, Microsoft 365 sends out both email notifications and policy tips
- You can customize who notification emails are sent to, the email text, and the policy tip text

When an organization creates a DLP policy, it can configure the user notifications to:

- Send an email notification that describes the issue to the people it chooses
- Display a policy tip for content that conflicts with the DLP policy

Default email notifications have a Subject line that begins with the action taken

- An organization can create a custom email notification instead of sending the default email notification to its administrators or end-users

Configure policy tips for DLP policies


TD SYNNEX

For each rule in a DLP policy, an organization can configure policy tips to:

- Notify the person the content conflicts with a DLP policy
- Allow the person to override the DLP policy or report a false positive

Policy tips appear in different places:


- OneDrive sites
- SharePoint Online sites
- Outlook on the web and Outlook 2013 and later
- Exchange admin center
- Microsoft Purview compliance portal
- Excel, PowerPoint, and Word



Screenshot of an Excel file showing a DLP policy tip with the option to **Override** or **Report** a false positive

Making IT Personal™

Lab exercises



Lab 2: Manage DLP Policies

Task 1

Create a DLP policy with custom settings

Task 2

Test the DLP Policy rule

Q&A

Weekly Webinars

Free Training

No-Cost Accelerators

Azure Migration

Pre-Sales Support

Resource Guide

Scan for Resources

Your Path to 4X Growth - TDSYNNEX Cloud Engineering