

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

1. Purpose

To define the process to add a new end user tenant to the TD SYNEX PAC Proxy service.

2. Table of Contents

1.	Purpose	1
2.	Table of Contents	1
3.	Instructions	2
3.1.	IMPORTANT	2
3.1.1.	Reseller Responsibility	2
3.1.2.	Warranty	2
3.1.3.	Suspension / Termination of Service	2
3.1.4.	Changes to Service	2
3.2.	Overview	2
3.2.1.	Process	3
3.2.2.	Use Cases	3
3.2.3.	Support	4
3.3.	Proxy Service Limitations	4
3.4.	TD SYNEX Service Principal	5
3.4.1.	Limitations	5
3.4.2.	End User Service Principal	5
3.4.3.	Reseller Service Principal	5
3.4.4.	Requesting a Credential	5
3.5.	API Hosts	6
3.6.	Testing	6
3.7.	TD SYNEX Documentation	6
3.8.	Throttling	6
3.9.	TD SYNEX Application IDs	7
3.10.	Obtain a List of Required API Requests from Customer	7
3.11.	Review and Add APIs as Required	7
4.	Definitions	8
5.	Associated Documents	11
6.	Document Approval	11
7.	Document Revision History	11
8.	Appendix A – Enterprise Application Requested Permissions	12
9.	Appendix B – Supported API Requests	13
10.	Appendix C – New Credential Request	14
11.	Appendix D – Add a New API Request to the Service	16
12.	Appendix E – Support Requests	17
13.	Appendix F – TD SYNEX Object Ids	18
14.	Appendix G – PAC Identifiers North America	19
15.	Appendix H – Error Messages	21

3. Instructions

3.1. IMPORTANT

3.1.1. Reseller Responsibility

The credentials provided to a reseller or end user provide access that may not be otherwise available. They should be treated as highly privileged and confidential.

The reseller is responsible for all actions performed using the credentials provided. TD SYNnex will not monitor usage or report anomalous activity.

In the end user system logs, actions will be logged using the object ID of the proxy service. This is due to how Microsoft's systems function. TD SYNnex can translate the object ID in the logs to the credential provided by TD SYNnex. Although the actions are logged using TD SYNnex objects, this does not relieve the reseller of their responsibility.

3.1.2. Warranty

The use of this service is at the user's sole risk and without any warranty of any kind.

No service level agreements are offered for this service.

3.1.3. Suspension / Termination of Service

TD SYNnex may suspend or terminate the service at any time without notice.

This service makes use of APIs owned and managed by Microsoft. Microsoft may suspend or terminate the services relied on by this service at any time without notice.

3.1.4. Changes to Service

TD SYNnex may change the functionality of the service at any time without notice.

This service makes use of APIs owned and managed by Microsoft. Microsoft may make changes that render this service inoperable or require TD SYNnex and/or the user to change their use of the service.

3.2. Overview


There are applications that require access to data only available to the Indirect Provider through Partner Center. Since Partner Center does not have an ability to restrict access to data by tenant id or subscription id, TD SYNnex created a proxy to allow customers to access data related to their tenants.

The goal of the proxy is to limit the changes required to applications. The only change that should be required is to point to an TD SYNnex endpoint and use a TD SYNnex supplied credential.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026



3.2.1. Process

- The application makes a request to the appropriate TD SYNEX endpoint (Partner Center, Graph, Azure Management) using an access token from TD SYNEX.
- TD SYNEX validates the access token
- If throttling is required, TD SYNEX returns an error message. The application will need to try the request again in the future.
- The proxy service will deconstruct the request and extract the tenant id and subscription id.
Note: Subscription id is not always required depending on the API.
- The proxy compares the request, tenant id, and subscription id to a list of requests allowed for the supplied credentials.
- If the request is not allowed, an error is returned.
- If the request is allowed, TD SYNEX replaces the TD SYNEX endpoint with the Microsoft endpoint and submits the request to the Microsoft API using TD SYNEX credentials.
- Microsoft processes the request and returns a response to TD SYNEX.
- TD SYNEX returns the response to the requestor unchanged.

Note: The response may be an error from Microsoft.

3.2.2. Use Cases

Partner Center

The Partner Center API allows partners to integrate their existing systems, such as CRM or billing software, with Microsoft systems. This integration helps partners manage customer accounts, place orders, handle subscriptions, and support requests programmatically.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

Initially TD SYNEX is focusing on allowing our customers to obtain billing data that would not otherwise be readily available. This will allow them to integrate with their own systems; however, it will allow them to use 3rd party systems that they would not be able to utilize.

Over time, TD SYNEX will be adding additional requests to the proxy and may consider allowing changes to end user subscriptions.

Azure Management & Graph

End users and resellers can access Azure Management and Graph APIs using credentials created directly in the end user tenant. By creating credentials directly, they will not be restricted to the requests allowed by TD SYNEX.

The reseller may wish to use the functionality exposed by TD SYNEX to eliminate the need for an additional credential; however, TD SYNEX only exposes limited Azure Management end points and does not support end user tenant Graph access.

3.2.3. Support

Who Can Support?

- Any questions about Microsoft API's should be directed to Microsoft.
- TD SYNEX ServiceSolv has resources that can support application development. Contact your TD SYNEX account manager for an introduction to ServiceSolv.
- TD SYNEX engineering can support questions or issues with this service.

Support we can provide:

- Credential creation and reset
- Errors from TD SYNEX token endpoints
- Determining if an error message is from TD SYNEX or Microsoft
- Adding existing approved API requests to a credential
- Adding tenant IDs and subscription IDs to a credential
- Evaluating adding a new request to approved list
- Discussing the capabilities of the proxy service

To request assistance from TD SYNEX engineering for this service, please see Appendix E. Do not contact CSPSupport@tdsynnex.com about this service.

3.3. Proxy Service Limitations

- TD SYNEX does not support all Partner Center API requests:
 - Any request that cannot be limited to a specific tenant id (e.g. /Microsoft.Billing/billingAccounts/customers)
 - Any request that retrieves data about all TD SYNEX customers (e.g. /reports/partners/billing/usage/billed/export)
 - Any request that only works for Enterprise Agreement or direct bill subscriptions (e.g. /Microsoft.Consumption/reservationSummaries)
 - Any request that uses a method other GET. Non-GET requests are generally limited to access by ISV's specifically authorized by TD SYNEX by contract.
 - Any requests to the end user Graph.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

- Non-Partner Center API requests are dependent on the GDAP and RBAC permissions given to TD SYNnex. Some requests may fail if TD SYNnex does not have the required permissions or if blocked by conditional access.
- The service will only function with subscriptions purchased through TD SYNnex. Should the customer transfer subscriptions to another provider or cancel subscriptions, the service will stop functioning immediately.

3.4. TD SYNnex Service Principal

Normally, when accessing Microsoft APIs, a developer would obtain a service principal from the end user tenant; however, when using the TD SYNnex PAC Proxy service, the service principal will be obtained from TD SYNnex. This service principal will allow the application to impersonate TD SYNnex thus gaining access to the functionality only accessible by a CSP Provider.

3.4.1. Limitations

- The service principal can only access subscriptions purchased from TD SYNnex.
- The service principal will only have permissions granted to TD SYNnex.
- TD SYNnex has multiple Partner Center environments (PAC). The service principal will only work with one environment. All subscriptions under TD SYNnex should exist in one environment or would require multiple service principals.

3.4.2. End User Service Principal

A service principal requested by an end user will only have access to their tenants but will have access to all subscriptions under that tenant that were purchased through TD SYNnex unless they request otherwise.

If an end user has multiple tenants, one service principal can support all of their tenants.

3.4.3. Reseller Service Principal

A service principal requested by a reseller can have access to multiple end user tenants; however, it may only access subscriptions sold by the reseller. If an end user purchases from multiple resellers who each purchase from TD SYNnex, the reseller will not be able to access the subscriptions from the other reseller.

3.4.4. Requesting a Credential

Copy the text and form from Appendix C – New Credential Request and mail to msft-se-azure-na@tdsynnex.com in a new email. New credentials cannot be created without the statement and information requested.

Refer to the list of API requests supported from Appendix B – Supported API Requests to determine which requests you require. Requests are not added automatically.

Note: It will take one hour for any changes to the authorized requests to take effect.

If the requested credentials will be used by the reseller for multiple end users, you may supply a separate list with end user names, tenant ids, primary domain names and platforms.

3.5. API Hosts

The proxy service uses TD SYNEX hosts as a replacement for the Microsoft hosts. The credentials provided by TD SYNEX will not work with Microsoft hosts.

TD SYNEX Endpoint	Equivalent Microsoft Endpoint
https://login.msapi.tdsynnex.com/common/oauth2/token	https://login.microsoftonline.com/common/oauth2/token
https://login.msapi.tdsynnex.com/{tenant}/oauth2/token	https://login.microsoftonline.com/{tenant}/oauth2/v2.0/token
https://apipartnercenter.msapi.tdsynnex.com	https://api.partnercenter.microsoft.com/
https://graph.msapi.tdsynnex.com	https://graph.microsoft.com/
https://managementazure.msapi.tdsynnex.com	https://management.azure.com/

3.6. Testing

TD SYNEX uses a tool from Postman to test the supported API requests. The tool we use is available from:

[Download Postman | Get Started for Free](#)

TD SYNEX does not distribute this tool and is not able to provide instruction on its use.

A Postman collection is available containing all the support API requests. You may request the latest version of the collection by emailing msft-se-azure-na@tdsynnex.com and your TD SYNEX account manager using the subject "PAC Proxy Postman Collection".

3.7. TD SYNEX Documentation

All TD SYNEX documentation and our Postman collection are available on our GitHub at:

[TD SYNEX Cloud Engineering GitHub](#)

3.8. Throttling

Request throttling may occur for multiple reasons:

- Microsoft may throttle all requests from TD SYNEX. The APIs are also used by TD SYNEX backend systems which may consume all "quota" allocated to TD SYNEX.
- TD SYNEX may choose to throttle all proxy requests.
- TD SYNEX may choose to throttle proxy requests from a specific credential.
- TD SYNEX may have suspended or terminated the proxy service.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

3.9. TD SYNnex Application IDs

Each TD SYNnex PAC uses a separate Application (client) ID. Below are the Application IDs used with each TD SYNnex PAC.

PAC	Domain	Microsoft ID	Application (client) ID
Stellr US	synnex365.com	ff1b2576-d461-4916-97dc-7ada1cd798dc	22fc3927-1d79-4792-8bb5-ac39ff70ca83
ION US (SIE)	TechDataTSAVT.onmicrosoft.com	d3e363db-81d0-4c04-9bb4-bced62c60825	a0419882-66ab-4ae9-8b94-71b776a685e6
SCM US	tdmsft.com	d5c77776-8b4c-4ceb-81da-566aba9c59c5	8f54c919-5900-48d7-8810-fc8b6f6c478e
Stellr CA	synnexca.onmicrosoft.com	47381036-1bd3-42d6-9a38-4a1651c1556b	0ac0bab4-690c-4e5d-a06b-6875594d4e52
TD CA	techdatacanada.com	10ad3e17-3bca-4f0a-973b-549bec7013f4	77658182-668a-4cfb-abec-62def08e6b74
AVT CA	TechDataS1ECA.onmicrosoft.com	b5eaa3e9-9b5f-491c-aa1a-d72754746981	98b56abc-c69c-4dd2-99b9-21116b8a7878

3.10. Obtain a List of Required API Requests from Customer

There are many APIs provided by Microsoft, currently the service supports requests from the Partner Center and Azure Management APIs.

API Name	Documentation
Partner Center	Partner Center API scenarios - Partner Center Rest API
Azure Management	Azure REST API reference documentation

The list of requests for each API that TD SYNnex supports is provided in Appendix B – Supported API Requests.

The customer will need to request access to specific API requests for each credential.

3.11. Review and Add APIs as Required

TD SYNnex will review requests to add new API requests to the approved list and if approved add them to the service.

Note: Adding new requests may take several weeks to review, add and test before they will be available for consumption.

Complete the form in Appendix D – Add a New API Request to the Service and email to msft-se-azure-na@tdsynnex.com with a copy to your TD SYNnex Account Manager.

4. Definitions

<i>Term</i>	<i>Definition</i>
AdminAgents	An Azure AD security group created by Microsoft in the reseller and provider tenants to facilitate AOBO. This group is created by Microsoft and cannot be created manually. See: Roles, permissions, and workspace access for users
Admin Consent	In the context of Microsoft Entra ID refers to the process where an administrator grants permission for an application to access data or perform actions on behalf of the entire organization. This is necessary for applications that require higher-level permissions, which cannot be granted by individual users. See: Overview of user and admin consent
Administration on Behalf Of	Administration on Behalf Of (AOBO) allows reseller and/or provider users who are members of the AdminAgents group to access and manage Azure subscriptions. See: Manage subscriptions and resources under the Azure plan
AOBO	See Administration of Behalf Of.
Application ID	A unique identifier assigned to an application when it is registered. It is used in the application's code and included in authentication requests to the identity platform.
Azure Management API	A set of RESTful APIs provided by Microsoft Azure that allows you to manage and interact with Azure resources programmatically. These APIs enable you to perform various operations such as creating, updating, deleting, and retrieving information about Azure resources
Client Secret	A confidential string used by an application to prove its identity when requesting tokens from the identity platform. It acts like a password for the application and is used in conjunction with the Application (client) ID to authenticate the application during the OAuth 2.0 authorization process.
Conditional Access	An intelligent security policy engine that allows end users to define specific conditions for how users authenticate and gain access to applications and data. Conditional Access requires an Azure AD P1 or P2 license. See: Conditional Access
CSP	The Microsoft Cloud Solution Provider (CSP) program allows partners to create and deliver differentiated offers to customers, selling the Microsoft cloud portfolio and third-party solutions from the Microsoft commercial marketplace alongside their own value-added solutions and services.
Direct Provider	See Provider.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

Endpoint	A specific URL where an API can access the resources it needs to perform its function.
End User	The organization that uses or consumes the Azure resources provided by the provider/reseller to satisfy a business requirement. Usually the customer of a reseller.
Enterprise Application	Any application that is integrated with Entra ID for identity and access management. See: What is application management?
Entra ID	A cloud-based identity and access management (IAM) service. It helps organizations manage user identities and secure access to resources such as Microsoft 365, the Azure portal, and thousands of other SaaS applications. See: What is Microsoft Entra ID?
GDAP	See Granular Delegated Administration Permissions.
Global Delegated Administration Permissions	Granular Delegated Administration Permissions (GDAP) provides Azure AD permissions to specified users from the reseller and/or provider. Any Azure AD role may be included in the GDAP permissions; therefore, a more limited set of permissions than available under DAP is available. See: Granular delegated admin privileges (GDAP) introduction
Global Administrator	An Azure AD role that can manage all aspects of Azure AD and Microsoft services that use Azure AD identities. The global administrator role has no restrictions. See: Azure AD built-in roles
Graph API	A RESTful web API that provides access to Microsoft Cloud service resources. It serves as a gateway to data and intelligence in Microsoft cloud services, including Microsoft 365, Windows, and Enterprise Mobility + Security. See: Microsoft Graph overview
Indirect Provider	See Provider.
PAC	See Partner Center.
Partner Center	Partner Center (PC or PAC) is an application Microsoft supplies to resellers and providers to manage end user customers. See: What is Partner Center?
Partner Center API	A set of RESTful APIs provided by Microsoft that allows Cloud Solution Provider (CSP) partners to integrate their existing systems, such as CRM or billing software, with Microsoft systems. This integration helps partners manage customer accounts, place orders, handle subscriptions, and support requests programmatically. See: Partner Center REST API reference
Payload	The actual data sent in the body of a request or response.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

Provider	The company that purchases Azure subscriptions from and receives an invoice directly from Microsoft. The Provider may be either Direct (acting as a provider and reseller) or Indirect (acting as on a provider). TD SYNEX is an Indirect provider. See: Cloud Solution Provider program overview
Reseller	The company that purchases Azure subscriptions from TD SYNEX and sells the subscription to the end user.
Request	The act of asking for data or action from an API.
Request Method	A way to indicate the desired action to be performed on a resource in an API. (e.g. GET, POST, PUT, DELETE, PATCH)
Reseller	An indirect reseller in Microsoft Azure is a partner that sells Microsoft cloud solutions to customers by collaborating with an indirect provider, without having a direct billing relationship with Microsoft.
Reseller Relationship	A reseller relationship allows the provider to sell Microsoft cloud subscriptions and services to end user customers. It does not provide access to the end user's environment.
Response	The data returned from the API after a request is made.
Rate Limiting	A technique used to control the amount of incoming and outgoing traffic to and from a network.
Service Account	Service accounts are special types of accounts intended to represent non-human entities. They can be used to authenticate and authorize applications or services to access resources.
Service Principal	An Azure service principal is a security identity that represents an application or service in the Azure Entra ID (Azure AD). It is similar to a user account but is used for non-human authentication and authorization processes. Service principals enable applications and services to authenticate and access Azure resources without the need for human involvement. They are commonly used to automate tasks, enable programmatic access, and manage permissions within Azure.
Status Code	Numerical codes in the response that indicate the result of the request.
TD SYNEX	TD SYNEX (TD SYNEX) is a multinational IT distribution business and a Microsoft Indirect Provider. See: https://www.TDSYNEXynnex.com/na/us/
Tenant	An instance of Azure Active Directory used for identity and access management with Microsoft cloud services. See: What is Azure Active Directory?

5. Associated Documents

- [Microsoft identity platform admin consent protocols - Microsoft identity platform | Microsoft Learn](#)
- [Cloud Solution Provider program overview - Partner Center | Microsoft Learn](#)
- [Microsoft Entra built-in roles - Microsoft Entra ID | Microsoft Learn](#)
- [Granular delegated admin privileges \(GDAP\) introduction - Partner Center | Microsoft Learn](#)
- [GDAP Migration FAQ for customers - Partner Center | Microsoft Learn](#)
- [Azure plan - Manage subscriptions & resources - Partner Center | Microsoft Learn](#)
- [Azure AD Conditional Access documentation - Microsoft Entra | Microsoft Learn](#)
- [Authentication and Conditional Access for B2B users - Microsoft Entra | Microsoft Learn](#)
- [Microsoft Entra Identity Governance documentation - Microsoft Entra | Microsoft Learn](#)
- [Apps & service principals in Azure AD - Microsoft Entra | Microsoft Learn](#)
- [Overview of user and admin consent - Microsoft Entra ID | Microsoft Learn](#)

6. Document Approval

This document has been approved by:

- Manager, Cloud Sales Engineering
- Manager, Business Operations

7. Document Revision History

Number	Effective Date	Revision History	Author
0.1	12/20/2024	Initial Draft	David Bloom
0.2	2/9/2025	Moved supported APIs to separate document.	David Bloom
0.3	2/10/2025	Added form to help collect support info	David Bloom
0.4	2/21/2025	Updated time for changes	David Bloom
0.5	2/24/2025	Added missing App Ids	David Bloom
1.0	5/29/2025	Added billing acct appendix	David Bloom
1.1	10/27/2025	Added auth_provider_error – Section 3.8.1	David Bloom
1.2	10/31/2025	Added error message Appendix	David Bloom
1.3	11/19/2025	Added more errors	David Bloom
1.4	8/18/2026	Removed admin consent and graph access	David Bloom

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

8. Appendix A – Enterprise Application Requested Permissions

The enterprise application used by the TD SYNEX PAC Proxy includes the following permissions. These permissions are required for the proxy to function fully.

This list may change. Refer to the latest version of this document for the current permissions.

API / Permissions name		Resource App Id
Azure Service Management (1)		
	user_impersonation	797f4846-ba00-4fd7-ba43-dac1f8f63013
M365 Partner API (2)		
	Api.Access	7b388e5c-7dea-4e0b-bc73-415971207918
	Api.Access.Application	7b388e5c-7dea-4e0b-bc73-415971207918
M365-Partner-API-Admin-App (1)		
	Certificate.Download	c584e1eb-b862-4992-b2f7-c2a94b4331a0
Microsoft Graph (10)		
	Directory.AccessAsUser.All	00000003-0000-0000-c000-000000000000
	Directory.Read.All	00000003-0000-0000-c000-000000000000
	offline_access	00000003-0000-0000-c000-000000000000
	openid	00000003-0000-0000-c000-000000000000
	profile	00000003-0000-0000-c000-000000000000
	User.Read	00000003-0000-0000-c000-000000000000
	User.ReadBasic.All	00000003-0000-0000-c000-000000000000
Microsoft Dev Center aka Microsoft Partner (1)		
	user_impersonation	4990cffe-04e8-4e8b-808a-1175604b879f
Microsoft Partner Center (1)		
	user_impersonation	fa3d9a0c-3fb0-42cc-9193-47c7ecd2edbd
Partner Customer Delegated Administration (1)		
	PartnerCustomerDelegatedAdministration.Read.All	2832473f-ec63-45fb-976f-5d45a7d4bb91
	PartnerCustomerDelegatedAdministration.ReadWrite.All	2832473f-ec63-45fb-976f-5d45a7d4bb91

Note: “User impersonation” will impersonate a TD SYNEX service account that accesses the end user tenant using GDAP and/or AOBO permissions.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

9. Appendix B – Supported API Requests

API requests supported by this service may now be found in the TD SYNnex Cloud Engineering GitHub located at:

[TD SYNnex PAC Proxy Supported Endpoints](#)

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

10. Appendix C – New Credential Request

To request a new credential, copy the following statement (below the line) and form to a new email. Complete the missing information and email to msft-se-azure-na@tdsynnex.com and your TD SYNnex account manager using the subject “PAC Proxy Request”.

I understand that credentials for the TD SYNnex PAC Proxy provide access that may not be otherwise available. They will be treated as highly privileged and confidential.

The credentials will be restricted to the specific tenant Id's requested. I will not attempt to access tenant Id's other than those requested; however, should I determine my credentials have access to other tenant Id's, I will not attempt to access the other tenant Id's and I will notify TD SYNnex immediately.

I represent that this request is made in good faith, for a legitimate business purpose, and in accordance with our agreement with our customer and I agree to defend and hold TD SYNnex harmless from and against any third-party claims to the contrary. I understand that this service is provided without a warranty of any kind.

I represent and warrant that I have full authority to request credentials on behalf of my company and the end user.

I have reviewed the [TD SYNnex Corporation Terms & Conditions](#) which apply to my use of the credentials and this service.

End User:	
Primary Domain:	
Tenant ID:	
Subscription ID(s):	
Platform (Stellr/ION):	

Reseller:	
TD SYNnex Acct #:	
Approver:	
Approver Email:	
Approver Phone:	
TD SYNnex AM:	

Credential User/Contact:	
Email:	
Phone:	

Will the credentials be used by the reseller or end user:	
Describe your goal for using the proxy – what are you trying to accomplish:	
What API families and requests do you intend to use? You may	

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

want to attach a separate document:

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

11. Appendix D – Add a New API Request to the Service

New API requests may be added to the service at TD SYNnex's discretion. To ask for a new request to be added to the server, complete the information below (between the lines) and email to msft-se-azure-na@tdsynnex.com and your TD SYNnex account manager using the subject "PAC Proxy API Add".

End User:	
Primary Domain:	
Tenant ID:	
Subscription ID(s):	
Platform (Stellr/ION):	
Client (auth) ID:	

Reseller:	
TD SYNnex Acct #:	
Contact:	
Contact Email:	
Contact Phone:	
TD SYNnex AM:	

API Family (PC/AM/Graph):	
Method (GET/PPOST/etc):	
Base URI:	
Request (path) URI:	
Msft Documentation Link:	
Example incl Query Params:	
Why do you want to use this request – what do you want to get back from it?	

Example:

API Family (PC/AM/Graph):	Partner Center
Method (GET/PPOST/etc):	GET
Base URI:	https://api.partnercenter.microsoft.com
Request (path) URI:	/v1/customers/{customer-tenant-id}/subscriptions/{subscription-id}/utilizations/azure
Msft Documentation Link:	Get a customer's utilization records for Azure - Partner app developer Microsoft Learn
Example incl Query Params:	https://api.partnercenter.microsoft.com/v1/customers/E499C962-9218-4DBA-8B83-8ADC94F47B9F/subscriptions/aaaa0a0a-bb1b-cc2c-dd3d-eeeeee4e4e4e/utilizations/azure?start_time=2017-07-02T00:00:00-08:00&end_time=2017-08-02T00:00:00-08:00
Why do you want to use this request – what do you want to get back from it?	I would like to get all of the utilization records for the customer's subscription for the specified time frame. We want to pull the records into our systems to analyze usage.

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

12. Appendix E – Support Requests

Support requests for this service should not be directed to Microsoft. To ask for assistance with the services, complete the information below (between the lines) and email to msft-se-azure-na@tdsynnex.com and your TD SYNnex account manager using the subject “PAC Proxy Support”.

Do not contact CSPSupport@tdsynnex.com about this service.

Please review Section 3.2.3 for limitation on the support we can provide.

IMPORTANT: DO NOT send your client secret, we only need the client ID to locate logs.

Reseller:	
TD SYNnex Acct #:	
Contact:	
Contact Email:	
Contact Phone:	
TD SYNnex AM:	

Targeted End User:	
End User Primary Domain:	
End User Tenant ID:	
Subscription ID(s):	
Platform (Stellr/ION):	
Client (auth) ID:	

API Internal Name:	
Example call incl Query Params:	
Did you attempt the call in Postman? What was the result?:	
Detailed description of the issue. Provide screenshots of any error messages received:	
How can we reproduce the issue?:	
Describe any troubleshooting you have attempted:	

13. Appendix F – TD SYNnex Object Ids

When the proxy services accesses the end user tenant, log file entries will be made using a common user name and the object id of the service.

Username appearing in log files:

PAC	Domain	Username
Stellr US	synnex365.com	Synnex 365 technician
SCM US	tdmsft.com	Tech Data technician
SIE US	TechDataTSAVT.onmicrosoft.com	Tech Data Corp (ION) technician
Synnex CA	synnexca.onmicrosoft.com	Synnex Canada Limited technician
TechData CA	Techdatacanada.com	Tech Data Canada Corporation technician
AVT CA	TechDataS1ECA.onmicrosoft.com	Tech Data, dba Tenva TS Canada ULC technician

The UPN will be listed as user_<objectId>@<domain>.

PAC	Domain	Object ID
Stellr US	synnex365.com	f75afa49-c47f-4a3c-9618-1b7b66f47a2a
SCM US	tdmsft.com	cbd6e287-cbc5-4720-82bc-bdd731d3af36
SIE US	TechDataTSAVT.onmicrosoft.com	8c5af023-22f9-4842-bc10-086b5bb09726
Synnex CA	synnexca.onmicrosoft.com	eb5cb8a1-d6b7-417d-8f58-1b6f244213b1
TechData CA	Techdatacanada.com	6f61cd22-ad17-4966-8124-335226b59b3f
AVT CA	TechDataS1ECA.onmicrosoft.com	4bd05d4f-7746-440f-9b12-ea2be0dd7fe2

For example, the PAC Proxy in Stellr PAC will log with the UPN:

[user_f75afa49c47f4a3c96181b7b66f47a2a@synnex365.com](#)

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

14. Appendix G – PAC Identifiers North America

Stellr US (synnex365.com) – United States

Tenant ID	ff1b2576-d461-4916-97dc-7ada1cd798dc
Billing Acct ID	f1ededed-c840-4f24-9dcc-e91f75551bb0:4fb93974-a809-4f13-b0ff-2cafed7ff63d_2018-09-30
Billing Profile ID	4dc7e73e-8af4-433e-afd7-3b8628313cf2

SCM (tdmsft.com) - United States

Tenant ID	d5c77776-8b4c-4ceb-81da-566aba9c59c5
Billing Acct ID	43e3c6ef-1538-4f26-80c3-05eda42a1592:03748fc8-8bb5-4818-ad78-22c3c533324c_2018-09-30
Billing Profile ID	26534f1f-2c3e-4447-9227-43dcefcf285a

SIE (TechDataTSAVT.onmicrosoft.com) - United States

Tenant ID	d3e363db-81d0-4c04-9bb4-bced62c60825
Billing Acct ID	08afcee2-dc1a-4728-bb22-dd6ab532e19a:4fb680ba-e71c-4a63-9de4-f655d5661cd5_2018-09-30
Billing Profile ID	040ee337-942a-46c6-a224-d44ac5aa9c7d

Stellr CA (synnexca.onmicrosoft.com) - Canada

Tenant ID	47381036-1bd3-42d6-9a38-4a1651c1556b
-----------	--------------------------------------

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

Billing Acct ID	22d1c070-a354-4edb-90aa-9bb38694ad64:def88c06-5a42-4e41-8413-062615f67ffa_2018-09-30
Billing Profile ID	ba1a4b5f-1a6a-406f-9a0e-4def52ae526e

Tech Data (techdatacanada.com) - Canada

Tenant ID	10ad3e17-3bca-4f0a-973b-549bec7013f4
Billing Acct ID	9c6dbcd-d-cbac-4427-a4ee-cb5aa062ffa6:753a4949-1755-42e7-8323-26ef069f6865_2018-09-30
Billing Profile ID	2c308d36-2d2e-4580-b3c6-ff66ec4fe2ca

AVT (TechDataS1ECA.onmicrosoft.com) - Canada

Tenant ID	b5eaa3e9-9b5f-491c-aa1a-d72754746981
Billing Acct ID	6356f0ff-4466-4a55-8e97-12767688a954:800bba13-3a89-4918-a7b2-19e7191948fa_2018-09-30
Billing Profile ID	6b4df5b6-aa71-43b6-8e37-1f4880f3fdd6

15. Appendix H – Error Messages

The error messages sent with the PAC Proxy may come from TD SYNEX or from Microsoft.

Note: TD SYNEX will be adding a field to messages from TD SYNEX in a future release.

```
{
  "source": "TD SYNEX",
  "message": "Client id [ee52ae226fee4db390f445ac6fbb5c2] is not allowed to access the API or current Pac.",
  "errorCode": "api_restricted"
}
```

Error Code:	api_restricted
Source:	TD SYNEX
Error Message:	Client id [ee52ae226fee4db390f445ac6fbb5c2] is not allowed to access the API or current Pac.
Description:	The PAC Proxy grants access to specific requests in a single Partner Center environment. This error means that you do not have permission to make the request. If you need to make this request for your application to work, contact TD SYNEX.

Error Code:	auth_provider_error
Source:	TD SYNEX
Error Message:	Client id [ee52ae226fee4db390f445ac6fbb5c2] is not allowed to access the API or current Pac.
Description:	The PAC Proxy uses an Enterprise Application to access Graph or Azure Management in the end user tenant. This error means the end user has not consented to the Enterprise Application. See Section 3.8 above.

Error Code:	429 (Too Many Requests)
Source:	Microsoft
Error Message:	The request was denied by the application.
Description:	Microsoft has throttled requests. Retry the request at another time.

Error Code:	E001
Source:	TD SYNEX
Error Message:	The Token has expired on YYYY-MM-DD
Description:	The access token passed with the request has expired. Request a new token.

Error Code:	E001 (400 – Bad Request)
Source:	TD SYNEX
Error Message:	Illegal group reference
Description:	

Error Code:	E001 (500 - Internal Server Error)
Source:	TD SYNEX
Error Message:	Connection prematurely closed BEFORE response
Description:	

Error Code:	AuthorizationFailed
Source:	Microsoft
Error Message:	The client 'TD SYNEX US (Stellr) Technician' does not have authorization to perform action 'Microsoft.Capacity/reservationOrders/reservations/read' over scope

Consuming Microsoft APIs using PAC Proxy Service



Type:	4. Instructions	Version:	1.4
Status:	Final	Effective:	8/18/2026

'/providers/Microsoft.Capacity/reservationOrders/{reservationOrderId}' or the scope is invalid. If access was recently granted, please refresh your credentials."

Description: Insufficient RBAC permissions exist on the subscription.