

1. Purpose

To describe how an administrative session originating from the TD SYNnex Partner Center tenant is authenticated and evaluated when TD SYNnex personnel access an end customer Microsoft Entra tenant through a Granular Delegated Admin Privileges (GDAP) relationship.

2. Table of Contents

1.	Purpose	1
2.	Table of Contents	1
3.	Reference	1
3.1.	Scope	1
3.2.	CSP GDAP Access Model	2
3.2.1.	Authentication and Authorization Sequence	2
3.2.2.	Identity Characteristics of a GDAP Session	2
3.3.	Signals Presented to the Customer Tenant at Sign-In	3
3.4.	Multifactor Authentication Behavior for GDAP Sign-Ins	4
3.5.	Conditional Access Policy Targeting of CSP Identities	4
3.6.	Cross-Tenant Access Settings Dependencies	5
3.7.	Conditional Access Control Support Matrix	5
3.7.1.	Grant Controls	5
3.7.2.	Assignments and Conditions	6
3.7.3.	Session Controls	7
3.7.4.	Controls That Cannot Be Used	8
3.8.	Limitations on Customer Control of the CSP Identity	8
3.9.	Failure Modes and Diagnosis	9
3.10.	Recommended Customer Configuration Pattern	9
4.	Definitions	10
5.	Associated Documents	11
6.	Document Approval	12
7.	Document Revision History	12
8.	Appendix A – Customer Conditional Access Pre-Engagement Assessment	13
10.	Appendix B – Evidence and Audit Reference	15

3. Reference

3.1. Scope

This note applies to interactive and non-interactive administrative access performed by TD SYNnex personnel into an end customer Microsoft Entra tenant where an active GDAP relationship exists and the engineer authenticates in the TD SYNnex Partner Center tenant. It covers the interaction between that access path and Conditional Access policy authored in the customer tenant, together with the cross-tenant access settings on which that interaction depends.

The note does not cover customer-managed emergency access accounts, Azure resource-level role-based access control design, Microsoft 365 workload permission models, or the commercial construction of the CSP relationship. Behavior described here reflects the Microsoft Entra external identity model for service provider users and should be re-validated whenever Microsoft revises cross-tenant access or Conditional Access functionality.

3.2. CSP GDAP Access Model

A GDAP sign-in is a cross-tenant authentication. The engineer credential remains resident in the TD SYNEX tenant, which acts as the home tenant, and the customer tenant acts as the resource tenant. Microsoft Entra ID classifies the resulting principal as a service provider user, which is a specialization of the business-to-business (B2B) direct connect model rather than of B2B collaboration. That classification determines Conditional Access behavior throughout this document.

Two consequences follow directly from this model and account for the majority of partner access incidents observed in the field. First, customer Conditional Access policies are evaluated on every GDAP sign-in, which is a material change from the legacy Delegated Admin Privileges model. Second, the engineer holds no directory object, credential, registered authentication method, managed device, or license in the customer tenant, so any control whose remediation path requires one of those artifacts cannot be satisfied and will fail closed.

3.2.1. Authentication and Authorization Sequence

The following sequence describes a single administrative session from credential entry to authorization in the customer tenant.

1. The engineer authenticates in the TD SYNEX Partner Center tenant. Primary authentication and multifactor authentication are performed against the TD SYNEX authentication methods policy and are subject to TD SYNEX Conditional Access and Microsoft Entra ID Protection.
2. Microsoft Entra ID issues a token in the home tenant that carries the engineer identity, the home tenant identifier, and claims describing how authentication was completed, including the multifactor authentication claim.
3. When the engineer accesses a customer resource, Microsoft Entra ID evaluates cross-tenant access settings, comprising the TD SYNEX outbound settings and the customer inbound settings that apply to the TD SYNEX organization.
4. Authorization is derived from the GDAP relationship. Entra roles are granted to the security group that contains the engineer, scoped to the customer and bounded by the duration of the relationship, rather than through any role assignment held by an object in the customer directory.
5. The customer tenant Conditional Access policies are evaluated against the inbound sign-in. Conditional Access is enforced after first-factor authentication completes; grant, condition, and session controls are applied as described in Section 3.7.
6. The sign-in is written to the customer tenant Microsoft Entra sign-in logs under the engineer user principal object id, with the TD SYNEX home tenant identifier recorded and a cross-tenant access type of service provider.

3.2.2. Identity Characteristics of a GDAP Session

The following characteristics of a GDAP session are structural and cannot be altered by configuration in either tenant. They are the root cause of most control incompatibilities identified in Section 3.7.

- No user object is created in the customer directory. The engineer identity is sourced and governed entirely by the TD SYNEX tenant.
- No credential exists in the customer tenant. Password policy, banned password lists, self-service password reset, and password change operations in the customer tenant have no effect on the engineer account.
- No authentication method can be registered in the customer tenant. Microsoft states explicitly that multifactor authentication registration of a GDAP user is not supported outside the user home tenant.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

- No device is registered or enrolled in the customer tenant. Device compliance, Microsoft Entra hybrid join state, and mobile application management enrollment are evaluated only where the device is managed, which for TD SYNEX personnel is the TD SYNEX tenant.
- No license, mailbox, or service plan is consumed in the customer tenant, so controls that depend on a licensed workload identity in that tenant do not apply.
- Authorization is time-bound and role-scoped by the GDAP relationship, and terminates when the relationship expires or is terminated by either party.

3.3. Signals Presented to the Customer Tenant at Sign-In

The table below identifies the signals that reach the customer tenant on a GDAP sign-in and therefore the raw material available to customer Conditional Access policy. A control that depends on a signal marked as not presented cannot be enforced meaningfully against a CSP session.

<i>Signal</i>	<i>Presented to Customer Tenant</i>	<i>Engineering Notes</i>
Home tenant identifier	Yes	The TD SYNEX tenant identifier is carried on the sign-in and is the recommended anchor for customer policy scoping, because it is immutable.
Engineer user object identifier	Yes	Provides named accountability for every administrative action recorded in the customer audit and sign-in logs.
Multifactor authentication claim	Yes, always	Multifactor authentication is always required in the home tenant and always trusted in the resource tenant for GDAP sign-ins. See Section 3.4.
Authentication method detail	Partial	Only methods that Microsoft accepts as claim-transferable from a home tenant are recognized. See Section 3.4 for the accepted method list.
Source public IP address	Yes	Reflects the egress address of the engineer session and is evaluated by network and named location conditions.
Country or region	Yes	Derived from the source IP address by Microsoft Entra ID. Affects follow-the-sun and offshore delivery models.
Device platform, browser, and client application	Yes	Request-level telemetry that does not require a device object in the customer tenant.
Device identifier, compliance state, and hybrid join state	Only where inbound device trust is configured	Device claims flow only if the customer enables inbound trust for compliant or Microsoft Entra hybrid joined devices for the TD SYNEX organization. See Section 3.6.
Real-time sign-in risk	Yes	Sign-in risk for an external user is evaluated in the resource tenant at the time of access.
User risk	No	User risk is evaluated in the home directory. The customer risky users report does not reflect external users, and customer administrators cannot dismiss or remediate that risk.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

<i>Signal</i>	<i>Presented to Customer Tenant</i>	<i>Engineering Notes</i>
Credential or password strength	No	The credential is never presented to the customer tenant; password policy is a home tenant control only.

3.4. Multifactor Authentication Behavior for GDAP Sign-Ins

Multifactor authentication behavior for GDAP differs from standard B2B collaboration and is the single most commonly misunderstood aspect of CSP access. Microsoft documents that the inbound cross-tenant setting to trust multifactor authentication from Microsoft Entra tenants “isn't applied if an external user signs in using granular delegated admin privileges (GDAP)” and that “when an external user signs in using GDAP, MFA is always required in the user's home tenant, and always trusted in the resource tenant.” Microsoft further states that “MFA registration of a GDAP user isn't supported outside of the user's home tenant.”

The operational implications for both parties are set out below.

- A customer policy that applies the Require multifactor authentication grant control is satisfied by the TD SYNnex multifactor authentication claim. The engineer is not challenged a second time in the customer tenant.
- The customer cannot compel a multifactor authentication event in their own tenant for a GDAP session, and the engineer cannot register a method there in order to satisfy one.
- The inbound trust checkbox is not the control point for GDAP sessions. Enabling or clearing it does not change multifactor authentication behavior for delegated administration.
- Where a customer requires the ability to deny partner access on the basis of partner authentication posture, the supported options are a Conditional Access policy that blocks service provider users, or removal of the GDAP relationship in the Microsoft 365 admin center. There is no intermediate setting.
- Because the customer inherits the quality of TD SYNnex authentication without the ability to override it, the strength of the methods enforced in the TD SYNnex tenant is the effective control. This is addressed in Section 3.11.

Where a customer applies the **Require authentication strength** grant control instead of Require multifactor authentication, only methods that Microsoft accepts from a home tenant can satisfy the requirement. The accepted home tenant methods are text message as a second factor, voice call, Microsoft Authenticator push notification, Microsoft Authenticator phone sign-in, OATH software token, OATH hardware token, FIDO2 security key, Windows Hello for Business, and certificate-based authentication. If the method used by the engineer does not meet the configured strength, access is denied and there is no remediation path in the customer tenant.

3.5. Conditional Access Policy Targeting of CSP Identities

Conditional Access policy in the customer tenant targets a CSP identity through the user assignment. Microsoft provides discrete external user types for this purpose, and guidance is explicit that “for policies that are intended to target service provider tenants, use the **Service provider user** external user type available in the Guest or external users selection options.” The selectable types are B2B collaboration guest users, B2B collaboration member users, B2B direct connect users, local guest users, service provider users, and other external users. Each selection may be scoped to all tenants or to specified tenants.

Two targeting patterns account for nearly all unintended partner lockouts. The first is a policy assigned to all users, which includes service provider users because they are users. The second is a policy assigned to guest or external users with every external type selected and a restrictive grant, which captures CSP engineers alongside the guest population the policy was written for.

Scoping should be expressed by tenant identifier rather than by domain name, because the tenant identifier is immutable while domain names may be added, removed, or re-branded. Microsoft recommends validating any policy change affecting this population using report-only mode and the What If tool before enabling it at scale.

3.6. Cross-Tenant Access Settings Dependencies

Cross-tenant access settings determine the trust relationship between the two organizations and are a prerequisite for several Conditional Access controls. The settings comprise a default configuration that applies to all external organizations and an organizational configuration that applies to a specified partner, and they allow an organization to “trust multifactor authentication (MFA) and device claims (compliant claims and Microsoft Entra hybrid joined claims) from other Microsoft Entra organizations.”

Three inbound trust settings are available to the customer for the TD SYNEX organization. The multifactor authentication trust setting does not apply to GDAP sign-ins, as described in Section 3.4. The trust compliant devices and trust Microsoft Entra hybrid joined devices settings are the only mechanism by which a device claim can reach the customer tenant, and are therefore the only way in which a device-based grant control can be satisfied by a partner session.

Where a CSP relationship exists, the partner organization entry cannot be deleted from the customer organizational settings. Microsoft notes that if the organization “is a cloud service provider for your organization (the `isServiceProvider` property in the Microsoft Graph partner-specific configuration is true), you won’t be able to remove the organization.” Customers may edit the settings for that entry, but the removal path is termination of the GDAP relationship.

Device claim behavior for GDAP sessions specifically, as distinct from ordinary B2B collaboration, should be validated in a pilot before any customer design is committed to a device-based grant control. A design that assumes the claim will flow, and is not tested, presents a material risk of denying all partner access at cutover.

Because TD SYNEX devices are managed and compliant in the TD SYNEX corporate tenant while GDAP technicians authenticate in the separate Partner Center tenant, no device compliance or hybrid join claim is ever carried into the customer tenant. Device-based grant controls consequently cannot be satisfied by a TD SYNEX GDAP session, and must be excluded for service provider users rather than addressed through inbound device trust.

3.7. Conditional Access Control Support Matrix

The following matrices state whether each Conditional Access control can be enforced against a CSP GDAP session. Four determinations are used. Supported indicates the control functions as intended. Supported with configuration indicates the control functions only where a stated dependency is satisfied. Conditional indicates the control is evaluated but its behavior differs materially from an internal user. Not supported indicates the control cannot be satisfied by a CSP identity and will result in denial of access.

3.7.1. Grant Controls

<i>Grant Control</i>	<i>Determination</i>	<i>Engineering Notes</i>
Block access	Supported	Fully effective and the customer's definitive control. Should be scoped to the service provider user type and, where partner access is intended, to non-TD SYNEX tenants.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

Grant Control	Determination	Engineering Notes
Require multifactor authentication	Supported	Always satisfied by the home tenant claim, which is mandatory and implicitly trusted for GDAP. See Section 3.4.
Require authentication strength	Conditional	Only home tenant methods accepted by Microsoft can satisfy the strength. Fails closed where the method used does not meet the requirement, with no remediation available in the customer tenant.
Require device to be marked as compliant	Not supported	Requires inbound trust for compliant devices for the TD SYNEX organization and a compliant device in the TD SYNEX tenant. The signal is not transported to the end user tenant.
Require Microsoft Entra hybrid joined device	Not supported	Requires inbound trust for Microsoft Entra hybrid joined devices. Not supported for TD SYNEX devices.
Require approved client app	Not supported	Requires device registration in the evaluating tenant and applies to iOS and Android only. Microsoft has also announced retirement of this grant, with migration to the app protection policy grant.
Require app protection policy	Not supported	Requires device registration in the evaluating tenant through a broker application. A device can be managed only by its home tenant, so the control cannot be applied to external users.
Require password change	Not supported	No credential exists in the customer tenant. A policy applying this control denies access unconditionally.
Terms of use	Not supported	Not supported for direct connect class external users, which includes service provider users.
Require risk remediation	Not supported	Depends on a remediation flow executed against the identity in its home directory, which the customer tenant cannot invoke.
Custom controls	Not supported	Microsoft states that custom controls with Conditional Access are not supported for cross-tenant trusts.

3.7.2. Assignments and Conditions

Assignment or Condition	Determination	Engineering Notes
Users and groups, external user types	Supported	Service provider user type, optionally scoped to the TD SYNEX tenant identifier. This is the correct targeting mechanism.
Target resources and applications	Supported	Permits selective control, for example allowing Exchange administration while blocking the Azure management interface.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

Assignment or Condition	Determination	Engineering Notes
Network, IP address ranges, and named locations	Supported	Evaluated against the engineer egress address. The most dependable customer-side constraint on partner access, and the most common cause of failure after a partner network change.
Country or region	Supported	Determined from the source IP address. Directly affects follow-the-sun and offshore delivery. Note that country restrictions can prevent TD SYNEX from opening support cases with Microsoft.
Device platforms	Supported	Request-level condition that does not depend on a device object in the customer tenant.
Client apps and legacy authentication	Supported	Blocks legacy authentication protocols for partner sessions in the same manner as for internal users.
Sign-in risk	Conditional	Evaluated in the customer tenant, but the associated remediation requires registration or step-up in that tenant, which a GDAP user cannot perform. The practical effect is denial.
User risk	Not supported	Evaluated in the home directory only. External users do not appear in the customer risky users report, and customer administrators cannot dismiss or remediate the risk.
Filter for devices	Not supported	Requires device attributes held on a device object in the evaluating tenant.
Authentication flows	Supported	May be used to block transfer and device code flows. Note that device code flow cannot satisfy managed device grant controls or the device state condition.

3.7.3. Session Controls

Session Control	Determination	Engineering Notes
Sign-in frequency	Not supported	Not supported for direct connect class external users. Session lifetime for partner sessions is governed in the home tenant.
Persistent browser session	Not supported	Not supported for direct connect class external users.
Application enforced restrictions	Not supported	Not supported for direct connect class external users.
Conditional Access application control	Not supported	Not supported for direct connect class external users. Defender for Cloud Apps session policies cannot be applied to a CSP session by this route.
Continuous access evaluation	Conditional	Applies per resource and is not a partner-scoped control. It should not be relied upon as a mechanism for revoking partner sessions; relationship termination is the definitive action.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

Session Control	Determination	Engineering Notes
Token protection	Not validated	Depends on binding a token to a device known to the evaluating tenant. Behavior for service provider users must be tested before any dependency is taken on it.

3.7.4. Controls That Cannot Be Used

The controls listed below cannot be satisfied by a CSP GDAP identity under any configuration. Where a customer policy applies one of these controls to a user scope that includes service provider users, the outcome is denial of all partner administrative access.

- Require app protection policy and Require approved client app.
- Require password change and Require risk remediation.
- Terms of use and custom controls.
- User risk conditions used as the basis of a grant requirement.
- All session controls, comprising sign-in frequency, persistent browser session, application enforced restrictions, and Conditional Access application control.
- Device filters and any control dependent on a device object in the customer tenant, unless inbound device trust is configured for the TD SYNnex organization.

3.8. Limitations on Customer Control of the CSP Identity

A customer governs partner access, not the partner identity. The distinction is important during security reviews, where customers frequently expect to be able to impose their own identity standards on a delegated administrator. The following actions are outside customer control.

- Setting or enforcing password length, complexity, expiry, or banned password lists on TD SYNnex accounts.
- Requiring, inspecting, resetting, or revoking TD SYNnex multifactor authentication registrations.
- Enrolling, inspecting, wiping, or evaluating TD SYNnex endpoints, other than through a device claim the customer has elected to trust.
- Assigning licenses, mailboxes, or self-service password reset policy to a TD SYNnex engineer.
- Viewing, dismissing, or remediating user risk for a TD SYNnex identity, or forcing a password reset in response to that risk.
- Applying Privileged Identity Management, access reviews, or lifecycle workflows to TD SYNnex engineers, all of which are governed in the TD SYNnex tenant and by the GDAP relationship.
- Deleting the TD SYNnex organization entry from cross-tenant access settings while a CSP relationship is in place.

The controls that remain available to the customer are substantial and should be presented as such.

- A Conditional Access policy that blocks service provider users, scoped by tenant identifier, which denies partner access immediately and completely.
- Network, country, device platform, client application, and target resource conditions applied to partner sessions.
- The composition of the GDAP relationship itself, comprising the Entra roles granted, the security groups mapped to those roles, the duration of the relationship, and its termination.

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

- Full audit visibility. Partner activity is recorded in the customer Microsoft Entra sign-in and audit logs against a named engineer identity, and relationship lifecycle events are recorded in the Partner Center activity log.

3.9. Failure Modes and Diagnosis

The failure modes below account for the majority of partner access incidents. In each case the customer tenant is the point of remediation, and the diagnosis is confirmed from the customer Microsoft Entra sign-in logs by filtering on the engineer user principal name and inspecting the Conditional Access tab of the sign-in record.

<i>Symptom</i>	<i>Probable Cause</i>	<i>Resolution</i>
All partner access denied immediately after GDAP approval	A policy assigned to all users, or to guest and external users with all external types selected, applies a block or an unsatisfiable grant.	Exclude the service provider user type, scoped to the TD SYNnex tenant identifier, from the policy. Confirm the exclusion using the What If tool.
Access denied where the customer requires a compliant device	No device claim is present because TD SYNnex compliance is held in the TD SYNnex corporate tenant.	Exclude service provider users from the policy.
Access denied on a policy requiring an approved client app or app protection policy	The control requires device registration in the customer tenant and cannot be satisfied by an external identity.	Exclude service provider users from the policy. There is no configuration that allows the control to succeed.
Access denied following a risk detection	A user risk policy requiring password change or risk remediation has been applied to external users.	Exclude external users from user risk policies. Risk for the partner identity is remediated in the TD SYNnex tenant.
Access denied for specific engineers or from a new location	A named location or country condition does not include the engineer egress address.	Exclude service provider users from the policy.
Access succeeds for some workloads and fails for others	The policy is scoped to specific target resources, commonly the Microsoft Azure management interface or administrative portals.	Review the target resource assignment and align the exclusion scope across all policies required for the delivery scope.
Access denied where an authentication strength is required	The method used in the TD SYNnex tenant is not accepted as a home tenant method, or does not meet the configured strength.	Exclude service provider users from the policy. TD SYNnex is currently only supporting Microsoft Authenticator.

3.10. Recommended Customer Configuration Pattern

The pattern below is recommended for customers that intend to retain partner administration while maintaining a restrictive external access posture. It should be presented during onboarding and revisited whenever the customer changes their Conditional Access baseline.

1. Do not apply a blanket block to all external user types. Separate partner administration from guest collaboration in policy design.

2. Author an explicit policy for the service provider user type scoped to the TD SYNnex tenant identifier, and apply the constraints appropriate to the engagement.
3. Author a second policy that blocks the service provider user type for all other tenants, which prevents any unapproved partner from establishing administrative access.
4. Constrain partner access using conditions that are enforceable, principally network or named location, country, and target resource, rather than controls that cannot be satisfied.
5. Retain the Require multifactor authentication grant control. It is satisfied by the partner claim and preserves the customer policy statement without affecting availability.
6. Do not apply device compliance, app protection, approved client app, terms of use, or user risk controls to the partner scope unless the associated inbound trust has been configured and successfully tested.
7. Validate every change affecting the partner scope in report-only mode and with the What If tool before enabling it.
8. Treat the GDAP relationship as the primary access control. Grant least-privileged roles, set the shortest workable duration, and terminate the relationship when it is no longer required.

4. Definitions

Term	Definition
CSP	Cloud Solution Provider. The Microsoft partner program under which TD SYNnex transacts and supports Microsoft cloud services on behalf of end customers.
Indirect Provider	The distributor role within the CSP program, held by TD SYNnex, which provides services, support, and delegated administration to indirect resellers and their end customers.
GDAP	Granular Delegated Admin Privileges. The Partner Center capability that grants a partner granular, time-bound Microsoft Entra roles in a customer tenant, replacing the legacy Delegated Admin Privileges model.
DAP	Delegated Admin Privileges. The legacy partner access model that granted standing administrative access and did not provide the granular, time-bound scoping of GDAP.
Home Tenant	The Microsoft Entra tenant in which an identity is created and authenticated. For TD SYNnex personnel this is the Partner Center tenant.
Resource Tenant	The Microsoft Entra tenant that holds the resource being accessed and that evaluates access policy. In this document, the end customer tenant.
Conditional Access	The Microsoft Entra policy engine that evaluates signals after first-factor authentication and enforces grant, condition, and session controls on access.
Cross-Tenant Access Settings	The Microsoft Entra configuration that governs inbound and outbound access between organizations and defines which claims one organization trusts from another.
Inbound Trust Settings	The subset of cross-tenant access settings by which a resource tenant elects to trust multifactor authentication, compliant device, and Microsoft Entra hybrid joined device claims issued by an external tenant.

Service Provider User	The Conditional Access external user type representing a partner identity, such as a CSP engineer, accessing a customer tenant. It is a specialization of the B2B direct connect model.
B2B Direct Connect	The Microsoft Entra external identity model in which an external user authenticates in their home tenant and accesses a resource tenant without a directory object being created in that resource tenant.
Claim	An assertion carried within a security token that describes the identity or the manner in which authentication was completed, such as the multifactor authentication claim.
MFA	Multifactor authentication. Verification of an identity using two or more distinct authentication factors.
Authentication Strength	A Conditional Access grant control that specifies which combinations of authentication methods are acceptable for access to a resource.
Grant Control	The element of a Conditional Access policy that determines whether access is blocked or granted, and which requirements must be met before access is granted.
Session Control	The element of a Conditional Access policy that constrains the resulting session, including sign-in frequency and persistent browser session.
Named Location	A Conditional Access construct defining IPv4 ranges, IPv6 ranges, or countries that may be used as a condition and optionally marked as trusted.
ID Protection	Microsoft Entra ID Protection. The service that produces user risk and sign-in risk assessments consumed by Conditional Access.
Sign-In Risk	The real-time risk assessment of an individual authentication event, evaluated in the resource tenant for an external user.
User Risk	The cumulative risk assessment of an identity, evaluated only in the home directory of that identity.

5. Associated Documents

The following Microsoft documentation is authoritative for the behavior described in this note and should be consulted for current product detail.

- [Introduction to granular delegated admin privileges \(GDAP\)](#)
- [Overview: Cross-tenant access with Microsoft Entra External ID](#)
- [Configure cross-tenant access settings for B2B collaboration](#)
- [Authentication and Conditional Access for External ID](#)
- [Conditional Access: Users, groups, and workload identities](#)
- [Conditional Access: Grant controls](#)
- [Conditional Access: Session controls](#)
- [Conditional Access: Network assignment and named locations](#)
- [Overview of Conditional Access authentication strengths](#)
- [How Conditional Access authentication strengths work for external users](#)
- [Create and manage custom Conditional Access authentication strengths](#)
- [Microsoft Entra ID Protection for B2B users](#)

Conditional Access for CSP Logins



Type:	7. Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

- [Microsoft Entra sign-in logs](#)
- [View and export GDAP activity logs](#)

6. Document Approval

This document has been approved by:

- Manager, Cloud Sales Engineering

7. Document Revision History

<i>Number</i>	<i>Effective Date</i>	<i>Revision History</i>	<i>Author</i>
1.0	9/1/2026	Initial Draft	David

8. Appendix A – Customer Conditional Access Pre-Engagement Assessment

The assessment below should be completed with the customer identity or security team before the first administrative session, and repeated whenever either party changes its Conditional Access baseline, authentication methods, or network egress. Each item is verified in the customer tenant by a customer administrator; TD SYNEX does not require access to complete the review.

<i>Item</i>	<i>Verification</i>	<i>Impact If Not Addressed</i>
Policies assigned to all users	Identify every enabled policy assigned to all users and determine whether its grant control can be satisfied by an external identity.	Partner access denied at first sign-in with no diagnostic context available to the customer.
Policies assigned to guest or external users	Identify policies selecting all external user types and confirm whether the service provider user type is intended to be in scope.	Partner access denied by a policy authored for guest collaboration.
Service provider exclusion	Confirm that an exclusion or explicit allow exists for the service provider user type, scoped to the TD SYNEX tenant identifier.	Access is dependent on incidental policy scoping and will fail on the next baseline change.
Device-based grant controls	Determine whether any in-scope policy requires a compliant or Microsoft Entra hybrid joined device.	Access denied because no device claim is available for evaluation.
App protection and approved client app controls	Determine whether any in-scope policy applies either control.	Access denied unconditionally; the control cannot be satisfied by an external identity.
User risk policies	Determine whether user risk policies, including built-in ID Protection policies, include external users.	Access denied with no remediation path available in the customer tenant.
Network and country conditions	Confirm whether named location or country conditions apply to the partner scope.	Intermittent or regional access failures that are difficult to attribute. TD SYNEX support personnel are located globally.
Authentication strength requirements	Confirm whether authentication strength is required and identify the accepted methods.	Access denied where the method used in the home tenant does not satisfy the strength. TD SYNEX currently supports Microsoft Authenticator.
Target resource scoping	Confirm which administrative portals and workloads are in scope for the delivery engagement.	Partial access that presents as an intermittent fault during delivery.

Conditional Access for CSP Logins



Type:	7: Reference	Version:	1.0
Status:	Final	Effective:	9/1/2026

<i>Item</i>	<i>Verification</i>	<i>Impact If Not Addressed</i>
Validation	Confirm that the agreed configuration has been tested in report-only mode and with the What If tool, and record the result.	Configuration errors surface during production support rather than during onboarding.

10. Appendix B – Evidence and Audit Reference

The sources below provide the evidence required to attribute, audit, and troubleshoot partner administrative activity. They should be cited in customer security reviews to demonstrate that delegated administration is fully attributable.

Source	Location	Evidence Provided
Customer sign-in logs	Customer tenant, Microsoft Entra admin center, monitoring and health sign-in logs.	Each partner authentication, including the engineer user object id, home tenant identifier, cross-tenant access type of service provider, source IP address, client application, and the Conditional Access policies evaluated with their result.
Customer audit logs	Customer tenant, Microsoft Entra admin center, audit logs.	Every directory change made during a partner session, attributed to the named engineer.
Customer cross-tenant access settings	Customer tenant, External Identities, cross-tenant access settings, organizational settings.	The inbound trust configuration in force for the TD SYNnex organization.
Delegated admin relationship record	Customer tenant, Microsoft 365 admin center, partner relationships.	The roles granted, the relationship duration, and the customer's ability to terminate the relationship.
Partner Center activity log	TD SYNnex Partner Center, account settings, activity log.	Relationship lifecycle events, including creation, approval, and termination, with date, affected customer, action, and the partner that performed it.