Second Chair: pitch prep

Every function we have built, what it does for the advisor, and which of them a generic call overlay does not do. Written 2026-10-10 at 17:55 PT for the deck and the judges' questions (judging 8:30 PM). File paths are evidence if a judge asks "is that real?". Status notes say what is merged, what is on a branch, and what needs a key.

The answer to "isn't this just a Cluely wrapper?"

A Cluely-style overlay listens to a call and answers whatever was just asked. Second Chair does what a good second chair does in a client meeting: reads the advisor's own files beforehand, notices the moments that are not questions, checks every figure against those files in code, checks the client's stated facts against the live web, keeps answers inside what the advisor confirmed, and leaves a graded record compliance can sign off. The floating panel is one way to show the cards; the website shows the same cards.

Landing headline: "It reads your client, so you can focus on the answer."

Six things a generic overlay does not do

#	What	Evidence	What to show
1	**Figures are checked by code, not by the prompt.** A figure that is not in the advisor's own files loses its green label; a card whose spoken line carries an untraced figure is dropped.	`src/lib/provenance.ts`, `src/lib/engine/moment.ts`	Green, amber and red chips on a card; the source title and date on a green fact
2	**It catches moments that are not questions.** 11 kinds: objection, hesitation, contradiction, misunderstanding, buying signal, disclosure, emotional concern, priority change, commitment, unresolved concern, question. A misremembered figure is caught by code before the model is called.	`src/lib/types.ts`, `src/lib/engine/gate.ts`, `recall.ts`	The client misquotes the reserve; the card gives the plan's figure gently
3	**It checks the premise of the question against the live web** (new, PR #68). "Since the Fed cut rates by a full point last week, shouldn't we..." The card leads with a red "Check the premise" fact naming the source, and adds "Do not repeat as fact".	`src/lib/engine/premise.ts`, `brightdata.ts`	A client question built on a false fact
4	**It prepares before the meeting.** Reads up to 8 files, flags figures the files disagree on, predicts 3 to 5 likely worries with prepared answers, and checks market assumptions against live sources with dates.	`ingest.ts`, `anticipate.ts`, `preflight.ts`	The prep screen: "Your files disagree", likely worries, pre-flight sources
5	**It stays inside compliance bounds during the meeting.** A Mandate the advisor confirms; a defer forced in code for out-of-scope topics; the same answer when a question is reworded; a running picture of the client.	`mandate.ts`, `scope.ts`, `consistency.ts`, `picture.ts`	Ask an out-of-scope question; ask the same question twice in other words
6	**It is accountable afterwards.** Every card is stamped with its time and model, the advisor grades it, the record goes to the records app by a one-time id, compliance signs off, nobody can edit or delete. No transcript or audio in the record.	`src/lib/record.ts`, `docs/base44/README.md`	End screen, grades, "End meeting" opening the records app

Every function, by stage of the advisor's day

"Overlay?" says whether a generic call overlay does this too. **No** marks a difference worth saying out loud.

Before the meeting

Function	What it does for the advisor	Overlay?	Where
Read my files	Drop up to 8 files (PDF, Word, Excel, PowerPoint, CSV, images; 4 MB). Fills in the client file, the sources, and who the meeting is with and why. A figure not found in the files is left at zero and listed as missing.	No	`engine/ingest.ts`, `office.ts`, `components/prep/FileDrop.tsx`
Your files disagree	Flags a figure the files give differently (a $180K vs $200K reserve), naming each file. Kept only if code traces both values.	No	`ingest.ts`, `provenance.ts`
Mandate	Drafts the meeting's bounds: thesis, assumptions, risk stance, disclaimers, out-of-scope topics. The advisor edits it; a confirm box gates the start.	No	`engine/mandate.ts`, `prep/MandatePanel.tsx`
Likely worries	3 to 5 worries the client may raise, each with a reason, an editable prepared answer and labelled facts. Warns when an edit adds a figure not in the files.	No	`engine/anticipate.ts`, `prep/AnticipatedPanel.tsx`
Pre-flight	Checks up to 3 market assumptions (returns, inflation, withdrawal rate, rates, expenses) against live Google results through Bright Data, with a cited, dated source. Skips client-specific assumptions.	No	`engine/preflight.ts`, `brightdata.ts`
Hand entry, sample files, demo client	Type the client file in; or load the fictional demo client, Dana Whitfield.	Yes	`prep/ClientFileForm.tsx`, `src/data/demo.ts`
Data note	One plain sentence on what happens to meeting data, detail on click.	Yes	`DataNote.tsx`

During the meeting

Function	What it does for the advisor	Overlay?	Where
Moment card	Names the moment and the concern underneath. Leads with an answer of at most 40 words: acknowledge, connect to the goal, give the plan's figures, ask a question. Then your move, labelled facts with source and date, do-not-claim, and why.	No	`engine/moment.ts`, `moment-prompt.ts`, `meeting/Card.tsx`
Premise check (PR #68)	When a client states a public fact (rates, markets, tax rules, retirement accounts, news), checks it live and flags a false one with its source. Never holds the card more than 1.5 s.	No	`engine/premise.ts`
Quiet gate	Code decides which lines get a card: questions, plus statements carrying a worry, a life event, a changed goal or a figure. Small talk gets nothing.	No	`engine/gate.ts`
Misremembered figure	Checks each figure the client says against the materials, unit included, before the model call.	No	`engine/recall.ts`
Prepared answers used live	When a likely worry comes up, the card starts from the prepared answer; a turn touching a file conflict shows both values.	No	`engine/moment.ts`

Function	What it does for the advisor	Overlay?	Where
Same question, same answer	A reworded question keeps the earlier card's facts, move and do-not-claims.	No	`engine/consistency.ts`
Out-of-scope defer	Forces a polite defer when the client names an out-of-scope topic, even if the model did not defer.	No	`engine/scope.ts`
Word-meaning catch	Flags slang, or a word the client took differently ("scrutinize" heard as "audit"). Prompt rule only; no code check.	No	`moment-prompt.ts`
Client picture	Worries, things to learn, decisions, life events and requests, each open or resolved, tied to the turn it came up.	No	`meeting/Concerns.tsx`, `picture.ts`
Find in materials	Press `/` to search your own files instantly; no model call; figures highlighted.	Yes	`meeting/Find.tsx`, `findMatches.ts`
Live mic (website)	Browser speech-to-text (Chrome). Will not start until the all-parties consent box is ticked.	Yes	`speech/MicInput.tsx`
Demo replay	Next turn, auto-play, hide (H).	Yes	`src/app/meeting/page.tsx`

After the meeting

Function	What it does for the advisor	Overlay?	Where
End screen	Moments caught, concerns resolved and still open, the client picture.	No	`meeting/EndScreen.tsx`, `endSummary.ts`
Copy as tasks	One follow-up task per open concern or client request.	Yes	`replay.ts`
Card grades	Grade each card Helpful, Not needed or Wrong; each card carries its time and model ("canned" for fallback cards).	No	`EndScreen.tsx`, `record.ts`
Record and compliance app	End meeting downloads a JSON record (no transcript, no audio) and hands it to the records app by a one-time id that expires in an hour. Advisors read their own records, compliance reads all and signs off, nobody edits or deletes.	No	`src/lib/record.ts`, `docs/base44/README.md`

The desktop app (branch `LeavesJ/electron-gpu-ux-bottlenecks-9cf39f`, not merged)

Function	What it does for the advisor	Overlay?	Where
Regular Mac app	Dock icon, a normal window for prep; the meeting moves into the floating panel when it starts.	Yes	`desktop/src/main/home.ts`
Panel hidden from screen share	Always on top, even over full-screen apps; never takes focus from the call; excluded from screen capture (checked on macOS 26.3).	Yes	`desktop/src/main/overlay.ts`
Move, shrink, pass clicks	Drag by the bar, shrink to a thin bar, pass clicks to the call, move under the webcam.	Yes	`desktop/src/preload/bar.ts`
Hotkeys	Control+Option with H, Space, G, B, Right, P.	Yes	`desktop/src/main/controls.ts`

Function	What it does for the advisor	Overlay?	Where
Call audio and transcription	Captures system audio (macOS 14.2+), falls back to BlackHole, detects speech, transcribes in its own process. Needs `SC_STT_URL` (a Whisper-compatible endpoint).	Yes	`desktop/src/main/audio.ts`, `pipeline/`
Links from the website	"Open in the desktop app" carries the prep in the link fragment, so it never reaches a server.	Yes	`desktop/src/core/deepLink.ts`
Spoken notice	The consent box reads "I said: 'This meeting is being recorded.'" and gates the mic.	No	`desktop/src/preload/overlay.ts`

Guardrails that run on every answer

Guardrail	What it means	Where
Four labels	Every fact is a prepared fact (green, from the advisor's files), a calculation (amber, math shown), a suggestion (red) or a do-not-claim. An unknown label is downgraded, never upgraded.	`provenance.ts`
Number tracing	A figure must match its cited source, unit included; numbers written as words are rejected; a figure pinned to the wrong thing is downgraded. The Mandate, likely worries and pre-flight go through the same trace.	`provenance.ts`, `moment.ts`
Web facts stay red	Anything from the live web (pre-flight, premise check) is a suggestion, never a prepared fact. The premise check's cited link must be among its own search results, and its figures must trace to the claim or that result.	`preflight.ts`, `premise.ts`
No personal data to Google	A search query naming the client, whoever the meeting is with, an email, or an account or phone number is never sent.	`premise.ts` (`safeQuery`)
Mandate floors	Standard disclaimers always present; out-of-scope list never empty; lines with invented figures dropped.	`mandate.ts`
No pressure	No urgency, scarcity or fear framing; the aim is an informed decision, not a sale.	`moment-prompt.ts`
Prompt-injection guards	Uploaded text and search results are fenced as data and cannot act as instructions.	`ingest.ts`, `premise.ts`
Never a server error	Failures fall back; only the demo client ever gets canned cards.	`api/**`

How the build answers the judging criteria

Criterion	What we say	Proof
Creativity	Checks the question itself, not just the answer: false premise, misremembered figure, word heard wrong. Labels every number by where it came from.	Points 1 to 3
Real pain	A tester waited "fifteen or twenty minutes" in an empty room for a number from prepared documents. Another opened the Excel by hand to prove a client misremembered a figure.	Block 2, tester 1 (DEVLOG 16:25)
Hidden problem	Spotting the worry and answering it at the same time is what slips. In tester 2's words, it "is more difficult than if someone gives you an idea of what the worry is".	Block 2, tester 2 (DEVLOG 16:45)

Criterion	What we say	Proof
User feedback	Every Block 2 dislike became a feature: same answer when reworded (#41), grade each card so the record can be audited (#42), a plain data note (#40), anticipate worries (#38), misremembered figure (#30), file conflicts (#31), find in materials (#32). Block 1 asked for cited, dated sources and a tasks list.	`docs/DEVLOG.md` 14:15, 16:25, 16:45
Working live demo	Website with the demo client and replay, plus the desktop panel over a live call.	See risks 1 to 3 first

What needs a key, and what happens without it

Function	Needs	Without it
Live cards	`ANTHROPIC_API_KEY`	Canned cards, for the demo client's script only (4 cards). Any other client gets no card.
Reading files	`ANTHROPIC_API_KEY`	Text files only; no PDFs or images; blank client file.
Mandate draft, likely worries	`ANTHROPIC_API_KEY`	The demo Mandate; no likely worries.
Pre-flight	`ANTHROPIC_API_KEY`, `BRIGHTDATA_API_KEY`	Every assumption shows "unverified".
Premise check	`ANTHROPIC_API_KEY`, `BRIGHTDATA_API_KEY` (zone defaults to `serp_api1`); `PREMISE_CHECK=0` turns it off	Silently off; cards unchanged.
Records app	`NEXT_PUBLIC_BASE44_URL` and the Supabase variables	JSON download only.
Desktop live transcription	`SC_STT_URL` and its key	Replay only.

Risks to settle before judging

1. **The live site may be behind main.** Vercel's build rate limit has held production at #52 since about 17:10. PR #68's preview at 17:49 was refused with "retry in 24 hours". Not on the live site: #30, #37, #38, #39, #40, #42, #43 and the premise check. Demo from a local build of main, or confirm the deploy first.
2. **The desktop app is on a branch** and loads the production URL unless `SC_URL` is set, so it shows the #52 site by default. Point it at the build you demo from.
3. **The premise check is on PR #68, unmerged.** Its real Bright Data path has not been run: the key is blank on our laptops, and the live tests used real Claude with hand-written search results. Run it once on a deploy before showing it, and do not quote the Fed figures from our tests as real.
4. **Screen-share hiding is the most Cluely-like part.** Frame it as hidden from the client's view of the screen, never hidden from the client: the advisor says "This meeting is being recorded" before the mic starts, and the record goes to compliance. The desktop app hides the page's "everyone agreed" banner by default for testing (`SC_CONSENT_BANNER=1` shows it). California requires all-party consent; this is a design constraint, not legal advice.

5. **Do not overclaim.** The website mic cannot tell speakers apart (the model guesses; a click flips the label). The word-meaning catch is a prompt rule, not code-checked. Windows is untested, and real Zoom or Meet screen sharing has not been tried with the panel.