

The off-shell domination theorem (rigorous): off-shell modes are strictly

TECT verification-first repository · claim B5-BEYOND-LAYER-BOUND

first issued 2026-06-10 · this version issued 2026-06-10 · v1.1

1. Purpose and scope

The v1.0 off-shell domination used a leading-order interaction-gain estimate ($C_{\text{int}} = O(I/N)$ with an $\times 30$ margin). The operator directive is to close it completely and robustly. This re-issue removes the estimate: the off-shell stability is a rigorous corollary of three already-established facts, and the same corollary removes Blocker C. Scope: lattice competitors, operating endpoint $I = 2 \times 10^{-3}$, ROBUSTNESS-MU2 band.

2. The theorem (rigorous)

Theorem. For a competitor with an off-shell component A_{off} on a distinct shell $|k|^2 = q_0^2 + \delta$ ($|\delta| \geq q_0^2$, nearest distinct radius $\sqrt{2}q_0$), the off-shell Bogoliubov stability ratio satisfies

$$\rho_{\text{off}} := \frac{|\Sigma_{\text{cond}}(k_{\text{off}})|}{K_0(k_{\text{off}})} \leq R_{\text{lead}} \frac{r_R}{r_R + c\delta^2} < R_{\text{lead}} < 1.$$

Proof. The off-shell mode's quadratic free-energy coefficient is $K_0(k_{\text{off}}) + \text{Hess}^{\text{MF}} + \Sigma_{\text{cond}}(k_{\text{off}})$, with:

- (a) *Condensate coupling.* The on-shell stability $R_{\text{lead}} < 1$ (T-018/T-020) states $|\Sigma_{\text{cond}}| \leq R_{\text{lead}} r_R$ for the condensate-induced off-diagonal coupling. The bound uses $B(|Q|) \leq B_{\text{max}}$, which holds for ANY transfer – on or off shell – so $|\Sigma_{\text{cond}}(k_{\text{off}})| \leq R_{\text{lead}} r_R$.
- (b) *Kinetic excess.* $K_0(k_{\text{off}}) = r_R + c\delta^2 > r_R$: the off-shell mode must overcome a STRICTLY LARGER diagonal, reducing the ratio by $r_R/(r_R + c\delta^2) < 1$.
- (c) *Mean-field convexity.* $\text{Hess}^{\text{MF}} = +\frac{3}{2}u_{\text{eff}} \geq 0$ in every direction (T-019 local-functional convexity, Q -independent), so it ADDS stability and the only competing term is Σ_{cond} , bounded in (a).

Hence $\rho_{\text{off}} \leq R_{\text{lead}} r_R/(r_R + c\delta^2) < R_{\text{lead}} < 1$. $\square$

Numerically: $R_{\text{lead}}(13) = 0.650$, $r_R = 0.3045$, $c\delta^2 = 0.214$, so $\rho_{\text{off}} \leq 0.650 \times 0.587 = 0.381 < 0.650 < 1$ – the off-shell mode is $\times 1.70$ more stable than the on-shell mode. Robust across $[\times 0.5, \times 2]$ (worst $\rho_{\text{off}} = 0.384$).

3. Corollary: Blocker C is removed

The H-LAYER closure had a comfortable margin on the registered $T' \leq 13$ class ($R_{\text{lead}} = 0.650$, joint = $\times 1.097$) but a razor-thin one on the adversarial class ($T' \leq 20$, $R_{\text{lead}} = 0.974$, $\times 1.026$ – Blocker C). The razor-thin case came from the $T' = 20$ escape, which is MULTI-RADIUS (off-shell). By the theorem, off-shell competitors are strictly more stable (excluded as instabilities). A competitor with $T' > 13$ requires either off-shell (multi-radius) modes – now excluded – or more than n_{pack} modes (super- n_{pack} , Boundary 2, excluded by packing). Therefore EVERY surviving competitor is on-shell with $T' \leq 13$, where the margin is COMFORTABLE ($\times 1.54$). Blocker C is removed: the razor-thin margin was an off-shell artefact, not a property of any surviving physical competitor.

4. Status (Blockers A and C closed)

T6-CANDIDATE. The off-shell domination is rigorous (corollary of $R_{\text{lead}} < 1$ + kinetic excess + convexity), closing Blocker A; and the on-shell-survivor corollary closes Blocker C. The remaining T7 obstruction is Blocker B: the inherited thin-certified grades ($R_{\text{max}} = 0.385$, sunset $S = 1.13$, anchoring) $\rightarrow$ theorem-grade certificates. No tier flip: B1/B2 T6 on {H-LAYER}, B5 T5.

5. Devil's-advocate / self-adversarial review (CLAUDE.md 6.3)

- (α) “ $|\Sigma_{\text{cond}}(k_{\text{off}})| \leq R_{\text{lead}} r_R$ assumes the off-shell coupling is no larger than on-shell.” JUSTIFIED: R_{lead} 's coupling bound uses $B \leq B_{\text{max}}$ (the maximum bubble over ALL transfers); the off-shell transfer's bubble is also $\leq B_{\text{max}}$, so the bound transfers conservatively. The kinetic excess $c\delta^2$ then strictly reduces the ratio.
- (β) “ $T' > 13$ might be reachable on-shell.” ADDRESSED: the $T' \leq 13$ pin (T-014/T-015) is over the on-shell admissible class (single-shell + angular shell-union, all $|k| = q_0$); exceeding it requires multi-radius (off-shell) or super- n_{pack} , both excluded. The $T' = 20$ escape was explicitly multi-radius.
- (γ) “Does this flip B1/B2?” DISMISSED: no. It closes Blockers A and C (two of three); Blocker B remains. B1/B2 stay T6 on {H-LAYER}.

Quantitative sanity check (mandatory): *ratio* $\rho_{\text{off}} = 0.381 < R_{\text{lead}} = 0.650 < 1$ ($\times 1.70$); *inheritance* $R_{\text{lead}} < 1$ established, $c\delta^2 = 0.214 > 0$, $+\frac{3}{2}u_{\text{eff}} = 4.03 \geq 0$; *corollary* on-shell survivors $T' \leq 13 \Rightarrow \times 1.54$; *band* worst $\rho_{\text{off}} = 0.384 < 1$.

6. Result footer

Result ID: B5-BEYOND-LAYER-BOUND / off-shell domination theorem (rigorous, v1.1)

Precise statement: $\rho_{\text{off}} = |\Sigma_{\text{cond}}(k_{\text{off}})|/K_0(k_{\text{off}}) \leq R_{\text{lead}} r_R / (r_R + c\delta^2) < R_{\text{lead}} < 1$, inheriting (a) on-shell $R_{\text{lead}} < 1$ (T-018/020, $|\Sigma_{\text{cond}}| \leq R_{\text{lead}} r_R$ via $B \leq B_{\text{max}}$), (b) off-shell kinetic excess $K_0(k_{\text{off}}) = r_R + c\delta^2 > r_R$, (c) mean-field convexity $+(3/2)u_{\text{eff}} > 0$ (T-019). $\rho_{\text{off}} = 0.381 < 0.650 < 1$ (off-shell $\times 1.70$ more stable), band-robust. COROLLARY: $T' > 13$ needs off-shell or super- n_{pack} (both excluded) $\Rightarrow$ survivors on-shell $T' \leq 13$, RES-1 comfortable $\times 1.54 \Rightarrow$ Blocker C removed. Blockers A and C closed; B (thin grades) remains.

Scope: Lattice competitors; operating endpoint $I = 2e-3$; ROBUSTNESS-MU2 band.

Dependencies: hdiag-offdiag-gershgorin-threshold v1.1 + classwide-secondcumulant-stability ($R_{\text{lead}} < 1$, T-018/020); offdiag-exchange-scalar-identification (T-019 convexity); offshell-operator-decision (T-024); aadm-exclusion-boundaries v1.1 (Boundary 2/3); Math424-AddA (K_0, r_R).

Evidence grade: ANALYTIC (corollary of established results) +

EXECUTED
(res5_026_offshell_domination_theorem.py v1.1
5/5).

Reproduction command: python
codes/vacuum/res5_026_offshell_domination_theorem.py

Expected output: rho_off=0.381 < R_lead(13)=0.650 < 1 (x1.70);
band-worst 0.384; 5/5.

Falsification gate: An off-shell transfer with B>B_max
(impossible, B_max is the max); or
an on-shell competitor with T'>13 (contradicts
the T-014/015 pin); or
R_lead>=1 (contradicts T-018/020).

Tier before / after: No tier flip. B1/B2 T6 on {H-LAYER}, B5 T5.
Blockers A (off-shell
admissibility) and C (adversarial razor-thin
margin) closed at theorem
grade (corollary of R_lead<1); Blocker B
remains for T7.

No-overclaim statement: Does NOT flip B1/B2 and does NOT complete T7.
It closes Blockers A and
C rigorously (inheriting established R_lead<1 +
kinetic excess +
convexity). Blocker B (R_max/sunset/anchoring
-> theorem-grade) remains.
B1/B2 stay T6 on {H-LAYER}.

Next required action: T7 Step 3 (Blocker B): R_max<0.634 certified
bound (via the official
Parseval-pinned Ghat4) + anchoring
interval-certificate; then the T7
proposition $F[Q] > F[G_*]$ for all Q in C_phys.