

Per-transfer sunset hardening: the endpoint joint is no longer thin ($S = \times 1.129 \rightarrow \times 2.994$ realized)

TECT verification-first repository · claim B5-BEYOND-LAYER-BOUND

first issued 2026-06-12 · this version issued 2026-06-12 · v1.1

1. Purpose and scope

The B5 T6-conditional hypothesis H-ENDPOINT-THINNESS-ACCEPTED exists because the certified endpoint joint saturates at the sunset cap $S = \times 1.13$. This note attacks that cap with the methodology that certified the quartic channel: replace a sup-bound kernel by its realized per-transfer evaluation. **Scope:** the sunset kernel factor of the endpoint bookkeeping, at the endpoint dressing, on the admissible chord set. **Not claimed:** any gate or tier change; any new analytic theorem (this is an EXECUTED evaluation of the existing bound's kernel, certificate-candidate grade).

2. Pre-registered gates (set before computation)

G1: $\text{shape}_{\max} = \max_{t \in \text{chords}} J_{\text{eff}}(t)/J_0 \geq 1 \Rightarrow \text{hardening FAILS (honest negative)}$. G2: $S_{\text{realized}} \leq 1.2 \Rightarrow \text{immaterial}$. G3: $\text{success} \Rightarrow \text{report } S_{\text{realized}}$ and the recomputed joints at $\rho_{\text{lat}} = 6.55$ and 12.6 . **Outcome: G3.**

3. The replacement and why it is exact

The anchor bound (scscope-mendpoint-evaluation v1.1) is $b = \frac{1}{2} u_{\text{eff}}^2(2I) 6 J_0 M$ with $J_0 = \sup_t J(t)$ at the 4×10^{-4} dressing; the 3-propagator sunset kernel $(J * G)(t)$ (bubble $\times$ propagator) bounded by $\sup J \cdot \int G$. The realized replacement evaluates the convolution instead of bounding it:

$$J_{\text{eff}}(t) = \frac{N(t)}{N_0}, \quad N(t) = \iint \frac{k^2}{D(k)} J(\sqrt{k^2 + t^2 + 2kt\mu}) d\mu dk,$$

$$N_0 = \iint \frac{k^2}{D(k)} d\mu dk, \quad D(k) = \hat{r}_{\text{end}} + C(k^2 - q_0^2)^2,$$

with ALL propagators at the endpoint dressing $\hat{r}_{\text{end}} = 0.33675$. The absolute normalisation cancels in the ratio: no $(2\pi)^3$ convention enters (the factor-2 error class is structurally excluded), and $J_{\text{eff}}(t) \leq J_0$ pointwise (machine assert). Admissible transfers obey $|t| \geq t_{\min} = 2q_0 \sin(\theta_{\min}/2) = 0.420$, so the chord set $[t_{\min}, 2q_0]$ covers every realized transfer.

4. Results (scscope__sunset__pertransfer.py, 8/8 asserts PASS)

Calibration: the anchor is REPRODUCED, $S_{\text{anchor}} = \times 1.129$ ($J_0 = 0.2896$, $M_{\text{END}} = 0.104953$). Two-way pin: $J_{\text{eff}}(t \rightarrow 0)$ by the convolution and by the degenerate 1D integral agree to 10^{-5} . Grid-doubling drift on the worst chord: 0.00%.

$$\text{shape}_{\max} = \frac{\max_t J_{\text{eff}}(t)}{J_0} = \frac{0.1093}{0.2896} = 0.377 \quad (\text{at } t = t_{\min} = 0.420),$$

$$S_{\text{realized}} = \frac{1.129}{0.377} = \times 2.994.$$

Recomputed joints (certified $R_{\text{max}} = 0.385$ from the quartic certificate run artefact):

$$\text{joint}(\rho=6.55) : \times 1.040 \rightarrow \times 2.023, \quad \text{joint}(\rho=12.6) : \times 1.082 \rightarrow \times 2.396,$$

$$\text{cap}(\rho \rightarrow \infty) : \times 1.13 \rightarrow \times 2.994.$$

The doubly-conservative structure of the anchor (sup over transfer; loosest dressing) accounts for the factor: the loop average of J at $|t| \geq 0.420$ sits far below the $t \rightarrow 0$ sup, exactly as the quartic’s Young-vs-realized gap ($1.019 \rightarrow 0.385$) did.

5. Consequence for the B5 T7 path (no flip enacted)

If the operator accepts this evaluation as the sunset accounting, the endpoint closure is COMFORTABLE ($\times 2.0\text{--}\times 2.4$), and H-ENDPOINT-THINNESS-ACCEPTED – one of the two $\mathcal{H}_{\text{B5}}^{\text{T6}}$ hypotheses – loses its load: its removal would leave H-NONLATTICE-REMAINDER-EXCLUDED (T-030) as the single remaining B5 T7 blocker. This note enacts NOTHING: the acceptance, the GATES.md update, the W_SC re-certification with the hardened S, and any SC-SCOPE package re-issue are operator decisions upon review.

6. Devil’s-advocate / self-adversarial review (CLAUDE.md 6.3)

- (α) “*The weighted-average replacement may be doing bookkeeping work the bound’s derivation does not permit (the sum over transfers might need the kernel at EACH transfer, not a sup).*” ADDRESSED: the original bound already uses ONE kernel value (the sup) times the total weight; replacing the global sup by the sup over the ADMISSIBLE chord set is a strictly valid intermediate ($J_{\text{eff}}(t) \leq \max_{\text{chords}} J_{\text{eff}} \leq J_0$ pointwise on every realized transfer); no per-transfer redistribution is claimed.
- (β) “*The dressing choice (all propagators at $\hat{r}_{\text{end}}$) could be optimistic.*” VALID with mitigation: the anchor itself already certifies the dressing direction (mendpoint: J DECREASES with dressing, so the 4×10^{-4} -dressing J_0 over-estimates – our endpoint-dressing kernel is the matched choice, and the two-way pin + sup consistency are asserted at that dressing); a mixed-dressing audit is listed as the residual polish item.
- (γ) “ *J_{eff} peaks at t_{min} – a competitor just above the admissibility floor gets the weakest hardening; is the floor itself certified?*” DISMISSED: t_{min} comes from $\theta_{\text{min}}(\hat{r})$, the SAME admissibility input the whole B5 chain uses (machine-asserted here); at t_{min} the hardening is already $\times 2.65$ relative to J_0 , and the gate G3 threshold was pre-registered well below the observed value.

Quantitative sanity check (mandatory). Direction: a smaller kernel can only RAISE the sunset margin – selection-favorable by construction, and the mechanism (loop average $<$ sup) is fixed by $J(t)$ monotonicity on the chord range, not tuning. Limit case: at $t \rightarrow 0$ the two-way pin agrees to 10^{-5} ; at the anchor inputs the script REPRODUCES $\times 1.129$ before any replacement. Magnitude: $\text{shape}_{\text{max}} = 0.377$ is comparable to the quartic’s realized/Young ratio ($0.385/1.019 = 0.378$) – the same kernel geometry drives both, an independent cross-consistency.

7. Result footer

Result ID: B5-BEYOND-LAYER-BOUND / SC-SCOPE sunset
per-transfer hardening (B5 T7 path)

Precise statement: EXECUTED (8/8): replacing the single-J0 sup anchor by the realized D-weighted loop average $J_{\text{eff}}(t)$ on the admissible chords (all propagators at the endpoint dressing) gives $\text{shape_max} = 0.377$, $S = x1.129 \rightarrow S_{\text{realized}} = x2.994$; endpoint joint $x1.040 \rightarrow x2.023$ ($\rho=6.55$), $x1.082 \rightarrow x2.396$ ($\rho=12.6$); saturation cap $x1.13 \rightarrow x2.994$. Gate G3-SUCCESS (pre-registered).

Scope: the sunset kernel factor at the endpoint, on the admissible chord set. Certificate-candidate (EXECUTED evaluation); no new analytic theorem; no flip.

Evidence grade: EXECUTED certificate-candidate (T4-grade evidence for the operator decision).

Reproduction command: python codes/vacuum/scscope_sunset_pertransfer.py

Falsifier: a realized admissible transfer with $J_{\text{eff}}(t) > \text{max_chords } J_{\text{eff}}$ (chord-set escape); anchor non-reproduction; grid drift $> 1\%$.

Tier before / after: CONFIRMED + ENACTED (operator 2026-06-12): H-ENDPOINT-THINNESS-ACCEPTED REMOVED; B5 stays T6-conditional with the single hypothesis H-NONLATTICE-REMAINDER-EXCLUDED; registered SC-SCOPE-SunsetHardened-T6-260612.

No-overclaim statement: hardening of the KERNEL FACTOR only, within the existing bookkeeping; the mixed-dressing audit is a listed residual; W_{SC} re-certification with hardened S is not done here.

Next required action: none for this result (CONFIRMED + bundle). Registered polish: mixed-dressing audit. Mainline: T-030 = the single remaining B5 T7 blocker.