

*POST-2026-05-26 REWRITE BANNER (D-tier, binding 2026-05-26 EOD)* This paper is a D-tier (REWRITE) entry per Docs/policy/PAPERS\_REVISION\_PLAN\_2026\_05\_26.md. The original body is preserved as historical reference; the post-2026-05-26 reclassification re-frames the paper's claims as documented below. Reader: treat the original abstract / introduction / conclusion as DRAFT-stage content superseded by this banner.

**Canonical TECT positioning (binding 2026-05-26):** *TECT is an emergent vacuum-and-gravity framework (7 C1 pillars at T6/T7) with an unresolved gauge-sector completion (Pillar 6 standard routes EXHAUSTED) and phenomenological dark-matter/quantum-origin pillars open.* TOE-level claim SUSPENDED until non-standard rescue independently derived (per Math411-AddB §10).

**Post-cascade re-framing for this paper:** Paper-04 presents the Pillar 4 gauge-group emergence programme (SO(10) bundle, three sub-tasks). Post-2026-05-26, sub-task 3 (SO(10)  $\rightarrow G_{\text{SM}}$  breaking chain) is downgraded from T6 PROVED CONDITIONAL on Pillar 6 to **T1 INSUFFICIENT** because all four standard Pillar 6 promotion routes are now EXHAUSTED. Sub-tasks 1 (fibre-bundle foundation, Math162) and 2 (chiral index = 16, Math191+Math192) retain T6 PROVED CONDITIONAL status; the aggregate Pillar 4 tier remains T4 STRONG EVIDENCE but with the explicit sub-task 3 obstruction now stated.

**What survives:** Sub-task 1 (Math162+Math167 three-patch Čech closure:  $\mathbb{CP}^2$  base +  $SO(10)/SU(5)$  fibre +  $c_1 = 1$ ). Sub-task 2 ( $\text{ind}(D_E^c) = 16$  via  $c_1(U(1)_\chi) = 0 + c_2(E_{SU(5)}) = 0$ , Math191+Math192). These are C1-territory results that DO NOT depend on Pillar 6 dynamical realisation.

**What is downgraded:** Sub-task 3 algebraic breaking chain (Math175): T6 conditional on Pillar 6  $\rightarrow$  T1 INSUFFICIENT post-Pillar-6-EXHAUSTED. The algebraic chain “ $SO(10) \rightarrow SU(5) \times U(1)_\chi \rightarrow SU(5) \rightarrow G_{\text{SM}}$ ” is a group-theoretic statement that survives, but the dynamical-realisation prerequisite (Pillar 6 Higgs mechanism) has no standard-framework closure path.

**Forward path:** Sub-task 3 promotion requires either (a) a non-standard Pillar 6 rescue (Math411-AddB-AddA fermion-condensate aux channels; Math411-AddB-AddB holographic/dim-reduction emergence) to be independently derived, or (b) axiom extension to bypass the Higgs-mechanism gate. Without (a) or (b), sub-task 3 is structurally OPEN.

*See: Math411-AddB §10 (canonical reclassification); Paper-04 sub-tasks 1+2 (unchanged); Math175 (algebraic chain, T7 group-theoretic).*

---

**Pillar 4 of the Topological Energy Condensate Theory:  $SU(5) \times U(1)$  gauge emergence from BCC topological defects on  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$ , Cartan-forcing algebraic closure, triple verification, and the F-GAP4 verdict shell**

Jusang Lee\*

*Independent researcher, Republic of Korea*

(Dated: May 27, 2026)

We present the Pillar-4 atomic theorem of the Topological Energy Condensate Theory (TECT): the emergence of an  $SU(5) \times U(1)$  gauge structure from the topological-defect sector of the BCC condensate, formulated on the canonical Kähler base  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$ . The result is the conjunction of three sub-task theorems: (i) existence and properties of an  $SO(10)$ -structured BCC-defect bundle  $E \rightarrow \Sigma_0$  with explicit four-chart Čech atlas and lifted transition functions; (ii) representation-theoretic decomposition of  $E$  under the cubic point group  $O_h$  with emergent  $SU(5)$  breaking; (iii) Cartan-forcing algebraic closure of the  $SO(10) \rightarrow SU(5) \times U(1) \rightarrow SM$  chain via a first-principles re-derivation of the  $O_h$ -character table by Weyl formula and Frobenius reciprocity. The atomic claim carries the canonical tier **T6 PROVED CONDITIONAL** on a thirteen-hypothesis set  $\mathcal{H}_{\text{atomic}} = \{H1.1, H2.1\text{--}H2.7, H3.1, H_{\text{task}}\}$ , of which eight are at T6, two at T7 (textbook Kähler and Cartan-forcing), and one (the  $H_{\text{task}}$  realisation gate for F-GAP4-DEFECT-MASS, deadline 2026-05-14) is a programme-completion condition that does NOT downgrade the proof-rigor tier per the Math302 carve-out. The result has been verified at three independent levels: (V1) original promotion (Math268–269); (V2) external defense programme of five hostile-referee attacks (Math270–275), all DISCHARGED or MITIGATED in the Math276 cross-turn audit (OUTCOME A); (V3) two third-order audits of the load-bearing Lemmas A and B (Math277, Math278), both OUTCOME A. The F-GAP4-DEFECT-MASS verdict shell (Math300 + Math311) maps the defect-mass eigenvalue  $\hat{\lambda}_{\min}(\square_E)$  deterministically to a window-verdict  $\mu_{\text{defect}} \in [10^{13}, 10^{17}] \text{ GeV}$  with solver/grid certificates: PASS upgrades the canonical realisation tier, FAIL activates the Math246 contingency routes (B = twisted compactification, C = orbifold cover, D = heterotic Calabi–Yau 3-fold), DEFER triggers Math246 Task Q escalation. The verdict shell is explicitly a window check, not a  $\pm 5\%$  precision prediction. The earlier  $\mathbb{CP}^2$ -based version of the programme is preserved in the companion top-impact paper TI-1 as a background algebro-geometric correction to the spin-c index calculation; the present Pillar-4 paper operates on the canonical  $\Sigma_0$  base introduced in Math288 and explicitly constructed in Math305.

---

\* [jtkor@outlook.com](mailto:jtkor@outlook.com)

## I. INTRODUCTION AND STRUCTURAL CONTEXT

Pillar 4 of the TECT framework is the structural-emergence theorem that the  $SU(5) \times U(1)$  gauge sector of the candidate Standard-Model embedding arises from the topological-defect sector of the BCC condensate, rather than being imposed as an external postulate. The present paper reports the canonical Pillar-4 atomic theorem in its current form (Rev 3, 2026-05-03) following the post-defense final consolidation (Math279) and the explicit  $\Sigma_0$ -realisation construction (Math305 + Math288). The result is conditional on an explicitly enumerated hypothesis set, not unconditional; the conditional structure is tracked separately at the proof-rigor level and at the realisation-gate level per the Math302 carve-out.

The structural development is organised in three layers. *First*, the Pillar-4 atomic statement (§II) is a conjunction of three sub-task theorems and a cumulative hypothesis set  $\mathcal{H}_{\text{atomic}}$  of thirteen hypotheses; the composite tier under the internal audit-policy minimum rule is T6 PROVED CONDITIONAL. *Second*, the explicit  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$  Čech atlas with lifted  $SO(10)$  transition functions is constructed in §III (after Math305). *Third*, the F-GAP4-DEFECT-MASS verdict shell (Math300 + Math311) and the Math288 defect-mass formula derivation are summarised in §IV: the verdict is a window-shell decision tree, not a precision prediction.

The historical  $\mathbb{CP}^2$ -based version of the Pillar-4 programme (Math162 Čech construction; Math174 explicit  $c_2 = -40$  Chern-class calculation; Math191–192  $c_1, c_2$  from principal connections) is preserved in the companion top-impact paper TI-1 as a background correction to the spin-c index formula on  $\mathbb{CP}^2$ . The transfer of the topological certificate from  $\mathbb{CP}^2$  to  $\Sigma_0$  is established by the Math270 Theorem 270.1 (T7-rigorous splitting-principle certificate transfer).

## II. PILLAR-4 ATOMIC THEOREM AND THE HYPOTHESIS SET

### A. The Brazovskii operating point and the $\Sigma_0$ base

The TECT condensate carries the Brazovskii free energy

$$\mathcal{F}[\Psi] = \int d^3x \left[ \frac{1}{2} |\nabla \Psi|^2 + \mu^2 |\Psi|^2 + \frac{\lambda}{4} |\Psi|^4 + \text{higher-order} \right], \quad (1)$$

at locked parameters  $(\mu^2, \lambda, \gamma) = (0.26, -0.43, 1.62)$  in dimensionless lattice units  $a_{\text{BCC}} = 1$ . The Pillar-4 realisation programme operates on the canonical Kähler base  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$  introduced in Math288 and constructed explicitly in Math305 (§III below).

## B. The three sub-task theorems

**Theorem 1** (Pillar-4 atomic, conjunction of three sub-tasks). *The Pillar-4 atomic statement is the conjunction of:*

1. **Sub-task 1** (Math162 + Math164 + Math170 + Math305): *existence and properties of a holomorphic vector bundle  $E \rightarrow \Sigma_0$  with structure group  $SO(10)/SU(5)$ , first Chern class  $c_1(E) = 0$  in the  $SO(10)$  traceless adjoint and  $c_1^{(j)} = 1$  on each  $\mathbb{P}^1$  factor ( $j = 1, 2$ ), and moduli space  $\pi_1(M_{\text{BCC}}) = \{e\}$  (trivial fundamental group on physically relevant BCC configurations);*
2. **Sub-task 2** (Math238 + Math239 + Math248 + Math266 + Math267): *decomposition of  $E$  into irreducible representations under the cubic point group  $O_h$ , with an emergent  $SU(5)$  structure characterising the breaking pattern of  $SO(10)$  under the Cartan-forcing condition  $\{\hat{D}_i, \hat{D}_j\} \sim c_{ij} O_h$  on the defect space;*
3. **Sub-task 3** (Math229 + Math275, with Math277+Math278 third-order audits): *algebraic closure of the symmetry-breaking chain  $SO(10) \rightarrow SU(5) \times U(1) \rightarrow \text{SM}$  via representation-theoretic decomposition under  $O_h$ , independent of the base geometry, with dual verification routes (Route A group-theoretic, Route B geometric).*

The composite tier under the internal audit-policy minimum rule is

$$T_{\text{Pillar4}} = \min(T_1, T_2, T_3) = \min(T_6, T_6, T_6) = T_6 \quad \text{PROVED CONDITIONAL}$$

on the hypothesis set  $\mathcal{H}_{\text{atomic}}^{\text{final}}$  enumerated in §II C below.

## C. The thirteen-hypothesis set $\mathcal{H}_{\text{atomic}}^{\text{final}}$

The thirteen hypotheses underpinning Theorem 1 are enumerated below with their individual tiers (per Math279 §4):

a. *Sub-task 1.*

- **H1.1** (BCC fibre-bundle on  $\Sigma_0$  via topological certificate transfer): T6 PROVED CONDITIONAL per Math162 + Math270 Theorem 270.1.

b. *Sub-task 2.*

- **H2.1** ( $\Sigma_0$  is a Kähler base): T7 PROVED (textbook).

- **H2.2** (Math250 separation ansatz  $\Psi(x, \mathbf{k}) = \phi_0(x) \times f_k$ ): T6 PROVED CONDITIONAL.
- **H2.3** (Donaldson–Uhlenbeck–Yau polystability of  $E$ ): T6 PROVED CONDITIONAL per Math253.
- **H2.4** ( $O_h$  embedding of the defect spinor representation, first-principles re-derivation): T6 PROVED CONDITIONAL per Math263 + Math275.
- **H2.5** (BRST Faddeev–Popov determinant lower bound, on the separable ansatz): T6 PROVED CONDITIONAL per Math260 + Math274 tier-split (separable T6, full T4).
- **H2.6** ( $\hbar$  matching functional, structural form): T6 PROVED CONDITIONAL per Math261 + Math273 STRUCTURAL/PHYSICAL distinction.
- **H2.7** (Higgs-potential stability with electroweak minimum): T6 PROVED CONDITIONAL per Math257.

c. *Sub-task 3.*

- **H3.1** (Cartan forcing  $\{\hat{D}_i, \hat{D}_j\} = c_{ij}(x)\mathcal{O}_h$  implies  $SU(5) \times U(1)$  up to discrete quotients): T7 PROVED per Math229, audit-confirmed by the third-order audits Math277 + Math278.

d. *Realisation gate (programme-completion condition).*

- **H<sub>task</sub>** (Task #156 numerical closure of the  $\Sigma_0$  HYM realisation by the 2026-05-14 hard deadline): T2 CONJECTURE (binding pre-registered assumption per Math270 Theorem 270.2 contingency clause).

#### D. Composite-tier rule and the Math302 carve-out

A literal application of the composite-tier rule  $T_{\text{composite}} = \min$  over the thirteen hypothesis tiers gives

$$\min(\text{T6}, \text{T7}, \text{T6}, \text{T6}, \text{T6}, \text{T6}, \text{T6}, \text{T6}, \text{T7}, \text{T2}) = \text{T2},$$

because of the  $H_{\text{task}}$  realisation gate. This literal demotion is mathematically correct but pedagogically misleading.

The Math302 carve-out (*proof-rigor / realisation-gate distinction*) resolves this by separating the proof-rigor dimension (at which the mathematical content H1.1–H3.1 sits at T6/T7) from

the realisation-gate dimension ( $H_{\text{task}}$ , which is a programme-completion condition, not a defect of mathematical proof). Under the carve-out:

$$\boxed{\text{Pillar 4 atomic: } T6 \text{ PROVED CONDITIONAL on } \mathcal{H}_{\text{atomic}}^{\text{final}}} \quad (2)$$

The “CONDITIONAL” label carries the obligation to enumerate all conditions (§II C above); the “T6” label reflects the mathematical content tier;  $H_{\text{task}}$  is recorded as a separately tracked realisation risk per the canonical `TOE-FACT-SHEET.md` bookkeeping.

### III. EXPLICIT $\Sigma_0$ ČECH ATLAS AND LIFTED TRANSITION FUNCTIONS (MATH305)

The canonical realisation base  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$  has the standard 4-chart product atlas  $\{U_{ij}\}_{i,j \in \{0,1\}}$  where each factor  $\mathbb{P}^1$  carries its standard 2-chart cover  $U_0 = \{[z_0 : z_1] : z_0 \neq 0\}$ ,  $U_1 = \{[z_0 : z_1] : z_1 \neq 0\}$  with affine coordinate transition  $v = 1/u$  on  $U_0 \cap U_1 = \mathbb{C}^\times$ .

**Proposition 2** (Lifted  $SO(10)$  transition functions, after Math305). *The  $SO(10)$  gauge bundle on  $\Sigma_0$  inherits the Math162  $\mathbb{CP}^2$ -based transition functions via the product structure. The four-chart cover supports the six pairwise transitions*

$$g_{(0,0),(1,0)}(u, v) = \exp(i \arg(u) T_3), \quad (3)$$

$$g_{(0,0),(0,1)}(u, v) = \exp(i \arg(v) T'_3), \quad (4)$$

$$g_{(0,0),(1,1)}(u, v) = \exp(i \arg(u) T_3 + i \arg(v) T'_3), \quad (5)$$

$$g_{(1,0),(0,1)}(u, v) = g_{(1,0),(0,0)} \cdot g_{(0,0),(0,1)}, \quad (6)$$

$$g_{(1,0),(1,1)}(u, v) = g_{(0,0),(0,1)}|_{u \rightarrow 1/u}, \quad (7)$$

$$g_{(0,1),(1,1)}(u, v) = g_{(0,0),(1,0)}|_{v \rightarrow 1/v}, \quad (8)$$

where  $T_3, T'_3$  are commuting  $U(1)$  generators in the  $SO(10)$  Cartan subalgebra and  $\arg$  is the principal argument on  $(-\pi, \pi]$ . The cocycle condition  $g_{ab} \cdot g_{bc} = g_{ac}$  is verified by direct substitution; the transitivity rows are the resulting consistency constraints.

**Proposition 3** (Chern data on  $\Sigma_0$ , after Math305). *For the rank-45  $SO(10)$  adjoint bundle on  $\mathbb{P}^1 \times \mathbb{P}^1$  with the transition functions of Proposition 2: the first Chern class of each  $U(1)$  factor is  $c_1^{(j)} = 1$  in  $H^2(\Sigma_0, \mathbb{Z})$  ( $j = 1, 2$ ); the total  $c_1(E) = \text{tr}(F) = 0$  in the  $SO(10)$  traceless adjoint; the second Chern class  $c_2(E) = -\text{tr}(F \wedge F)/(8\pi^2)$  is convention-dependent at the generator-trace normalisation level, with order-of-magnitude estimate  $|c_2(E)| \sim 50\text{--}100$  (vs Math174  $c_2 = -40$  on*

$\mathbb{CP}^2$ ). *The exact value awaits the explicit Atiyah–Singer index computation Q-2026-05-29-Math305-c2-Sigma0-Numerical follow-up; this convention-dependent uncertainty does not affect the atlas construction itself.*

#### IV. F-GAP4-DEFECT-MASS VERDICT SHELL (MATH300 + MATH311)

##### A. Defect-mass formula derivation (after Math288)

The lowest defect mass on the BCC condensate is identified with the zero-mode eigenvalue of the covariant bundle Laplacian  $\square_E = D_A^* D_A$  acting on bundle-valued zero-form sections of  $E$ . For a holomorphic bundle with an HYM connection this operator is non-negative, and the smallest positive eigenvalue encodes the defect mass:

$$\mu_{\text{defect}}^2 \equiv \lambda_{\min}(\square_E) = \min \text{spec}(D_A^* D_A). \quad (9)$$

The dimensional matching uses  $a_{\text{BCC}}^{-1} \sim 10^{16}$  GeV (Math110-AddI, lattice action), which sets the natural scale of the  $\Sigma_0$  realisation programme.

##### B. Bogomolov-type eigenvalue bound (after Math288 §4.3)

For a holomorphic vector bundle  $E$  on a Kähler surface  $(X, \omega)$  with  $c_1(E) = 0$ , a Bogomolov-type inequality bounds the bundle Laplacian spectrum from below by a quantity involving  $c_2(E)$ , the volume of  $X$ , and the rank:

$$\lambda_{\min}(\square_E) \geq C_{\text{geo}} \cdot \frac{c_2(E)}{\text{vol}(\Sigma_0)} \cdot \min_{x \in \Sigma_0} |\det F_{A^*}(x)|, \quad (10)$$

where  $C_{\text{geo}}$  is a universal geometric constant ( $O(1)$  in natural units). The rigorous derivation of this inequality is the Q-2026-05-01-Math288-Proposition-4-3-1-Rigorous-Proof follow-up in the canonical OPEN-QUESTIONS.md.

##### C. The verdict shell (after Math311)

The F-GAP4-DEFECT-MASS verdict shell is a deterministic mapping from the numerical eigenvalue  $\hat{\lambda}_{\min}(\square_E)$  produced by Task #156 to a window verdict on  $\mu_{\text{defect}}$ :

$$\mu_{\text{defect}} \in [10^{13}, 10^{17}] \text{ GeV} \iff \text{F-GAP4 PASS}, \quad (11)$$

subject to additional HYM-solver convergence and grid-resolution gates per Math300 Definition. The decision tree on the verdict arriving at the 2026-05-14 hard gate is:

1. **PASS:** Math270 Theorem 270.2 upgrades T6  $\rightarrow$  T7 on the certificate transfer; Pillar 4 atomic promotes from T6 PROVED CONDITIONAL to a stronger conditional tier per the Math311 §?? canonical-record update.
2. **FAIL:** Math270 Theorem 270.2 is invalidated on  $\Sigma_0$ ; activate Math246 contingency routes B (twisted compactification), C (orbifold cover), or D (heterotic Calabi–Yau 3-fold) by the 2026-05-21 hard escalation gate.
3. **DEFER:** Pillar 4 atomic remains T6 PROVED CONDITIONAL on the existing  $\mathcal{H}_{\text{atomic}}^{\text{final}}$ ; Math246 Task Q escalation activates per Math286.

*Remark 4* (The verdict is a window-shell, not a  $\pm 5\%$  precision prediction). The window in Eq. (11) is a four-orders-of-magnitude band  $10^{13}$ – $10^{17}$  GeV together with explicit solver and grid certificates. It is NOT a  $\pm 5\%$  precision prediction of a single mass value. Earlier wording of the form “ $M_{\Sigma_0} = 1.26 \times 10^{16}$  GeV within  $\pm 5\%$ ” is incompatible with the canonical Math311 verdict shell and was downgraded in the present revision per the Math314-AddD audit and CLAUDE.md §15.6 rule #7 (window-verdict vs precision-prediction distinction).

## V. TRIPLE VERIFICATION OF THE PILLAR-4 ATOMIC THEOREM

### A. V1 — Original promotion (Math268 + Math269)

The original promotion of Pillar 4 atomic from T3 PROOF SKETCH (Math265, Turn 36) to T6 PROVED CONDITIONAL (Math268 Turn 39, Math269 Turn 40 consolidation) applied the composite-tier rule  $T_{\text{Pillar4}} = \min(T_1, T_2, T_3) = T6$  to the three sub-task theorems individually established at T6.

### B. V2 — External defense programme (Math270–275 + Math276 cross-turn audit)

Five hostile-referee attacks were launched against the V1 promotion (Math270–275); each was DISCHARGED or MITIGATED in the Math276 cross-turn audit (Turn 47), which delivered OUTCOME A (Pillar 4 atomic T6 PROVED CONDITIONAL externally robust). The five attacks and their resolutions:



- **Attack #1** (Math270–271, cross-base coherence,  $\Sigma_0$  vs  $\mathbb{CP}^2$ ): MITIGATED via Math270 Theorem 270.1 (T7-rigorous topological certificate transfer) + Theorem 270.2 (T6 conditional explicit  $\Sigma_0$  realisation) + Task #156 contingency binding.
- **Attack #2** (Math272, scope reinterpretation, algebraic vs geometric vs physical): DISCHARGED via documentary evidence that the original Pillar-4 scope is algebraic (component A: breaking-chain pattern), with seven cited canonical sources.
- **Attack #3** (Math273, H2.6 semantic instability,  $\hbar$  matching is structural not physical): DISCHARGED via explicit STRUCTURAL/PHYSICAL layer distinction.
- **Attack #4** (Math274, H2.5 separable-branch only): DISCHARGED via honest tier-split (H2.5-separable T6, H2.5-full T4; Pillar 4 atomic uses separable branch only); Task #157 opened for the H2.5-full T6 upgrade.
- **Attack #5** (Math275, H2.4 literature dependence, character-table not first-principles): DISCHARGED via first-principles Weyl-formula + Frobenius-reciprocity re-derivation of the  $O_h$  irreducible decomposition.

### C. V3 — Third-order audits of Lemmas A and B (Math277 + Math278)

The two load-bearing foundational lemmas were independently audited at the third-order level: Math277 (Turn 48, Lemma A = Math220-AddB, the BRST separable-branch determinant lower bound) and Math278 (Turn 49, Lemma B = Math221-AddC, the Donaldson–Uhlenbeck–Yau-applicability technical condition). Both audits delivered OUTCOME A: the underlying T6 PROVED CONDITIONAL claims are mathematically rigorous and audit-confirmed.

### D. Combined verification status

Pillar 4 atomic is therefore triply verified: original proof (V1), externally robust against five hostile attacks (V2), with foundational lemmas independently audit-confirmed at the third-order level (V3). The cumulative verification record is recorded in the canonical `Docs/status/TOE-FACT-SHEET.md` as the Stage-1 scorecard entry for Pillar 4.

## VI. DISCUSSION: SCOPE, WHAT IS AND IS NOT CLOSED, CONTINGENCIES

*a. What the present paper establishes.* The Pillar-4 atomic theorem (Theorem 1) is the T6-PROVED-CONDITIONAL claim that an  $SU(5) \times U(1)$  gauge structure emerges from the BCC topological-defect sector on the canonical Kähler base  $\Sigma_0 = \mathbb{P}^1 \times \mathbb{P}^1$ , conditional on the explicitly enumerated thirteen-hypothesis set  $\mathcal{H}_{\text{atomic}}^{\text{final}}$  of §III C. The result is supported by the explicit  $\Sigma_0$  Čech atlas (§III), the F-GAP4 verdict shell (§IV), and the triple verification (V1, V2, V3) of §V.

*b. What the present paper does NOT establish.* The paper does NOT establish (a) an unconditional Pillar-4 closure free of  $\mathcal{H}_{\text{atomic}}^{\text{final}}$ ; (b) the numerical F-GAP4 verdict itself, which awaits the Task #156 HYM-solver output at the 2026-05-14 hard gate; (c) the exact  $c_2(E)$  value on  $\Sigma_0$  at the convention-fixed level (Math305 §3 numerical caveat, Q-2026-05-29-Math305-c2-Sigma0-Numerical follow-up); (d) the Bogomolov-type Proposition 4.3.1 of Math288 in fully rigorous Hodge-theoretic form (Q-2026-05-01-Math288-Proposition-4-3-1-Rigorous-Proof follow-up); (e) Pillar-4 closure on the original  $\mathbb{CP}^2$  base, which Math174 falsified at  $c_2(E) = -40$  and which motivated the transfer to  $\Sigma_0$  in the first place.

*c. Implications for downstream pillars and Stage-2.* The Pillar-4 atomic T6 PROVED CONDITIONAL tier sustains downstream results: GAP-2 BRST closure (Math280) and GAP-3 anomaly cancellation (Math281) are unconditional upgrades post-Pillar-4. The Stage-2 composite tier remains T3 pending the joint event  $C_1 \wedge C_2 \wedge C_3$  on the F-GAP1 / F-GAP4 / F-Pillar6 verdict-shell schedule per Math307 + Math310 + Math311; the present Pillar-4 atomic does not by itself promote Stage-2.

*d. Historical  $\mathbb{CP}^2$ -route auxiliary record.* The historical  $\mathbb{CP}^2$ -based version of the Pillar-4 programme (Math162 initial Čech construction, Math174 explicit  $c_2 = -40$  Chern-class calculation, Math191–192 principal-connection Chern data) is preserved as a background algebro-geometric context in the companion top-impact paper TI-1 (corrected spin-c index formula on  $\mathbb{CP}^2$ ). The Math270 topological certificate transfer theorem provides the rigorous bridge from the  $\mathbb{CP}^2$  historical programme to the canonical  $\Sigma_0$  present programme; the present paper operates on  $\Sigma_0$  throughout.

## ACKNOWLEDGMENTS

The author thanks the Anthropic Claude Opus 4.7 collaborator for the synthesis of the Pillar-4 canonical content from Math162–170, Math191–229, Math248–281, Math288, Math300, Math302, Math305, Math311 into the present revision (Rev 3, 2026-05-03), and for the Math314 family

hostile-referee audit cycle that drove the prior Rev 1/Rev 2 corrections. This work is part of TECT, canonical archive at <https://github.com/TECT-OpenPhysics/TECT>.