

## CCEE Dot Net

1. \_\_\_\_\_ is an extension of ASP.net page file

- A. .WebForm1
- B. .asp
- C. .asax
- D. .aspx

**Answer : .aspx.**

2. To Enter secured text ,the \_\_\_\_\_ property of a text box can be set to password

- A. TextBox1.type
- B. TextBox1.style
- C. TextBox1.TextMode
- D. TextBox1.Mode

**Answer : TextBox1.TextMode.**

3. \_\_\_\_\_ is the configuration file for your web application

- A. machine.config
- B. web.config
- C. assemblyinfo.cs
- D. webapplication.vsdico

**Answer : web.config.**

4. In comparevalidator ,the operator are taken from the \_\_\_\_\_

- A. validation datatype
- B. validationcompareoperator
- C. validationoperators
- D. none

**Answer : validationcompareoperator.**

**5. Which of the following is true?**

- A. DataTable object contain DataRow and DataColumn objects
- B. DataSet and DataTable can be binary serialized
- C. DataSet and DataTable can be XML serialized
- D. All of the above

**Answer : All of the above.**

**6. All web controls are derived from \_\_\_\_\_ class**

- A. web control
- B. page
- C. controls
- D. none of the above

**Answer : web control.**

**7. The \_\_\_\_\_ is not Asp.net object**

- A. application
- B. request
- C. session
- D. cookies

**Answer : application.**

**8. The Following are the minimum requirement to run Asp.net pages**

- A. Java Virtual Machine
- B. Common Language Runtime
- C. Windows explorer
- D. None

**Answer : Windows explorer.**

**9. The code will be processed on web server when the runat attribute of the < Script > tag has the following value**

- A. Desktop
- B. Client
- C. Server
- D. ASP.NET

**Answer : Server.**

**10. Postback occurs in which of the following forms**

- A. Winforms
- B. HTMLForms
- C. DOTNETForms
- D. Webforms

**Answer : Webforms.**

**11. What namespace does the Web page belong in the .NET Framework class hierarchy?.**

- A. System.web.UI.Page
- B. System.Windows.Page
- C. System.Web.page
- D. System.UI.Page

**Answer : System.web.UI.Page.**

**12. Which method do you invoke on the Data Adapter control to load your generated dataset.**

- A. Fill()
- B. ExecuteQuery()
- C. Read()
- D. ExecuteReader()

**Answer : Fill().**

**13. How do you register a user control?.**

- A. Add Tag prefix, Tag name
- B. Add Source, Tag prefix
- C. Add Src, Tagprefix, Tagname
- D. None

**Answer : Add Src, Tagprefix, Tagname.**

**14. Why is Global.asax is used.**

- A. Implement application and session level events
- B. Declare Global variables
- C. No use
- D. Dont know

**Answer : Implement application and session level events.**

**15. What is the difference between user control and custom control.**

- A. Both can use as drag and drop tool
- B. Both are same
- C. Both can use different application
- D. One Custom Control can be use in different project but not the same with User control

**Answer : One Custom Control can be use in different project but not the same with User control.**

**16. Where is the default Session data is stored in ASP.Net.**

- A. InProcess
- B. StateServer
- C. SQL Server
- D. All of the above

**Answer : InProcess.**

**17. Who can access Session state variables.**

- A. All Users of an application
- B. A Single session
- C. All users within a single tunnel
- D. None

**Answer : A Single session.**

**18. What does Response.End will do?.**

- A. It will stop the server process
- B. It will stop the client process
- C. None of the above
- D. None

**Answer : It will stop the server process.**

**19. Which control supports paging.**

- A. Repeater
- B. Datagrid
- C. Both
- D. None

**Answer : Both.**

**20. Which of the following is not a member of Response Object?.**

- A. Clear
- B. Write
- C. Execute
- D. Flush

**Answer : Execute.**

**21. Which of the following is not a member of ADODBCommand object.**

- A. ExecuteReader
- B. ExecuteScalar
- C. ExecuteStream
- D. CommandText

**Answer : ExecuteStream.**

**22. How to open more than one datareader at a time.**

- A. Use different datareader variable
- B. Use different datareader and connection variable
- C. Use Different Connection
- D. Can not be done

**Answer : Use different datareader and connection variable.**

**23. Which objects is used to create foreign key between tables?.**

- A. DataRelation
- B. DataRelationship
- C. DataConstraint
- D. Datakey

**Answer : DataRelation.**

**24. Which one of the following namespaces contains the definition for IDbConnection.**

- A. System.Data.Interfaces
- B. System.Data.Common
- C. System.Data
- D. System.Data.Connection

**Answer : System.Data.**

**25. What is a strong name?.**

- A. Public Key
- B. Private Key
- C. Combination Of Public, Private key and digital signature
- D. None

**Answer : Combination Of Public, Private key and digital signature.**

**26. What is the purpose of Reflection?.**

- A. For Reading metadata at runtime
- B. For knowing version of assembly
- C. For finding path of an assembly
- D. None

**Answer : For Reading metadata at runtime.**

**27. Which of the following are not a member of Server Object.**

- A. Execute
- B. Transfer
- C. Open
- D. HTMLDecode

**Answer : Open.**

**28. What is the Server.MachineName does.**

- A. Gets the Server`s Machine Name
- B. Gets the Referred Web site name on the server
- C. Gets the Client Machine Name
- D. None

**Answer : Gets the Server`s Machine Name.**

**29. What section of the config.Web file is used for storing a list of authorized users?.**

- A. 1
- B. 3
- C. 4
- D. None

**Answer : 3.**

**30. How do you add ASP.Net 3rd party component.**

- A. By add/Remove items in the project menu
- B. Add reference of dll file and place the code where ever required
- C. Cannot add third party component to asp.net
- D. None

**Answer : Add reference of dll file and place the code where ever required.**

**31. UDDI stands for \_\_\_\_\_.**

- A. Universal Description Discovery and Integration
- B. Unique Description Discovery and Integration
- C. Universal Data Discovery and Integration
- D. Universal Discovery Data Information

**Answer : Universal Description Discovery and Integration.**

**32. we can create a proxy file for the web service by using \_\_\_\_\_ tool.**

- A. webservice.exe
- B. webserviceutil.exe
- C. WSDL.exe
- D. ILDASM.exe

**Answer : WSDL.exe.**



**33. The custom control page should contain\_\_\_\_\_ directives.**

- A. @page
- B. @Register
- C. @Control
- D. @WebService

**Answer : @Control.**

**34. The class control is present in \_\_\_\_\_ namespace.**

- A. System
- B. System.Web
- C. System.Web.UI
- D. System.Web.UI.Controls

**Answer : System.Web.UI.**

**35. The authentication type that uses cookies is known as \_\_\_\_\_ authentication.**

- A. windows
- B. forms
- C. passport
- D. none

**Answer : forms.**

**36. The process of location errors in code is known as \_\_\_\_\_.**

- A. Tracing
- B. Compiling
- C. Caching
- D. Debuging

**Answer : Tracing.**

**37. \_\_\_\_\_ is technique used to increase performance by keeping frequently accessed data in memory.**

- A. Tracing
- B. Caching
- C. Debuging
- D. All of the above

**Answer : Caching.**

**38. The \_\_\_\_\_ method of the \_\_\_\_\_ object is used to retrieve the data in the form fields submitted by the user.**

- A. form,server
- B. form,response
- C. form,request
- D. form,application

**Answer : form,request.**

**39. The Property of the radio button controls restricts the user to select one option from the given set of options .**

- A. Group name
- B. Group id
- C. id
- D. text

**Answer : Group name.**

**40. The \_\_\_\_\_ validation control display list of all the validation errors occuring in all controls is created and displayed on th page .**

- A. RequiredFieldvalidator
- B. RequiredExpressionValidator
- C. RangeValidator
- D. ValidationSummary

**Answer : ValidationSummary.**

**41. Setting the text box to \_\_\_\_ allow the user to enter many lines of data.**

- A. many lines
- B. more lines
- C. multi lines
- D. password

**Answer : multi lines.**

**42. Application\_OnBeginrequest fires when.**

- A. fired every time a page request begins
- B. fired when the first asp.net page in the current application directory is called
- C. fired every time when newsession begins
- D. fired when session ends

**Answer : fired every time a page request begins.**

**43. The ASP.NET HTML controls exists in the \_\_\_\_\_ namespace.**

- A. system.web
- B. System.web.UI
- C. System.web.UI.HTMLcontrols
- D. System.web.UI.Webcontrols

**Answer : System.web.UI.HTMLcontrols.**

**44. The \_\_\_\_\_ method of the server object is used by server and acts as an interface between the virtual/relative directories on the web server & the physical directories on the server.**

- A. Server.URLEncode()
- B. Server.MapPath()
- C. Server.HTMLEncode
- D. Server.Transfer()

**Answer : Server.HTMLEncode.**

**45. Which is the executable unit, which gets created when we build an ASP.Net application?.**

- A. .EXE
- B. .DLL
- C. .COM
- D. .ASPX

**Answer : .DLL.**

**46. To add a custom control to a Web form we have to register with.**

- A. TagPrefix
- B. Name space of the dll that is referenced
- C. Assemblyname
- D. All of the above

**Answer : TagPrefix.**

**47. A web application running on multiple servers is called as.**

- A. WebForm
- B. Webfarm
- C. Website
- D. webgarden

**Answer : Webfarm.**

**48. What is the extension of a web user control file?.**

- A. .asmx
- B. .ascx
- C. .aspx
- D. .ashx

**Answer : .ascx.**

**49. What is the default session out time.**

- A. 20 Sec
- B. 20 Min
- C. 1 hr
- D. Never

**Answer : 20 Min.**

**50. Which of the following is true ?.**

- A. IsPostBack is a method of System.UI.Web.Page class
- B. IsPostBack is a method of System.Web.UI.Page class
- C. sPostBack is a readonly property of System.Web.UI.Page class
- D. None

**Answer : sPostBack is a readonly property of System.Web.UI.Page class.**

**51. What is the difference between user control and custom control.**

- A. Both can use as drag and drop tool
- B. Both are same
- C. Both can use different application
- D. One Custom Control can be use in different project but not the same with User control

**Answer : One Custom Control can be use in different project but not the same with User control.**

**52. What is the default authentication mode for IIS.**

- A. Windows
- B. Anonymous
- C. Basic Authentication
- D. None

**Answer : Windows.**

**53. Which of the following is not a valid state management tool?.**

- A. Application State
- B. Hidden Form Field
- C. Querystate
- D. Cookies

**Answer : Querystate.**

**54. Select the control, which does not have any visible interface .**

- A. Datalist
- B. DropDownList
- C. Repeater
- D. Datagrid

**Answer : Repeater.**

**55. How do you explicitly kill a user`s session?.**

- A. Session.Close
- B. Session.Discard
- C. Session.Abandon
- D. Session.End

**Answer : Session.Abandon.**

**56. What is the purpose of code behind?.**

- A. To separate different sections of a page in to different files
- B. To merge HTML layout and code in to One file
- C. To separate HTML Layout and code to different file
- D. To ignore HTML usage

**Answer : To separate HTML Layout and code to different file.**

**57. The object used by SQL connection to make Security Demands.**

- A. SQLClientAttribute
- B. SQLPermission
- C. SQLPermissionClient
- D. SQLClientPermission

**Answer : SQLClientPermission.**

**58. How to open more than one datareader at a time.**

- A. Use different datareader variable
- B. Use different datareader and connection variable
- C. Use Different Connection
- D. Can not be done

**Answer : Use different datareader and connection variable.**

**59. What is the Full Form of WSDL.**

- A. Web System Description Language
- B. Web Services Detail Language
- C. Web Service Description Language
- D. None

**Answer : Web Service Description Language.**

**60. What is the size of the session ID.**

- A. 32 bit long string
- B. 32 bit long double
- C. 32 bit long character
- D. 32 bit long integer

**Answer : 32 bit long string.**

**61. Which of the following extension does a webservice file will have.**

- A. .asmx
- B. .aspx
- C. .ascx
- D. .resx

**Answer : .asmx.**

**62. What is a diffgram?.**

- A. The one which renders the dataset object contents to XML
- B. Finds the difference in two objects
- C. Finds the difference in two files
- D. None of the above

**Answer : The one which renders the dataset object contents to XML.**

**63. Select the output of the statement < form method=post action="test.aspx" >.**

- A. Transfers all the form data to test.aspx with HTTP headers
- B. Transfers all the form data to test.aspx with out HTTP headers
- C. Calls post method on test.aspx
- D. None of the above

**Answer : Calls post method on test.aspx.**

**64. Trace output can be sort by specifing \_\_\_\_\_ attribute of page directive.**

- A. Trace
- B. TraceMode
- C. OutputBy
- D. Language

**Answer : TraceMode.**



**65. What is the difference between user control and custom control**

- A. Both can use as drag and drop tool
- B. Both are same
- C. Both can use different application
- D. One Custom Control can be use in different project but not the same with User control

**Answer : One Custom Control can be use in different project but not the same with User control.**

**66. What is the default authentication mode for IIS**

- A. Windows
- B. Anonymous
- C. Basic Authentication
- D. None

**Answer : Windows.**

**67. Which of the following is not a valid state management tool?**

- A. Application State
- B. Hidden Form Field
- C. Querystate
- D. Cookies

**Answer : Querystate.**

**68. Select the control, which does not have any visible interface**

- A. Datalist
- B. DropDownList
- C. Repeater
- D. Datagrid

**Answer : Repeater.**

**69. How do you explicitly kill a user`s session?**

- A. Session.Close
- B. Session.Discard
- C. Session.Abandon
- D. Session.End

**Answer : Session.Abandon.**

**70. What is the purpose of code behind?**

- A. To separate different sections of a page in to different files
- B. To merge HTML layout and code in to One file
- C. To separate HTML Layout and code to different file
- D. To ignore HTML usage

**Answer : To separate HTML Layout and code to different file.**

**71. The object used by SQL connection to make Security Demands**

- A. SQLClientAttribute
- B. SQLPermission
- C. SQLPermissionClient
- D. SQLClientPermission

**Answer : SQLClientPermission.**

**72. How to open more than one datareader at a time**

- A. Use different datareader variable
- B. Use different datareader and connection variable
- C. Use Different Connection
- D. Can not be done

**Answer : Use different datareader and connection variable.**

**73. What is the Full Form of WSDL**

- A. Web System Description Language
- B. Web Services Detail Language
- C. Web Service Description Language
- D. None

**Answer : Web Service Description Language.**

**74. What is the size of the session ID**

- A. 32 bit long string
- B. 32 bit long double
- C. 32 bit long character
- D. 32 bit long integer

**Answer : 32 bit long string.**

**75. Which of the following extension does a webservice file will have**

- A. .asmx
- B. .aspx
- C. .ascx
- D. .resx

**Answer : .asmx.**

**76. What is a diffgram?**

- A. The one which renders the dataset object contents to XML
- B. Finds the difference in two objects
- C. Finds the difference in two files
- D. None of the above

**Answer : The one which renders the dataset object contents to XML.**

**77. Select the output of the statement < form method=post action="test.aspx" >**

- A. Transfers all the form data to test.aspx with HTTP headers
- B. Transfers all the form data to test.aspx with out HTTP headers
- C. Calls post method on test.aspx
- D. None of the above

**Answer : Calls post method on test.aspx.**

**78. Trace output can be sort by specifing \_\_\_\_\_ attribute of page directive**

- A. Trace
- B. TraceMode
- C. OutputBy
- D. Language

**Answer : TraceMode.**