CCEE Data Base Technologies

keywords may be useful in your trigger source code to distinguish what should run, and when? A. truncating
B. updating
C. deleting
D. both b and c
Answer: both b and c.
2. Consider the following where clause WHERE A.no=B.no(+) The above outer join lists A. All matching and non-matching rows of table B B. All matching and non-matching rows of table A
C. All non-matching rows of table B
D. All non-matching rows of table A
Answer: All matching and non-matching rows of table A.
3. Level of Abstraction, describes what data are stored in database and what relationship among these data A. Physical
B. Logical
C. View
D. None of the above
Answer: Logical.
4. The limit of level of nesting is subqueries in SQL A. 255
B. 1024

Answer : 255.

5. Which of the following operation cannot be performed on VIEWS defined from Multiple Tables(which have been created with referencing clause)
A. INSERT
B. DELETE
C. UPDATE
D. MODIFY
Answer: INSERT.
6. A Sub-Query can not have a clause and a of selects
A. groupby,For update
B. orderby,having
C. orderby,For update
D. orderby,groupby
Answer: orderby, For update.
7. Raw data type can store maximum up to
A. 1024 bytes
B. 255 bytes
C. 2 GB
D. None of Above
Answer: 255 bytes.
8. Words used in PL/SQL block are called
A. Lexical Units
B. block units
C. grammer
D. none of these

Answer: Lexical Units.

	A can be used to provide a surrogate key in a table that doesnot have a
pri	mary key of its own.
A.	procedure
B.	sequence
C.	function
D.	reference key
An	swer : sequence.
10.	is used for error trapping in PL/SQL blocks
A.	Error handling section
B.	Exception_init()
C.	Exception section
D.	None
An	swer : Exception section.
11.	The NOWAIT optional Keyword works for
A.	Implicit cursors only
B.	Explicit cursor only
C.	Both a and b
D.	none of the above
An	swer : Implicit cursors only.
	puts piece of information in package buffer followed by an end of line arker
A.	DBMS_OUTPUT
B.	PUT_LINE
C.	serveroutput
D.	none
An	swer : PUT_LINE.

13. type of data in database

- A. actual data
- B. system data
- C. overhed data
- D. all

Answer: all.

14. Which statement most accurately describes the result of not creating an exception handler for a raised exception?

- A. The program will continue without raising the exception
- B. There will be a memory leak
- C. Control will pass to the PL/SQL block caller's exception handler
- D. The program will return a %notfound error

Answer: Control will pass to the PL/SQL block caller's exception handler.

- 15. The default parameter type in stored procedures is
- A. IN
- B. OUT
- C. INOUT
- D. There is no default type

Answer: IN.

16. When both the Oracle name server as well as tnsnames.ora file is used simultaneously, the priority between the two is resolved by

- A. listener.ora
- B. tnsnames.ora
- C. init.ora
- D. sqlnet.ora

Answer: sqlnet.ora.

17. Consider a table OLD with few rows. The statement CREATE TABLE new AS SELECT * FROM OLD WHERE 1=2

- A. copies all the rows from OLD to NEW
- B. creates a dummy NEW table
- C. creates an empty NEW table with column definitions same as OLD
- D. creates a table NEW that acts as a synonym for OLD

Answer: creates an empty NEW table with column definitions same as OLD.

- 18. Choose the Incorrect option related to DBMS
- A. There is no Security of data
- B. Not support distributed database
- C. satisfy more than 8 rule of Dr. E.F. Codd
- D. None

Answer: satisfy more than 8 rule of Dr. E.F. Codd.

- 19. The Maximum size of Raw Datatype is
- A. 1000 bytes
- B. 2000 bytes
- C. 4000 bytes
- D. 8000 bytes

Answer: 2000 bytes.

20. Choose correct one

- A. rollup and cube are grouping type of statements for sql query
- B. rollup and cube are inbuilt functions for sql query
- C. rollup and cube are not related to oracle
- D. none of the above

Answer: rollup and cube are grouping type of statements for sql query.

A. 1
B. 255
C. 1024
D. Unlimited
Answer: 1.
22. Choose the correct pattern Matching sign for matching a single character
A
B. ?
C. *
D. %
Answer:
23. The correct syntax of DECODE stament is
A. DECODE(if1,then1,if2,then2else)
B. DECODE(if1,then1,else1,if2,then2,else2)
C. DECODE(value,if1,then1,else1,if2,then2,else2)
D. none of the above
Answer: none of the above.
24. Which operator, when used along with special operators, reverts their output?
A. NOT
B. AND
C. OR
D. JOIN
Answer: NOT.

21. The number of BLOB column allowed in Oracle table is

A. exclusive locks
B. mutative locks
C. shared locks
D. table locks
Answer: shared locks.
26. A procedure which return a value is called as
A. Procedure
B. Function
C. Package
D. None of these
Answer: Function.
27. Data stored in the curser is called as
A. active data
B. stored data
C. active data set
D. user defined data
Answer: stored data.
${\bf 28.\ In\ which\ areas\ of\ PL/SQL\ block\ must\ code\ be\ placed\ in\ order\ to\ handle\ Oracle-defined\ exceptions?}$
A. Declaration section only
B. Declaration and executable section only
C. Exception handler only
D. Declaration, executable and exception handler sections
Answer: Exception handler only.

25. Which lock allows multiple users to see the data but not change it

A. RAISE_ERROR
B. SQLERRM
C. RAISE_APPLICATION_ERROR
D. RAISE_SERVER_ERROR
Answer: RAISE_APPLICATION_ERROR.
30. procedure and functions are explicitely executed. This is different from database trigger. When is a database trigger executed
A. when transaction is committed
B. during the data manipulation statement
C. when an oracle supplied package references the trigger
D. during a data manipulation statement and when transaction is committed
Answer : during the data manipulation statement.
31 Collection of stored procedures and functions
A. Functions
B. Procedures
C. Triggers
D. Package
Answer : Package.
32. Cleaning up temporary segments that are no longer in in use is done by
A. LGWR
B. PMON
C. DBWR
D. SMON
Answer : SMON.

29. Which procedure can be used to create a customised error message

33. Actual data of oracle is stored in
A. SYSTEM tablespace
B. DATA tablespace
C. USER tablespace
D. TOOL tablespace
Answer: DATA tablespace.
34. The Tool used to create package is called as
A. SQL
B. SQL *PLUS
C. Both
D. None of the above
Answer : SQL *PLUS.
35. Rollback and Commit affect
A. Only DML statements
A. Only DML statements
A. Only DML statementsB. Only DDL statements
A. Only DML statementsB. Only DDL statementsC. Both (a) and (b)
 A. Only DML statements B. Only DDL statements C. Both (a) and (b) D. All statements executed in SQL*PLUS
 A. Only DML statements B. Only DDL statements C. Both (a) and (b) D. All statements executed in SQL*PLUS Answer: Only DML statements.
 A. Only DML statements B. Only DDL statements C. Both (a) and (b) D. All statements executed in SQL*PLUS Answer: Only DML statements. 36. The value of INSTR('CALIFORNIA','A',1,2) is
 A. Only DML statements B. Only DDL statements C. Both (a) and (b) D. All statements executed in SQL*PLUS Answer: Only DML statements. 36. The value of INSTR('CALIFORNIA','A',1,2) is A. 2
 A. Only DML statements B. Only DDL statements C. Both (a) and (b) D. All statements executed in SQL*PLUS Answer: Only DML statements. 36. The value of INSTR('CALIFORNIA','A',1,2) is A. 2 B. 1

37. The number of users that can be handled by Oracle 8i server is approximately
A. 5000
B. 10000
C. 1000
D. 100000
Answer: 10000.
38. An entity is an
A. object with physical existence
B. object with conceptual existence
C. both
D. none
Answer: both.
39. A table having only one attribute as a key is always in
A. First Normal Form
B. Second Normal Form
C. Third Normal Form
D. None of the above
Answer : Second Normal Form.
40. Needs of Normalisation are
A. Improves database design
B. Ensures minium redundancy of data
C. Removes anomalies
D. All above

Answer: All above.

41. In E-R Notation, multivalued attribute is represented by
A. Ellipse
B. Dotted-Ellipse
C. Double-Ellipse
D. None of the above
Answer: Double-Ellipse.
42. A view of database that appears to an application program is known as?
A. Report
B. subscheme
C. structure
D. Meta Data
Answer: subscheme.
43. What is the difference between SQL99 and SQL3
A. SQL99 is a predecessor of SQL3
B. SQL99 is a successor of SQL3
C. both are one and the same
D. none of the above
Answer: both are one and the same.
44. What is the order of execution of SQL clauses 1.having 2.group by 3.where 4.orderby
A. 1234
B. 3214
C. 2341
D. 4312
Answer: 3 2 1 4.

A. 16k
B. 32k
C. 4k
D. either B or C
Answer: 4k.
46. Implicit and Explicit cursor has attribute
A. %ISOPEN
B. %WASFOUND
C. %COLCOUNT
D. none of these
Answer: %ISOPEN.
47. Which of the following trigger types will be impacted by constraining factors brought on by mutating tables
A. row triggers only
B. statement trigger only
C. both statement and row triggers
D. neither row or statement triggers
Answer: row triggers only.
48. DBMS does not havemodel
A. hierarchical model
B. network model
C. relational model
D. hybrid model
Answer: hybrid model.

45. The max length of varchar2 when used in table is

49. Which of the following statement is true about implicit cursors	
A. implicit cursors are used for SQL statements that are not named	
B. implicit cursors are no longer a feature in oracle	
C. both	
D. all	
Answer: implicit cursors are used for SQL statements that are not named.	
50. A block from database buffer cache is marked aswhen modified	d
50. A block from database buffer cache is marked aswhen modified A. Dirty	d
	d
A. Dirty	d
A. Dirty B. Modified	d