Proposal Form Validation Document

Validation for client_name, formType and insuranceType

1. Purpose

This document defines the validation rules for the Proposal Form request fields client_name, formType, and insuranceType for Health Insurance, Super Top-Up, and Hospital Cash.

Example request:

```
{
  "client_name": "bolt_pay",
  "formType": "hospicash",
  "insuranceType": "HOSPITAL_CASH"
}
```

2. Field Validation Rules

Field	Mandatory	Data Type	Allowed Values
client_name	Yes	String	bolt_pay
formType	Yes	String	health, supertopup, hospicash
insuranceType	Yes	String	HEALTH, SUPER_TOP_UP, HOSPITAL_CASH

3. client_name Validation

- client_name is mandatory.
- The value must be a string.
- The only allowed value is bolt_pay.
- Null, blank, or missing values must be rejected.
- Any value other than bolt_pay must be rejected.

Valid example: "client_name": "bolt_pay"

Validation messages:

- client_name is required
- Invalid client_name. Allowed value: bolt_pay

4. formType Validation

- formType is mandatory.
- The value must be a string.

- Allowed values are: health, supertopup, hospicash.
- Null, blank, or unsupported values must be rejected.
- formType must match the corresponding insuranceType.

Validation messages:

- formType is required
- Invalid formType. Allowed values: health, supertopup, hospicash

5. insuranceType Validation

- insuranceType is mandatory.
- The value must be a string.
- Allowed values are: HEALTH, SUPER_TOP_UP, HOSPITAL_CASH.
- Null, blank, or unsupported values must be rejected.
- insuranceType must match the corresponding formType.

Validation messages:

- insuranceType is required
- Invalid insuranceType. Allowed values: HEALTH, SUPER_TOP_UP, HOSPITAL_CASH

6. formType and insuranceType Mapping

Insurance Product	formType	insuranceType	Result
Health Insurance	health	HEALTH	Valid
Super Top-Up	supertopup	SUPER_TOP_UP	Valid
Hospital Cash	hospicash	HOSPITAL_CASH	Valid

Any other combination must be rejected.

7. Invalid Mapping Examples

formType	insuranceType	Result
health	HOSPITAL_CASH	Invalid
hospicash	HEALTH	Invalid
supertopup	HOSPITAL_CASH	Invalid

Validation message: formType does not match insuranceType

8. Valid Request Examples

Health Insurance

```
{
 "client_name": "bolt_pay",
 "formType": "health",
 "insuranceType": "HEALTH"
}
```

Super Top-Up

```
{
 "client_name": "bolt_pay",
 "formType": "supertopup",
 "insuranceType": "SUPER_TOP_UP"
}
```

Hospital Cash

```
{
 "client_name": "bolt_pay",
 "formType": "hospicash",
 "insuranceType": "HOSPITAL_CASH"
}
```

9. Invalid Request Example

```
{
 "client_name": "bolt_pay",
 "formType": "health",
 "insuranceType": "HOSPITAL_CASH"
}
```

Expected validation message: formType does not match insuranceType

10. Validation Summary

- **client_name:** must be bolt_pay
- **formType:** must be health / supertopup / hospicash
- **insuranceType:** must be HEALTH / SUPER_TOP_UP / HOSPITAL_CASH

Required mapping:

- health <-> HEALTH
- supertopup <-> SUPER_TOP_UP
- hospicash <-> HOSPITAL_CASH

Any mismatch or unsupported value must result in a 400 Bad Request.

11. Validation Message Catalogue

This catalogue defines the exact validation messages to be returned for client_name, formType, insuranceType, and formType-insuranceType mapping failures. The backend should use these messages consistently so the frontend receives a predictable validation response.

Field	Validation Scenario	Validation Message
client_name	Null / blank / missing	client_name is required
client_name	Value other than bolt_pay	Invalid client_name. Allowed value: bolt_pay
formType	Null / blank / missing	formType is required

formType	Unsupported value	Invalid formType. Allowed values: health, supertopup, hospicash
insuranceType	Null / blank / missing	insuranceType is required
insuranceType	Unsupported value	Invalid insuranceType. Allowed values: HEALTH, SUPER_TOP_UP, HOSPITAL_CASH
formType + insuranceType	Values do not correspond to the same product	formType does not match insuranceType

12. Validation Error Response

Any invalid or unsupported value must result in HTTP 400 Bad Request. The relevant field-level message from the catalogue should be returned in fieldErrors.


```
{
  "status": 400,
  "error": "Bad Request",
  "message": "Request validation failed",
  "fieldErrors": {
    "formType": "formType does not match insuranceType"
  }
}
```


13. Message Catalogue Summary

- client_name is required
- Invalid client_name. Allowed value: bolt_pay
- formType is required
- Invalid formType. Allowed values: health, supertopup, hospicash
- insuranceType is required
- Invalid insuranceType. Allowed values: HEALTH, SUPER_TOP_UP, HOSPITAL_CASH
- formType does not match insuranceType