Proposal API Documentation

Save health, super top-up, personal accident (PA), and hospital cash proposals.

Endpoint

Item	Value
Method	POST
Path	/proposals/save
Local URL	https://policyplanner.com/health-insurance/proposals/save
Header	Content-Type: application/json

The request body is a JSON object. The API saves the proposal and any insured members in one operation. If adults or children are omitted, each defaults to an empty array.

Common request fields

The API validates formType for every request and validates the fields marked Yes for PA requests. Fields marked Yes* are expected for a complete health request.

Field	JSON type	Required?	Notes
client_name	string	No	Used by every form type. Defaults to "pp" if omitted; explicit null does not use the default.
formType	string	No	Defaults to "health". Allowed: health, supertopup, pa, hospicash. Input is normalized to lowercase.

Health request fields

Field	JSON type	Required?	Notes
productName	string	Yes*	Product name.
productType	string	Yes	Allowed values: New, Portability.
pincode	string	Yes*	Keep leading zeros, if any.
cityState	string	Yes*	City and state.
zone	string	Yes*	Zone value.
upgradeZone	string	Yes*	Zone upgrade value.
adultCount	integer	Yes*	Number of adults declared.
childCount	integer	Yes*	Number of children declared.
proposerName	string	Yes*	Proposer's name.
proposerDOB	string (YYYY-MM-DD)	Yes*	Proposer's date of birth.
proposerGender	string	Yes*	Proposer's gender.
proposerEmail	string	Yes*	Proposer's email address.
proposerPhone	string	Yes*	Phone number as text.
sumInsured	number	Yes*	Coverage amount.

Field	JSON type	Required?	Notes
selectedTenure	number	Yes*	Selected tenure value.
annualIncome	number	Yes*	Annual income.
nriDiscount	boolean	Yes*	NRI discount flag in this example.
includeSelf	boolean	Yes*	Whether the proposer is included.
bureauDiscount	boolean	Yes*	Bureau discount flag in this example.
aadharNumber	string	Yes*	Identification number as text.
panNumber	string	Yes*	PAN value.
basePremium	number	Yes*	Base premium supplied by client.
totalPremium	number	Yes*	Total premium supplied by client.
adults	array of objects	No	Defaults to [] when omitted.
children	array of objects	No	Defaults to [] when omitted.

Adult member fields (each adults[] item)

Every adult member field is optional.

Field	JSON type	Required?	Notes
relationship	string	No	Relationship to proposer.
title	string	No	Title such as Mr or Ms.
fullName	string	No	Adult member's full name.
dob	string (YYYY-MM-DD)	No	Date of birth.
height	number	No	Height; unit is not enforced by the API.
weight	number	No	Weight; unit is not enforced by the API.
abhaId	string	No	ABHA identifier.
preExistingDisease	string	No	Pre-existing disease details.
medicalCondition	string	No	Medical condition details.

PA request fields

These names are recommended for new PA integrations.

Field	JSON type	Required?	Notes
productName	string	Yes	Product name.
productType	string	Yes	Allowed values: New, Portability.
pincode	string	Yes	Postal code.
city	string	Yes	City name.
proposerName	string	Yes	Proposer's full name.
gender	string	Yes	Proposer's gender.
dateOfBirth	string (YYYY-MM-DD)	Yes	Proposer's date of birth.
mobileNumber	string	Yes	Proposer's mobile number.
email	string	No	Proposer's email address.
aadhar_number	string	No	Aadhaar number as text.

Field	JSON type	Required?	Notes
pan_number	string	No	PAN number as text.
occupationOfInsured	string	No	Occupation of the insured person.
annualIncome	number	No	Annual income.
natureOfWorkDesignation	string	Yes	Nature of work or designation.
coverAmount	number	Yes	Requested cover amount.
additionalCovers	object, array, or string	No	Selected additional covers.

PA additional cover fields

Field	JSON type	Required?	Meaning
ptdBenefitBase	boolean or number	No	Permanent Total Disablement (PTD) Benefit (Base).
ppdBenefitBase	boolean or number	No	Permanent Partial Disablement (PPD) Benefit (Base).
ttdBenefitBase	boolean or number	No	Temporary Total Disablement (TTD) Benefit (Base).

Send these fields inside additionalCovers as shown below. The API also accepts them as top-level fields when additionalCovers is omitted.

Child member fields (each children[] item)

Every child field is optional. Omitted relationship defaults to "child".

Field	JSON type	Required?	Notes
relationship	string	No	Defaults to "child".
fullName	string	No	Child member's full name.
dob	string (YYYY-MM-DD)	No	Date of birth.
height	number	No	Height; unit is not enforced by the API.
weight	number	No	Weight; unit is not enforced by the API.
medicalCondition	string	No	Medical condition details.

Health request example

POST /proposals/save with Content-Type: application/json. All example personal data is fictional.

```
{
  "client_name": "pp",
  "formType": "health",
  "productName": "Health Insurance",
  "productType": "New",
  "pincode": "110001",
  "cityState": "New Delhi, Delhi",
  "zone": "A",
  "upgradeZone": "No",
  "adultCount": 1,
  "childCount": 1,
  "proposerName": "Sample Adult",
```

```
  "proposerDOB": "1988-05-12",
  "proposerGender": "male",
  "proposerEmail": "sample@example.com",
  "proposerPhone": "9000000000",
  "sumInsured": 500000,
  "selectedTenure": 1,
  "annualIncome": 750000,
  "nriDiscount": false,
  "includeSelf": true,
  "bureauDiscount": false,
  "aadharNumber": "000000000000",
  "panNumber": "ABCDE1234F",
  "basePremium": 12000,
  "totalPremium": 14160,
  "adults": [
    {
      "relationship": "self",
      "title": "Mr",
      "fullName": "Sample Adult",
      "dob": "1988-05-12",
      "height": 175,
      "weight": 72,
      "abhaId": "sample-abha-id",
      "preExistingDisease": "None",
      "medicalCondition": "None"
    }
  ],
  "children": [
    {
      "relationship": "son",
      "fullName": "Sample Child",
      "dob": "2016-09-20",
      "height": 125,
      "weight": 25,
      "medicalCondition": "None"
    }
  ]
}
```

PA request example

POST /proposals/save with Content-Type: application/json.

```
{
  "client_name": "pp",
  "formType": "pa",
  "productName": "Personal Accident",
  "productType": "New",
  "pincode": "110001",
  "city": "Delhi",
  "proposerName": "Sample User",
  "gender": "male",
  "dateOfBirth": "1990-01-01",
  "mobileNumber": "9000000000",
  "email": "sample.user@example.com",
  "aadhar_number": "000000000000",
  "pan_number": "ABCDE1234F",
  "occupationOfInsured": "Salaried",
  "annualIncome": 800000,
  "natureOfWorkDesignation": "Software Engineer",
  "coverAmount": 500000,
  "additionalCovers": {
```

```
    "ptdBenefitBase": true,
    "ppdBenefitBase": true,
    "ttdBenefitBase": false
  }
}
```

Success response

HTTP 201 Created

```
{
  "success": true,
  "message": "Proposal and insured members saved successfully",
  "proposalId": 123,
  "formType": "pa"
}
```

proposalId is the unique proposal ID. The response does not echo the submitted proposal or its client_name.

Validation responses

HTTP 400 Bad Request — unsupported formType

```
{
  "success": false,
  "message": "Invalid formType. Allowed values: health, supertopup, pa, hospicash"
}
```

HTTP 400 Bad Request — missing required PA fields

```
{
  "success": false,
  "message": "Missing required PA fields",
  "missingFields": [
    "productName",
    "mobileNumber"
  ]
}
```

HTTP 400 Bad Request — unsupported Health or PA productType

```
{
  "success": false,
  "message": "Invalid productType. Allowed values: New, Portability"
}
```

Server error response

HTTP 500 Internal Server Error (server processing failure)

```
{
  "success": false,
  "message": "Internal Server Error while saving proposal"
}
```

API notes

client_name applies to all four form types. When omitted it defaults to pp. You have to use the client name “bolt_pay”
An explicit null does not activate that default. The API returns the normalized formType in a successful response.
PA-specific fields are processed only when formType is pa.