



**HINGLAJ
MACHINERY**



**ideas
for
better
packaging**

ABOUT US

Established in the year 2000 at Jalna ,(Maharashtra India), we "HINGLAJ MACHINERY" are recognized as the noteworthy Manufacturer, Exporter and Supplier of a high quality range of Pouch Packing Machine, Pillow Packing Machine, Band Sealer Machine, Strapping Machine, Flow Wrap Packing Machine and Spice Packing Machine. All these machines are precisely manufactured in our modernized and technically advanced infrastructural unit. This unit is comprised of various functional departments like production, quality testing, R&D and warehousing. These departments are well-installed with the cutting-edge machinery and latest tools & equipments that are regularly upgraded as per the latest developments to maximize .

These machines are manufactured using the finest quality components with the help of advanced technology by our experts. Offered machines are highly appreciated by our clients for features like excellent performance, easy installation, simple operation, durable finish and longer service life. We offer these packaging machines in different technical specifications as per the exact requirements of our precious clients. Our offered machines are used in various industries like food, chemical, pharmaceutical and any more. Further, our skilled team of professionals manufactures these packaging machines in adherence with set quality standards.

VISION & MISSION

We always try to produce better quality with almost care in the process of manufacturing under anticipation of customer's complete satisfaction. Our mission is to maintain the principles of integrity, honesty & quality in whatever we deliver. We believe in our constant hard efforts which only awards prosperity to our valued customers & business associates.

QUALITY CONTROL

Our advanced manufacturing technology delivers the product with optimum quality with minimum wastages so as to be cost effective & efficient manufacturing processes. Our product undergoes stringent quality tests and at least fulfills ISO 9001 : 2015 quality management standard.



For all Packing machines Trial Facility Available for our Valuable clients.

*All Pic. Printed on this catalogue are only Ideas its not a part of actual Machines.



Model HMJ-FFS-CS-001

(Automatic
FFS Center Seal
Machine)

APPLICATION : For packaging Various powders , Granules , Detergent Powders , Pan Masala , Gutkha , Dhana dal , Mehandi powder , Supari , Salt , Sugar , Masala pack ,Curry powder , Neel , Namkeen , Bhujiya ORS (Rehydration) , Milk powder , Hair dye powder etc.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing and Center Sealing .(on Request) .
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 60-300mm.
PACKAGING SPEED	20 - 40 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	10 gm. - 50 gm, 50 gm - 100gm
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	2.5Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L750 x W 560 x H 1800 (mm) /280 /360Kgs (Approx).



Model HMJ-FFS-TS-002

(Automatic
FFS Side Sealing
Machine)

APPLICATION : For packaging Various powders , Granules , Detergent Powders , Pan Masala , Gutkha , Dhana dal , Mehandi powder , Supari , Salt , Sugar , Masala pack ,Curry powder , Neel , Namkeen , Bhujiya ORS (Rehydration) , Milk powder , Hair dye powder etc.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing and Center Sealing .(on Request) .
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 60-250mm.
PACKAGING SPEED	40 – 120 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	1.5 gms . to 50gms.
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	150W. x 2,300 W x 2 (TSS x CS) 350 W x 4 (FSS)
POWER LOAD	2.5Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L750 x W 560 x H 1800 (mm) /280 Kgs (Approx).



Model HMJ-FFS-L-003

(Liquid
FFS Machine)

APPLICATION : For packaging various Liquid paste , Jam , Tomato ketchup , Wine Sampoo , Lubrication oil , Edible oil , Mineral water , Soya milk , Butter , Seasoning solution , Lime paste & Syrups etc.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing and Center Sealing .(on Request) .
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 60-300mm.
PACKAGING SPEED	20 – 100 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	5ml - 50ml
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	2.5Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L750 x W 560 x H 1800 (mm) /280 /360Kgs (Approx).



Model HMJ-HP-004

(Automatic FFS
Half Pneumatic
Machine)

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing , 4 Side Sealing and Center Sealing.
PACKAGING SIZE	(Length) 50 - 350 mm (Film Width) 30 - 400mm.
PACKAGING SPEED	15 – 60 Pouches/Minutes (Depending upon the Size).
PACKAGING RANGE	10 gms . to 250gms, 100gms to 500gms and 250gms to 100gms in single machine .
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, 50Hz Single Phase.
HEATER LOAD	4 side seal 3 side & Center Seal (450 x 4 Nos.) (150 x2 Nos., 450 x 4 Nos)
MACHINE DIMENSIONS /Wt.	L :1000, H : 2300 (mm) / 400kgs.



Model HMJ-FP-005

(Automatic FFS
Full Pneumatic Machine)

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing , 4 Side Sealing and Center Sealing.
PACKAGING SIZE	(Length) 50 - 350 mm (Film Width) 30 - 400mm.
PACKAGING SPEED	15 – 60 Pouches/Minutes (Depending upon the Size).
PACKAGING RANGE	10 gms . to 250gms, 100gms to 500gms and 250gms to 100gms in single machine .
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, 50Hz Single Phase.
HEATER LOAD	4 side seal 3 side & Center Seal (450 x 4 Nos.) (150 x2 Nos., 450 x 4 Nos)
MACHINE DIMENSIONS /Wt.	L :1000, H : 2300 (mm) / 400kgs.



Model HMJ-DM-006

(D-Motion
High Speed
Cup Filler machine)

APPLICATION : For packaging Various powders , Granules , Detergent Powders , Pan Masala , Gutkha , Dhana dal , Mehndi powder , Supari , Salt , Sugar , Masala pack ,Curry powder , Neel , Namkeen , Bhujiyा ORS (Rehydration) , Milk powder , Hair dye powder etc.

TECHNICAL SPECIFICATION :

SEALING TYPES	3 Side Sealing and Center Sealing .(on Request) .
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 60-250mm.
PACKAGING SPEED	40 - 150 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	1.5 gms . to 50gms.
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	150W. x 2,300 W x 2 (TSS x CS) 350 W x 4 (FFS)
POWER LOAD	2.5Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L750 x W 560 x H 1800 (mm) /280 Kgs (Approx).
Cutting System	Batch Cutting



Model HMJ-CLC-007

(PLC Based
Pn. Collar
Type Cup Filler
Machine)

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	Center Seal Back Seal with constant Heat .
FILLING SYSTEM	Adj. Telescope Disc Volumetric Cup Filler
CENTER FIN SEAL	10mm to 12mm
PACKAGING SIZE	(Length) 100 to 300mm (Film Width) 100 to 260mm
PACKAGING SPEED	20 – 70 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	5 gms . to 5kg
PACKAGING MATERIAL	ANY HEAT SEALABLE LAMINATED FILMS
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L750 x W 560 x H 1800 (mm) /280 /360Kgs (Approx).
REQUIRED AIR PRESURE	6CFM@6 BAR (2HP COMPRESSOR)



Model HMJ-CLA-008

(PLC Based Pn.
Auger Filler
machine)

APPLICATION : For Packaging Various Free Flowing Powders, Such as Spices, Mehandi, Besan, Aata, Maida, Milk Powder, Sugar Powder, Hair Dye Powder, ORS Powder, and other similar Products.

TECHNICAL SPECIFICATION :

SEALING TYPES	Center Seal Back Seal with constant Heat .
FILLING SYSTEM	Auger Filler
CENTER FIN SEAL	10mm to 12mm
PACKAGING SIZE	(Length) 100 to 300mm (Film Width) 100 to 260mm
PACKAGING SPEED	10-50 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	5 gms . to 5kg
PACKAGING MATERIAL	ANY HEAT SEALABLE LAMINATED FILMS
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.



Model HMJ-CLW-009

PLC Based Pn.
Collar Type Weight
Filler Machine

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	Center Seal Back Seal with constant Heat .
FILLING SYSTEM	Weight Filler
CENTER FIN SEAL	10mm to 12mm
PACKAGING SIZE	(Length) 100 to 300mm (Film Width) 100 to 260mm
PACKAGING SPEED	10-50 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	5 gms . to 5kg
PACKAGING MATERIAL	ANY HEAT SEALABLE LAMINATED FILMS
ELECTRICAL SUPPLY	Motor ½ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.



Model HMJ-MCL-010

**PLC Based Pn.
Mini Collar
Type Machine**

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	Center Seal Back Seal with constant Heat .
FILLING SYSTEM	Cup Filler
CENTER FIN SEAL	10mm - 12mm
PACKAGING SIZE	(Length) 100 to 300mm (Film Width) 100 to 260mm
PACKAGING SPEED	10 - 120 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	10gm - 100gm
PACKAGING MATERIAL	ANY HEAT SEALABLE LAMINATED FILMS
ELECTRICAL SUPPLY	Motor ¼ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.



Model HMJ-MT-011

**(Multi Track
Packaging
Machine)**

APPLICATION : For Packaging Various Free Flowing Shampoo, Oil, Toothpaste, Lotions, Paste, Liquid with Granules and other similar Products.

Machine production speed	Up to 700 pouches per minute at 6 tracks (pouch width 50mm)
Pouch sealing type	4 side seal (sachet)
Film roll width	600mm
Number of track	3 track (100mm pouch width), 4 track (75mm pouch width), 5 track (60mm pouch width), 6 track (50mm pouch width)
Filling quantity per pouch	3ml to 200ml (depends on pouch width)
Product to pack	liquid, paste, semi liquid, granules etc.



Model HMJ-MH-012

APPLICATION : For packaging various Free Flowing Granules , Pules , Detergent Powder , Pharmaceuticals , Snacks , and other similar products.

TECHNICAL SPECIFICATION :

SEALING TYPES	Center Seal Back Seal with constant Heat .
FILLING SYSTEM	Weight Filler, 4, 10, 14, 24 Head
CENTER FIN SEAL	10mm to 12mm
PACKAGING SIZE	(Length) 100 to 300mm (Film Width) 100 to 260mm
PACKAGING SPEED	10-50 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	5 gms . to 5kg
PACKAGING MATERIAL	ANY HEAT SEALABLE LAMINATED FILMS
ELECTRICAL SUPPLY	Motor ¼ HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 4 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.



**Model
HMJ-PP-013**

**(Candy Pillow
Pack Machines)**

APPLICATION : For packaging Various powders sweets Candy, Chewing gum , chocolate ,suger cubes ayurvedic candy etc.

TECHNICAL SPECIFICATION :

SEALING TYPES	Centre sealing
PACKAGING SIZE	(Length) 30-150 mm (Film Width) 60-300mm.
PACKAGING SPEED	300 – 600 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	L22-36 W13-18 T6-16(mm)
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor 1 HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 8 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L1800 x W 1000 x H 1360 (mm) /500-600 Kgs (Approx)



**Model
HMJ-HFW-014**

**(Horizontal Flow
Wrap Machines)**

APPLICATION : For packaging Biscuits, chocolate , soaps , stationery items , syringes, ball bearing , toys and any other rounded , square shape of solid products .

TECHNICAL SPECIFICATION :

SEALING TYPES	Pillow type Contious
PACKAGING SIZE	(Length) 100-250 mm (Film Width) 90-450mm (Height) 10-100mm
PACKAGING SPEED	40 – 200 Pouching/Per Minutes (Depending upon the Size).
PACKAGING RANGE	L22-36 W13-18 T6-16(mm)
PACKAGING MATERIAL	Any heat sealable Laminated Film.
ELECTRICAL SUPPLY	Motor 1 HP, 220V AC, Single Phase.
HEATER LOAD	(350W. x 8 No.)(200W, x2 No. Round)
POWER LOAD	3Kw., AC. Three Phase /Single Phase.
MACHINE DIMENSIONS /Wt.	L3560x W 1350 x H 1730 (mm) /500-600 Kgs (Approx)

Filler & Accessories



10 Head Weigher



14 Head Weigher



Four Head Weigher



Two Head Weigher



Output Conveyor



Bucket Elevator



Working platform



Timing Hopper



Rotary table



**Inclined Screw
Conveyor**



Follow us



HINGLAJ MACHINERY

Mfg. & Exporter of
Packaging Machine

Office Address

📍 Osia Arcade 2nd Floor,
RTO Office Rd, Sai-Niketan
Housing Society, Shahunagar,
Pimpri-Chinchwad, Pune 411019

📞 +91 8668861767, 7249728471

Factory Address

📍 Gut No.281, Kharpudi Road, JALNA - 431 203

📞 +91 8668861767, 9422205939

🌐 www.hinglajmachinery.com

✉️ sales@hinglajmachinery.com