



# Rubber Footwear Guide

- Agriculture
- Country
- Safety



Skellerup, a New Zealand based company, has been proudly crafting rubber footwear since the 1930s. Our success is rooted in our dedication to innovation, quality, and best practices.

We offer a diverse range of products specifically designed to meet the unique requirements of local conditions.

#### CUSTOMER SERVICE

For any enquiries or feedback, our Customer Services team is available Monday to Friday from 9.00am to 5.00pm. Reach out to them on +44 (0) 1644 430200 or via email [eusales@skellerup.co.nz](mailto:eusales@skellerup.co.nz)

#### FOLLOW SKELLERUP ONLINE

Up to date on what's happening in the field by following us on social media for the very latest from Skellerup Footwear Europe.



Now available in Europe, Skellerup's renowned rubber footwear brings its legacy of excellence to new shores.

From safety applications in industrial settings to the demands of agriculture and country life, Skellerup boots are designed to excel.

Whether navigating rugged terrains or working in challenging conditions, European consumers can now benefit from footwear that embodies durability, comfort, and the trusted heritage of Skellerup craftsmanship.





## A NEW ZEALAND ICON

Red Bands are a national treasure of New Zealand, their vibrant red hue a symbol of hard work and rugged Kiwi spirit. Since 1958, these iconic Gumboots are handcrafted with durable rubber, making them a staple for farmers who need a gumboot that will go the distance, enthusiastic supporters on the sidelines of local sporting games, and as a trusty gumboot to throw on at the back door for outdoor chores.

They're more than just gumboots; they're a symbol of a practical lifestyle. In every pair of Red Bands, there's a piece of New Zealand's enduring dedication to quality and resilience



Red Band Calf - 100002

- Calf height farm boot
- Handcrafted with rubber
- Flex and ozone resistant full rubber cladding
- Built in UV inhibitors
- Cotton canvas lining
- 5mm built-in rubber foam cushioned innersole
- kick lug
- Heavy duty cleated sole
- Sizes UK 4-14





## Gumboots that go the distance

Handcrafted from durable rubber, Skellerup 4x4 Marathon gumboots are built to endure the demanding conditions of New Zealand's countryside.

Engineered with reinforced ribbed panels at key wear and flex points, the all-terrain tractor-tread outsole offers exceptional grip. This is complemented by a robust heel stiffener, providing added support and stability. With a fully waterproof construction, they ensure your feet stay dry in any weather, making them ideal for whatever your day on the farm throws at you.



### Comfort and Performance Features:

- Made by hand using durable rubber
- Fully waterproof
- All terrain moulded tractor-tread outsole
- Rigid, supportive heel stiffener
- Toe scuff guard
- Kick lug

### Materials and Components:

- Upper material: Flex resistant and UV-inhibitor rubber
- Lining material: Hard-wearing canvas
- Outsole material: Rubber
- Insole material: Replaceable comfort PU orthotic footbed
- Construction: Vulcanised rubber
- Formulated for agricultural conditions



# QUATRO®

## The next generation in agricultural footwear.

Quatro by Skellerup stands as the next generation in agricultural footwear. We've harnessed the latest technological advancements to create gumboots that are not just comfortable but harder wearing and more durable. Completely rubber-clad from top to toe, Quatro gumboots keep farm feet dry and comfortable, even in the toughest conditions.

Designed to protect toes and ankles, these boots enable free movement through the muddiest fields while gently cushioning the impact of your day on farm.



Quatro® Knee Green - 102112

### Non-Insulated Boots

- Full rubber cladding formulated for farm use
- Quick-dry polyester lining
- Removable premium Quatro Comfort innersole
- Ankle-locking design
- Extra stiff counter for ankle support
- Mud releasing, abrasion resistant rubber outsole
- Hardened rubber toe cap protector
- Easy-off kick lug
- Available in sizes UK 4-14



Quatro® Insulated Green - 102162

### Insulated Boots

- Full rubber cladding formulated for farm use
- Fleece lined 4mm neoprene insulation
- Tested to -50°C Comfort range: -25°C to 25°C
- Removable premium Quatro Comfort innersole (replacement insoles available)
- 4mm wool felt insulator base
- Hardened rubber toe cap protector
- Ankle-locking design
- Extra stiff counter for ankle support
- Mud releasing, abrasion resistant rubber outsole
- Easy-off kick lug
- Available in sizes UK 4-14



# QUATRO®

## Performance meets country with Quattro Sport.

Crafted with the needs of UK and European wearers in mind, Quattro Sport by Skellerup blends functionality with style for comfort and performance in the field.. Its specialised gusset feature, tailored to accommodate broader calves, ensures a comfortable fit.

The olive green rubber compound provides durability and comfort, while the 4mm fleece-lined neoprene insulation keeps you warm in temperatures as low as -50 degrees Celsius. Additionally, the ankle locking design offers added stability and support, keeping you comfortable throughout the day.



Quattro® Sport - 102166

### Sport Boots

- Full rubber cladding
- Fleece lined 4mm neoprene insulation
- Tested to -50°C Comfort range: -25°C to 25°C
- Side gusset with adjustable strap for customised calf fit
- Removable premium Quattro Comfort innersole base
- Hardened rubber toe cap protector
- Ankle-locking design
- Extra stiff counter for ankle support
- Mud releasing natural rubber outsole
- Easy-off kick lug
- Available in sizes UK 2-14



QUATRO®

## Comfort and Protection with Quattro Safety.

Discover a new standard in safety footwear with Quattro® Professional Safety range. Unlike typical waterproof safety boots, every pair of Quattro® boots is meticulously handcrafted, ensuring an exceptional fit and unparalleled comfort. Offering the highest levels of protection, whether it's knee, thigh, or chest waders, the Quattro® Professional Safety range has the perfect solution for your safety boot needs. Step confidently into a new era of comfort and protection with Quattro®.



Quattro® S5 Super Safety  
Style No  
202111 Black/Red,

### Safety Boots

- Knee length, fully waterproof rubber super safety boot
- S5 safety rating meeting EN ISO 20345 S5
- Lightweight, quick drying lining
- SureGrip 360 antistatic nitrile outsole with integral digging pad
- 4mm wool-felt insulated base layer
- Quattro Comfort System insole with activated charcoal for improved foot health
- ComfortForm steel toe cap & steel penetration resistant midsole

Colour: Black/Red and Green/Red  
Height: Knee  
Lining: Red anti-microbial PE  
Sizes: UK 4 – 14  
EN Standard: EN ISO 20345:2022 S5  
Safety Features: SB, P, A, FO, E, HRO, SRC



Quatro® S5 Super Safety  
Insulated Knee  
Style No  
202161 Black/Red

## Insulated Safety Boots

- Full rubber cladding
- Full 4mm neoprene insulated lining
- Quick-dry polyester lining
- Tested to -50°C Comfort range: -25°C to 25°C
- Removable premium Quatro Comfort innersole
- 4mm wool felt insulator base
- Additional Tuff-Guard rubber toe protector
- Ankle-locking design
- Extra stiff counter for ankle support
- Easy-off kick lug
- ComfortForm steel toe cap
- Penetration resistant, steel midsole
- SureGrip 360 antistatic nitrile outsole with integral digging pad

Colour: Black/Red and Green/Red

Height: Knee

Lining: Black 4mm neoprene insulated lining

Available in sizes UK 4-14

EN Standard: ISO 20345:2022 S5

Safety Features: SB, P, A, FO, E, HRO, SRC



Quatro® S5 Thigh  
Style No 20215

## Super Safety Thigh Wader

- Thigh length, fully waterproof, rubber safety wader
- S5 safety rating meeting EN ISO 20345
- Dual binding for adjustable height
- Lightweight, quick drying lining
- SureGrip 3 60 antistatic nitrile outsole with integral digging pad
- Quatro Comfort System insole with activated charcoal for improved foot health
- ComfortForm steel toe cap & steel penetration midsole
- Adjustable Belt Strap

Colour: Black/Red

Height: Thigh

Lining: Red anti-microbial polyester

Sizes: UK 4 – 14

EN Standard: EN ISO 20345:2022 S5

Safety Features: SB, P, A, FO, E, HRO, SRC



Quatro® Chest Wader System  
Style No CWU01

## Chest Wader System

- Tough, abrasion resistant butyl trilaminated upper
- Compatible with any Quatro boot
- Compatible with Quatro Studding Kit
- Upper available in 5 fittings S-XXL
- Reinforced Cordura knee patches
- Fully adjustable and replaceable webbing straps
- Adjustable bungee cord fastening
- Internal tool pocket
- Compatible with safety harnesses

Colour: Black

Height: Chest

Lining: Soft woven polyester

Sizes: S-XXL

Boot Sizes: UK 4 - 14

## Ordering your Chest Wader System

### 1. Skellerup Quatro™ Chest Wader Body Sizing

Choose the correct size Wader Body Upper from the chart below

Size	Maximum Chest Size		Maximum Inside Leg		Wader Height	
	Inch	CM	Inch	CM	Inch	CM
Small	40	102	27	69	56	142
Medium	42	107	29	74	58	147
Large	44	112	31	79	60	153
X Large	46	117	33	84	62	158
XX Large	48	122	35	89	64	163

### 2. Quatro™ Boot Recommendation

Select the model and size of boot you wish to be fitted. We recommend steel toe cap and midsole boots for all industrial applications, but other options are available.

Code	Description	Safety Standard	Lining Material
202111	Quatro™ S5 Super Safety	BSEN20345:2022	Red Antimicrobial PE
202160	Quatro™ S5 Super Safety Insulated	BSEN20345:2022	4mm Neoprene Fleece

### 3. Add Tungsten Tipped Studs if Required

If your work involves walking on slippery rocks or weed covered concrete, studding the sole will improve grip. We can stud the waders for you before delivery or supply a DIY Kit.

Code	Description
FST003	DIY Boot Studding Kit. Includes 30 studs, fixing tool & instructions.
FST999	Studding Service. Quattro waders delivered pre-fitted with 30 studs



QUATRO®

## Mitigating electrical risk comfortably.

The Quattro® Dielectric range revolutionises safety with the first gumboot to offer combined Dielectric and Arc Flash protection. This boot goes beyond mere electrical insulation, delivering superior user comfort compared to injection-moulded alternatives. Handcrafted from natural rubber, it boasts exceptional cut and abrasion resistance, leading to higher retest pass rates and making the Quattro® Dielectric a secure and cost-effective investment.

In addition to the standard Dielectric boot, the Quattro® Dielectric range includes a thermally insulating version. Featuring a 4mm neoprene lining, it shields against cold temperatures down to -50°C.

Completing the Quattro® Dielectric line-up are two overshoes designed to be worn over most leather safety footwear. Available in slip-on or buckle-fastening options, these overshoes provide an extra layer of protection for any work environment.

Step confidently into safety with the Quattro® Dielectric Range.



Quatro® Dielectric  
Style No 202212

### Dielectric Safety Boot

- Knee length Dielectric safety boot
- Meets safety standards – EN ISO 20345:2022 SB, E, HRO FO, SRC ASTM F2413 (M/I/75/C/75)
- Meets electrical standards – EN 50321:2018 (Class 2) (20kV), ASTM F1117 (20kV)
- Arc flash protection – Meets ASTM F2621 and IEC 61482-1-1 Method B resulting in no ignition, dripping or melting at 40Cal/cm<sup>2</sup>
- Unique serial number on each pair to aid PPE management
- Ergonomically designed to secure the foot and enhance stability
- Super-flex™ ozone and flex resistant rubber upper
- Revolutionary 360 SureGrip outsole, resistant to oil, acid and heat
- Quattro ComfortForm steel toe cap
- Quattro comfort system insole

Colour: Yellow/Black

Height: Full Knee

Lining: Quick Dry Polyester

Sizes: UK 4-14

Standards: EN ISO 20345:2022, ASTM F2413, EN 50321:2018 (Class 2), ASTM F1117 (20kV), ASTM F2621, IEC 61482-1-1 Method B

Safety Features: SB, E, HRO, FO, SRC



Quatro® Dielectric  
Thermal

### Quattro Dielectric Thermal

- Knee length Dielectric safety boot
- 4mm neoprene lining comfort tested to -50°C
- Meets safety standards – EN ISO 20345:2022 SB, E, HRO, FO, ASTM F2413 (M/I/75/C/75)
- Meets electrical standards – EN 50321:2018 (Class 2) (20kV), ASTM F1117 (20kV)
- Arc flash protection – Meets ASTM F2621 and IEC 61482-1-1 Method B resulting in no ignition, dripping or melting at 40Cal/cm<sup>2</sup>
- Unique serial number on each pair to aid PPE management
- Ergonomically designed to secure the foot and enhance stability
- Super-flex™ ozone and flex resistant rubber upper
- Revolutionary 360 SureGrip outsole, resistant to oil, acid and heat
- Quattro ComfortForm steel toe cap
- Quattro comfort system insole

Colour: Yellow/Black

Height: Full Knee

Lining: 4mm neoprene

Sizes: UK 4-14

Standards: EN ISO 20345:2022, ASTM F2413, EN 50321:2018 (Class 2) (20kV), ASTM F1117 (20kV), ASTM F2621, IEC 61482-1-1 Method B

Safety Features: SB, E, HRO, FO, CI, SRC



Quattro® Dielectric  
Overshoe  
Style No  
Slip On – 255405  
2 Buckles – 255400

### Dielectric Overshoe

- High spec, waterproof, handmade rubber dielectric overshoe
- Available as slip on or buckle fastening
- Fits over most safety and non-safety shoes
- Reinforced scuff protection in high wear areas
- Unique serial number on each pair to aid PPE management
- Each pair tested at 20kV in line with ASTM F1116
- MADE TO ORDER: Contact for further details

Colour: grey/black  
Height: Ankle  
Lining: quick drying polyester  
Sizes: 7 - 17  
Standard: ASTM F1116 20kV



### Know the Difference

EH & Dielectric Footwear

## ASTM F2413 EH (Electrical Hazard)

- 8 kV
- Dry Test
- 1 Minute Test
- Sole Unit Only
- Specimen Testing

## ASTM F1117 DIELECTRIC

- 20 kV
- Wet Test
- 3 Minute Test
- Entire Boot (3" from top)
- Every Boot Tested

# FIRE

## Protecting Those Who Protect Us

The Skellerup Fire Boot range provides Europe's Firefighters with the highest level of safety and protection to combat the most hazardous working environments man can face. Manufactured to the very latest issue of EN17249:2012, Skellerup fire boots exceed the requirements for both Type 2 and Type 3 Hazardous Environment boots, whilst at the same time delivering the highest levels of comfort and durability.



Skellerup Firefighter  
Style No 12171-3V

### Type 2 Fire Fighter

- Type 2 structural fire fighter boot
- Meets EN ISO20345:2022 and EN15090:2012 F2I
- Insulates against heat
- Flame and radiant heat resistant
- Electrically insulating
- Slip resistant SRC commando outsole with ladder grips
- Steel ComfortForm w toe cap and penetration resistant steel midsole
- Resistant to fuel oil, mild acids & alkalis
- Cushioned sponge rubber insole

Colour: Black  
Handles: External  
Lining: Cotton Canvas  
Sizes: EU 37 to 50  
EN Standard: EN 15090:2012 F2I  
and EN ISO20345:2022  
F2I, HI3, E, P, HRO, I, SRC, CI



Skellerup Firefighter Extreme  
Style No 12171-1M

### Type 3 Fire Fighter Extreme

- Type 3 Structural fire fighter boot.
- Meets EN ISO 15090:2012 F3I and EN ISO 20345:2022
- Hazardous material tested to ASTM F739
- Nomex/Kevlar flame resistance lining
- Highly resistant to fuel oil, mild acids & alkalis and hazardous materials.
- Insulating against electrical shocks
- Slip resistant SRC commando outsole with ladder grips
- Poliyou Multi-Fit System insole providing up to 4 different width fittings
- Comfort Form Steel toe cap and composite midsole offering 1600N Penetration resistance.
- Fitted with RFID to aid PPE traceability

Colour: Black  
Handles: Cut out  
Lining: Nomex/Kevlar  
Sizes: UK 3 to 17  
EN Standard: EN  
15090:2012 F3I and EN  
ISO20345:2022  
F3I, HI3, CH, AN, CI, E,  
P, HRO, I, SRC, ASTM  
F739



# ACCESSORIES



Quatro Innersole  
Style No FMI2  
Style No FMI3 Anti Static

## Quatro Innersole

- Heel and arch support for greater stability
- Poliyou open foam cell cushioning
- Raised Politech shock absorbing heel pad
- Hard wearing, moisture wicking cloth lining
- Activated carbon to control odour
- Fungal and bacterial growth inhibitor
- Also available in Anti-Static to be used in all Quatro S5 boots
- Each pack covers 3 sizes with guide lines to trim down to the perfect size

Colour: Black  
sizes: UK 3-5, 6-8, 9-11, 12-14  
Material: Poliyou open cell foam, Politech shock absorbing pad, cloth lining



Studding Service  
Style No FST999

## Skellerup Grip Stud Kit

If your work involves walking on slippery rocks or weed covered concrete, studding the sole will improve grip. Waders can be studded before delivery or supplied as a DIY kit.

## Product Specification

- Boot Studding kit
- 30 tungsten tipped grip studs
- DIY kit comes with fixing tool and instructions



DIY Boot Studding Kit  
Style No FST003



# SKELLERUP

Skellerup Footwear Europe

Email: eu.sales@skellerup.co.nz

Phone: +44 (0) 1644 430200



In the interests of product development Skellerup reserves the right to change, alter or amend or delete products without notification.

Quatro is a registered trademark of Skellerup Industries.  
Red Band is a registered trademark of Skellerup Industries.

[www.skellerupfootwear.co.uk](http://www.skellerupfootwear.co.uk)

Scan to  
learn more.

Follow us on:

