

Package ‘CanopyPhotosynthesis’

May 4, 2016

Type Package

Title Canopy photosynthesis testbed

Version 1.0

Date 2016-05-04

Author Jin Wu, Shawn Serbin

Maintainer Jin Wu <jinwu@bnl.gov>, Shawn Serbin <:sserbin@bnl.gov>

Description Testbed for canopy scaling and modeling of Photosynthesis and GPP

Depends XML

Suggests testthat

SystemRequirements

OS_type Windows, unix, mac

License FreeBSD + file LICENSE

Copyright Authors

LazyLoad yes

LazyData FALSE

RoxygenNote 5.0.1

R topics documented:

Func_Canopy_Radiation_Transfer	1
model.options	2
Index	4

Func_Canopy_Radiation_Transfer
Func_Canopy_Radiation_Transfer

Description

Function for revised DF1997 model to partition canopy LAI into sunlit/shade leaves LAI and partition canopy Vcmax into sunlit/shade leaves Vcmax clumping index was added to original DF1997 model, following the reference from Ryu et al. 2011

Usage

```
Func_Canopy_Radiation_Transfer(FLAG, SZA, LAI, Ib0, Id0, Vcmax0_25, CI)
```

Arguments

FLAG	Model version controller; 0–Lloyd et al. 2010 Model for Vcmax-LAI relationship; 1–Mercado et al. 2006 Model for Vcmax-LAI relationship in the tropics
SZA	solar zenith angle, in degrees
LAI	Canopy leaf area index
Ib0	direct beam at canopy top
Id0	diffuse irradiance at canopy top
Vcmax0_25	Vcmax at reference 25 centi-degree for canopy top leaves
CI	Clumping index; 0.63 for tropical evergreen forests (Chen et al, 2005)

Details

Goal: Use revised DF1997 model to partition canopy LAI into sunlit/shade leaves LAI and partition canopy Vcmax into sunlit/shade leaves Vcmax clumping index was added to original DF1997 model, following the reference from Ryu et al. 2011

Value

List containing: Lsun - Sunlit LAI; Lshade - Shade LAI; Ic - Canopy total absorbed irradiance; Isun - Sunlit leaf absorbed irradiance; Ishade - Shade leaf absorbed irradiance; Vc - Canopy total Vcmax; Vcsun - Sunlit leaf Vcmax; Vcshade - Shade leaf Vcmax

Author(s)

Jin Wu
Shawn Serbin

References

dePury and Farquhar, 1997; Ryu et al., 2011

model.options	<i>parse model.options.xml file used to set parameters and other options for model runs</i>
---------------	---

Description

Read model.options.xml file

Usage

```
model.options(input.file = NULL)
```

Arguments

input.file	model.options.xml file containing information needed for run
------------	--

Author(s)

Jin Wu, Shawn P. Serbin

Examples

```
## Not run:  
opt <- model.options()  
model.options <- model.options('/home/$USER/model.options.xml')  
  
## End(Not run)
```

Index

`Func_Canopy_Radiation_Transfer`, [1](#)

`model.options`, [2](#)