

Janet Fraser

Chief Regulatory Officer Phone: 604-623-4046 Fax: 604-623-4407

bchydroregulatorygroup@bchydro.com

Via NEB Website

January 24, 2014

Sherri Young Secretary of the Board National Energy Board Electricity Reliability 444 - 7th Avenue SW Calgary, Alberta T2P 0X8

Dear Ms. Young:

RE: National Energy Board (NEB)

British Columbia Hydro and Power Authority (BC Hydro)

Compliance with NEB Order MO-036-2012, Order for Electricity Reliability

Standards

File OF-Fac-ElecGen-Rel-IPL 05

BC Hydro is writing to the NEB in compliance with Order MO-036-2012 (**Order**) to provide its declaration that it is maintaining the record required under subsection 6(1) of the Order and to provide a copy of the record.

BC Hydro holds authorizations, in the form of International Power Line (IPL) Certificates, for NEB regulated IPLs that BC Hydro owns and operates for exporting electricity to the United States (U.S.). These authorizations are identified in the Order Appendix as Certificate Nos. EC-III-12, EC-III-04 and EC-III-10 for IPLs designated as 5L51, 5L52 and 2L112 respectively.

BC Hydro declares that it is maintaining a record in the form of Attachment 1 that lists:

- (a) The identity of the provincial authority or standards development authority whose reliability standards the holder of the certificate is complying with for the purposes of sections 3 and 5 of the Order
- (b) The names and reference numbers of the reliability standards that are applicable to the IPLs listed above for which BC Hydro is the certificate holder
- (c) The reasons why BC Hydro is complying with those reliability standards

BC Hydro proposes that reliability standards applicable to IPLs are those that meet the following criteria (**Criteria**):

BChydro ©

January 24, 2014
Sherri Young
Secretary of the Board
National Energy Board
Electricity Reliability
National Energy Board (NEB)
British Columbia Hydro and Power Authority (BC Hydro)
Compliance with NEB Order MO-036-2012, Order for Electricity Reliability Standards
File OF-Fac-ElecGen-Rel-IPL 05

Page 2 of 3

- 1. They are mandatory within a provincial authority framework
- 2. They are applicable to Transmission Owner (**TO**), Transmission Operator (**TOP**), Transmission Planner (**TP**) and Transmission Service Provider (**TSP**) reliability standard functional registrations within that provincial authority framework

The British Columbia Utilities Commission (**BCUC**) has exclusive authority within British Columbia (**B.C.**), pursuant to section 125.2 of the B.C. *Utilities Commission Act*, to adopt and enforce reliability standards that are developed by the North American Electric Reliability Corporation (**NERC**), Western Electricity Coordinating Council (**WECC**), or other prescribed standard making body. If the BCUC determines that a reliability standard is required to maintain or achieve consistency between B.C. and other jurisdictions that have adopted the reliability standard, these same standards must be adopted in B.C. In order to reject a standard, the BCUC must determine that the standard is not in the public interest in B.C. Further, the BCUC cannot amend any reliability standard developed by the above standard making bodies nor can it, without the approval of the Provincial Government, set a standard or rule pertaining to a matter addressed by a reliability standard that has been assessed. The BCUC generally conducts this standards assessment annually. As a result of this assessment and approval process, there is normally a delay from the date a standard is approved in the U.S. to the date on which it is adopted in B.C.

On March 6, 2013 BC Hydro provided to the NEB its record of the names and reference numbers of the reliability standards that were effective in B.C. on March 6, 2013 and applicable to the IPLs. Attachment 1 outlines the changes to the applicable reliability standards since the March 6, 2013 list was filed. The reliability standards listed in Attachment 1 are approved by the BCUC and effective in B.C. as of January 30, 2014.

BC Hydro is complying with the reliability standards listed in Attachment 1 for the following reasons:

- 1. The identified reliability standard has been determined by the BCUC to be required to maintain or achieve consistency between B.C. and other jurisdictions that have adopted the reliability standard and has been adopted by the BCUC as a mandatory reliability standard in B.C. under the British Columbia Mandatory Reliability Standard Program (B.C. MRS Program)
- 2. The identified reliability standard applies to one or more of the TO, TOP, TP and TSP functional registrations under the B.C. MRS Program and therefore is applicable to the IPLs for which BC Hydro is the certificate holder
- 3. BC Hydro is registered for each of the TO, TOP, TP and TSP functions under the B.C. MRS Program and is therefore required to comply with each of the reliability standards for the IPLs for which BC Hydro is the certificate holder

BChydro

January 24, 2014 Sherri Young Secretary of the Board National Energy Board
Electricity Reliability
National Energy Board (NEB)
British Columbia Hydro and Power Authority (BC Hydro)
Compliance with NEB Order MO-036-2012, Order for Electricity Reliability Standards File OF-Fac-ElecGen-Rel-IPL 05

Page 3 of 3

For further information, please contact Geoff Higgins at 604-623-4121 or by email at bchydroregulatorygroup@bchydro.com.

Yours sincerely,

Janet Fraser

Chief Regulatory Officer

st/ma

Copy to: BCUC

Attention: Erica Hamilton

Commission.Secretary@bcuc.com

Teck Cominco Metals Ltd. Attention: Peter Rozee

peter.rozee@teckcominco.com

BC Hydro Compliance with NEB Order MO-036-2012

Attachment 1

BC Hydro's IPLs (International Power Lines)
Standards List



BC Hydro's IPLs (International Power Lines) Standards List

Prepared by: Reliability Compliance

Date: January 22, 2014

BChydro ## FOR GENERATIONS	BC Hydro's IPLs Standards List	Version 1.0
0.000.000.000.000.000		

VERSION CONTROL

Date	Author	Version Number	Stakeholders Consulted	Reason/Comments
Jan 22, 2014	Reliability Compliance	1.0	Legal Regulatory	 Initial version. Original list developed for filing to NEB March 6, 2013. Updated per new BCUC Orders. Changes between the original list and updates indicated with strikethroughs and Notes.

Versioning guide:

Version control shows the dates when a document changes, the person who authored the changes, as well as the reason for the change. Version control allows effective tracking and information for audit purposes.

A two-tiered number versioning system will be used - for example, 1.0 and 2.3.

A major change will require an increase before the decimal, while a minor change means an increase in the number after the decimal.



Version 1.0

Introduction

NEB Order MO-036-2012 - Directive 6(1)

6(1) The holder of a certificate shall maintain a record, in the form of a spreadsheet, that contains:

NEB Certificate Holder: BC Hydro Certificate Nos: EC-III-12, EC-III-04 and EC-III-10.

(a) The identity of the provincial authority or standards development authority whose reliability standards the holder of the certificate is complying with for the purposes of sections 3 and 5;

BCUC has authority under the B.C. *Utilities*Commission Act to adopt and enforce reliability standards developed by NERC and WECC.

(b) The names and any reference numbers of the reliability standards applicable to the IPL; and

are applicable to the IPL regulated by the certificates referenced above are as listed in Table 1 below.

(c) The reasons why the holder is complying with those reliability standards.

The certificate holder is complying with the standards listed in Table 1 because the identified version of the reliability standard is mandatory in B.C. and applies to one or more of the following reliability standard functional registrations:

The reliability standard reference numbers that

The Certificate holder is registered as TO, TOP, TP and TSP with the BCUC.

Version 1.0

BC Hydro's IPLs Standards List

Table 1 Names and Reference Numbers of Reliability Standards Applicable to BC Hydro IPLs (as of January 30, 2014)

Reference Number	Reliability Standard Name	BCUC		Appli	es to	
		Order Adopting	TO	TOP	TP	TSP
BAL	Resource and Demand Balancing					
BAL 005 0.1b	Automatic Generation Control	G 167 10		X		
BAL-005-0.2b ¹	Automatic Generation Control	R-41-13		Χ		
CIP	Critical Infrastructure Protection					
CIP-001-2a	Sabotage Reporting	R-1-13		Χ		
CIP-002-3	Critical Cyber Asset Identification	G-162-11	Χ	Χ		Χ
CIP-003-3	Security Management Controls	G-162-11	Χ	Χ		Χ
CIP-004-3	Personnel & Training	G-162-11	Χ	Χ		Χ
CIP-005-3	Electronic Security Perimeter(s)	G-162-11	X	X		X
CIP-005-3a ¹	Electronic Security Perimeter(s)	R-1-13	Χ	Χ		Χ
CIP-006-3c	Physical Security of Critical Cyber Assets	G-162-11	Χ	Χ		Χ
CIP-007-3	Systems Security Management	G-162-11	Χ	Χ		Χ
CIP-008-3	Incident Reporting and Response Planning	G-162-11	Χ	Χ		Χ
CIP-009-3	Recovery Plans for Critical Cyber Assets	G-162-11	Χ	Χ		Χ
COM	Communications					
COM-001-1.1	Telecommunications	G-167-10		Χ		
COM-002-2	Communications and Coordination	G-67-09		Χ		
ЕОР	Emergency Preparedness and Operations					
EOP 001 0	Emergency Operations Planning	G 67 09		X		
EOP-001-0.1b ¹	Emergency Operations Planning	R-41-13		Χ		
EOP-003-1	Load Shedding Plans	G-67-09		Χ		
EOP-004-1	Disturbance Reporting	G-67-09		Χ		
EOP-005-1	System Restoration Plans	G-67-09		Χ		
EOP-008-0	Plans for Loss of Control Center Functionality	G-67-09		Х		

¹ Reliability standard is a revised/replacement reliability standard superseding the reliability standard listed immediately above it.

BChydro & BC Hydro's IPLs Standards List Version 1.0

Reference Number	Reliability Standard Name	BCUC	Applies to			
		Order Adopting	ТО	TOP	TP	TSP
FAC	Facilities Design, Connections, and Maintenance					
FAC-001-0	Facility Connection Requirements	G-67-09	Χ			
FAC 002 0	Coordination of Plans For New Generation, Transmission, and End User Facilities	G 67 09	X			
FAC-002-1 ¹	Coordination of Plans For New Generation, Transmission, and End-User Facilities	R-1-13	Х		X	
FAC-003-1	Transmission Vegetation Management Program	G-67-09	Χ			
FAC-008-1	Facility Ratings Methodology	G-67-09	Χ			
FAC-009-1	Establish and Communicate Facility Ratings	G-67-09	Х			
FAC-014-2	Establish and Communicate System Operating Limits	G-167-10		Х	Х	
FAC-501-WECC-1 ²	Transmission Maintenance	R-1-13	Χ			
INT	Interchange Scheduling and Coordination					
INT-004-2	Dynamic Interchange Transaction Modifications	G-67-09		X		
INT-006-3	Response to Interchange Authority	G-162-11				Χ
IRO	Interconnection Reliability Operations and Coordination					
IRO-001-1.1	Reliability Coordination — Responsibilities and Authorities	G-167-10		Х		Х
IRO 004 1	Reliability Coordination Operations Planning	G 67 09		X		X
IRO-004-2 ¹	Reliability Coordination — Operations Planning	R-1-13		Х		Х
IRO 005-2	Reliability Coordination Current Day Operations	G 167 10		X		X
IRO-005-3a ¹	Reliability Coordination — Current Day Operations	R-1-13		Х		Х
IRO STD 006-03	Qualified Path Unscheduled Flow Relief	G 67 09		X		

-

Reliability standard FAC-501-WECC-1 replaces reliability standard PRC-STD-005-1.

Reliability standard IRO-STD-006-0 was replaced by reliability standard IRO-006-WECC-1. Reliability standard IRO-006-WECC-1 is not applicable under subsection 6(1) of NEB Order MO-036-2012 as it does not meet the Criteria defined in the accompanying Letter.

Reference Number	Reliability Standard Name	BCUC		Appli	es to	
		Order Adopting	ТО	TOP	TP	TSP
MOD	Modeling, Data, and Analysis					
MOD-001-1a	Available Transmission System Capability	G-175-11		Χ		Χ
MOD-004-1	Capacity Benefit Margin	G-175-11			Χ	Χ
MOD-008-1	Transmission Reliability Margin Calculation Methodology	G-175-11		X		
MOD-010-0	Steady-State Data for Modeling and Simulation of the Interconnected Transmission System	G-67-09	Х		Х	
MOD-012-0	Dynamics Data for Modeling and Simulation of the Interconnected Transmission System	G-67-09	Х		Х	
MOD-018-0	Treatment of Non-member Demand Data and How Uncertainties are Addressed in the Forecasts of Demand and Net Energy for Load	G-67-09			Х	
MOD-019-0.1	Reporting of Interruptible Demands and Direct Control Load Management	G-167-10			Х	
MOD-020-0	Providing Interruptible Demands and Direct Control Load Management Data to System Operators and Reliability Coordinators	G-67-09			Х	
MOD 021 0.1	Documentation of the Accounting Methodology for the Effects of Demand Side Management in Demand and Energy Forecasts	G 162 11			X	
MOD-021-1 ¹	Documentation of the Accounting Methodology for the Effects of Demand-Side Management in Demand and Energy Forecasts	R-1-13			Х	
MOD-028-1	Area Interchange Methodology	G-175-11		Χ		Χ
MOD-029-1a	Rated System Path Methodology	G-175-11		Χ		Χ
MOD-030-02	Flowgate Methodology	G-175-11		Χ		Χ
PER	Personnel Performance, Training, and Qualifications					
PER 001 0.1	Operating Personnel Responsibility and Authority	G 162 11		X		
PER-001-0.2 ¹	Operating Personnel Responsibility and Authority	R-41-13		Х		
PER-002-0	Operating Personnel Training	G-67-09		Χ		
PER-003-0	Operating Personnel Credentials	G-67-09		Χ		

BChydro Wersion 1.0

BC Hydro's IPLs Standards List

Version 1.0

Reference Number	Reliability Standard Name	BCUC		Appli	es to	
		Order Adopting	ТО	TOP	TP	TSP
PRC	Protection and Control					
PRC-001-1	System Protection Coordination	G-67-09		Χ		
PRC STD 001-1	Certification of Protective Relay Applications and Settings	G 67 09	X	X		
PRC STD 003 1	Protective Relay and Remedial Action Scheme Misperation	G 67 09	X	X		
PRC-004-WECC-1 ⁴	Protection System and Remedial Action Scheme Misoperation	R-1-13	X	Х		
PRC 004 1	Analysis and Mitigation of Transmission and Generation Protection System Misoperations	G 67 09	X			
PRC-004-1a ¹	Analysis and Mitigation of Transmission and Generation Protection System Misoperations	R-1-13	X			
PRC 005 1	Transmission and Generation Protection System Maintenance and Testing	G 67 09	X			
PRC-005-1a ¹	Transmission and Generation Protection System Maintenance and Testing	R-1-13	Х			
PRC STD 005-1 ²	Transmission Maintenance	G 67 09	X	X		
PRC-007-0	Assuring Consistency of Entity Underfrequency Load Shedding Programs with Regional Reliability Organization's Underfrequency Load Shedding Program Requirements	G-67-09	X	X		
PRC-008-0	Implementation and Documentation of Underfrequency Load Shedding Equipment Maintenance Program	G-67-09	Х			
PRC-009-0	Analysis and Documentation of Underfrequency Load Shedding Performance Following an Underfrequency Event	G-67-09	X	X		
PRC-010-0	Technical Assessment of the Design and Effectiveness of Undervoltage Load Shedding Program	G-67-09	Х	Х		
PRC-011-0	Undervoltage Load Shedding System Maintenance and Testing	G-67-09	Х			
PRC-015-0	Special Protection System Data and Documentation	G-67-09	Х			
PRC-016-0.1	Special Protection System Misoperations	G-167-10	Х			

_

⁴ Reliability standard PRC-004-WECC-1 replaces reliability standards PRC-STD-001-1 and PRC-STD-003-1.

BC hydro Wersion 1.0

BC Hydro's IPLs Standards List

Version 1.0

Reference Number	Reliability Standard Name	BCUC		Appli	es to	
		Order Adopting	ТО	TOP	TP	TSP
PRC-017-0	Special Protection System Maintenance and Testing	G-67-09	Х			
PRC-018-1	Disturbance Monitoring Equipment Installation and Data Reporting	G-67-09	Х			
PRC-021-1	Under-Voltage Load Shedding Program Data	G-67-09	Х			
PRC-022-1	Under-Voltage Load Shedding Program Performance	G-67-09		Х		
PRC-023-1	Transmission Relay Loadability	G-162-11	Х			
ТОР	Transmission Operations					
TOP-001-1a	Reliability Responsibilities and Authorities	R-1-13		Х		
TOP 002 2b	Normal Operations Planning	R 1 13		X		X
TOP-002-2.1b ¹	Normal Operations Planning	R-41-13		Χ		Χ
TOP-003-0	Planned Outage Coordination	G-67-09		X		
TOP-003-1 ¹	Planned Outage Coordination	R-1-13		Χ		
TOP-004-2	Transmission Operations	G-167-10		Χ		
TOP-005-1.1	Operational Reliability Information	G-167-10		X		
TOP-005-2a ¹	Operational Reliability Information	R-1-13		Χ		
TOP-006-1	Monitoring System Conditions	G-67-09		X		
TOP-006-2 ¹	Monitoring System Conditions	R-1-13		Х		
TOP-007-0	Reporting System Operating Limit (SOL) and Interconnection Reliability Operating Limit (IROL) Violations	G-67-09		Х		
TOP-STD-007-0	System Operating Limits	G-67-09		X		
TOP-007-WECC-11	System Operating Limits	R-1-13		Х		
TOP-008-1	Response to Transmission Limit Violations	G-67-09		Х		
TPL	Transmission Planning					
TPL-001-0.1	System Performance Under Normal (No Contingency) Conditions (Category A)	G-167-10			Х	
TPL-002-0b	System Performance Following Loss of a Single Bulk Electric System Element (Category B)	R-1-13			X	
TPL-003-0a	System Performance Following Loss of Two or More Bulk Electric System Elements (Category C)	G-162-11			Х	
TPL-004-0	System Performance Following Extreme Events Resulting in the Loss of Two or More Bulk Electric System Elements (Category D)	G-67-09			Х	

BChydro 🛱		Version 1.0
FOR GENERATIONS	BC Hydro's IPLs Standards List	Version 1.0

Reference Number	Reliability Standard Name	BCUC		Appli	es to	
		Order Adopting	ТО	TOP	TP	TSP
VAR	Voltage and Reactive					
VAR 001 1	Voltage and Reactive Control	G 67 09		X		
VAR-001-2 ¹	Voltage and Reactive Control	R-1-13		Χ		
VAR-002-WECC-15	Automatic Voltage Regulators	R-1-13		Χ		

⁵ Reliability standard VAR-002-WECC-1 is a new reliability standard applicable under subsection 6(1) of NEB Order MO-036-2012.