



ACYP2 | chr2:53994688-53995189 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 24.1 kb | 422 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


LCLAT1 | chr2:30447755-30448256 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 780 bp | 195 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


DIP2A | chr21:46550539-46551040 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 91.9 kb | 252 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


DIP2A | chr21:46561121-46561622 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 102.5 kb | 192 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


PTK7 | chr6:43142078-43142579 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 66.0 kb | 127 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


PRMT2 | chr21:46550539-46551040 (CD8_Tn_CCR7)


Example category: All methods significant | peak-TSS distance: 84.8 kb | 249 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


RNASET2 | chr6:166959199-166959700 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 2.3 kb | 91 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


COG5 | chr7:107560897-107561398 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 3.4 kb | 139 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


RNASET2 | chr6:166952979-166953480 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 4.0 kb | 85 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


CARS | chr11:3006844-3007345 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 50.5 kb | 92 SNPs in MR

















e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


POLI | chr18:54269292-54269793 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 138 bp | 107 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


FGL2 | chr7:77199591-77200092 (CD8_Tn_CCR7)


Example category: Not significant in Marginal Multiomics / Pseudobulk | peak-TSS distance: 7 bp | 58 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


ERAP2 | chr5:96885894-96886395 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 10.2 kb | 128 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


NBPF26 | chr1:120913924-120914425 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 190.2 kb | 320 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


CORO1B | chr11:67446256-67446757 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 2.7 kb | 121 SNPs in MR

















e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


ZNF429 | chr19:21474531-21475032 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 21.9 kb | 127 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


RPS26 | chr12:56041553-56042054 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 453 bp | 55 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


ERAP2 | chr5:96896259-96896760 (CD8_Tn_CCR7)


Example category: Opposite direction (MR vs. marginal) | peak-TSS distance: 20.6 kb | 58 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


ARPC1B | chr7:99376204-99376705 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 2.2 kb | 100 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


MC1R | chr16:89784313-89784814 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 127.6 kb | 274 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


S100B | chr21:46633535-46634036 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 28.6 kb | 72 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


BANF1 | chr11:66001982-66002483 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 4 bp | 93 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


BUD31 | chr7:99380850-99381351 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 27.5 kb | 114 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.


BUD31 | chr7:99376204-99376705 (CD8_Tn_CCR7)


Example category: Significant only in MR | peak-TSS distance: 32.2 kb | 99 SNPs in MR














e: significant peak-gene links (FDR < 0.05) per method; arc colour = effect direction (red positive, blue negative, black = no direction for Causal Joint); arc width ∝ -log10 FDR (shared scale, 1.3-20); red peak = this pair's peak, black = other significant peaks; ticks = MR instruments within the window, gold triangle = SMR lead SNP.