

E. I Hateth Thee, Master of GCD

Problem ID: TTC04_hate_gcd

Time Limit: 2.0s

Memory Limit: 512MiB




Figure 1: 寫滿算式的黑板

Upon a certain day, Wonderhoi did attend a lesson of numbers.

The master, Sir Dirichlet, did expound unto his pupils a cunning art whereby one might swiftly discern the greatest common divisor (gcd) of two numbers:

First, taketh the lesser of the twain.

Then substract the lesser from the greater, until the greater falleth beneath the lesser.

Thereafter, exchange their places, and repeat the process anon.

Continue thus, until one number falleth unto naught; the other then remaineth, and that is the gcd of the two from the beginning.

As all masters are wont to do, Sir Dirichlet would prove whether Wonderhoi had grasped this craft.

Therefore he gave this task:

$$\sum_{i=1}^n \sum_{j=1}^m \gcd(i, j)$$

Yet Wonderhoi, deeming it but a trifle, did resolve it in but half a heartbeat. Straightway he did turn the tables, and set forth many new riddles, such as this:

$$\sum_{i=1}^n \sum_{j=1}^m \varphi(\gcd(i, j))$$

Here, φ is hight the Euler's totient function.

Alas, this question did confound even Master Dirichlet himself.

Thus he did call upon Wonderhoi's truest companion—*thee*—to lend thy wit.

Wilt thou succour him?

怕你看不懂中世紀英文，所以這裡提供簡易中文版給你參考

一開始給一數 T 代表接下來有 T 行

接下來每一行有兩個數字 n, m

求 $\sum_{i=1}^n \sum_{j=1}^m \varphi(\gcd(i, j))$

φ 為歐拉函數

— 輸入 —

一開始給一數 T 代表接下來有 T 行

接下來每一行有兩個數字 n, m

— 輸出 —

輸出 $\sum_{i=1}^n \sum_{j=1}^m \varphi(\gcd(i, j))$

φ 為歐拉函數

— 輸入限制 —

- $1 \leq T \leq 2 * 10^4$
- $1 \leq n, m \leq 1 * 10^6$

— 子任務 —

編號	分數	額外限制
1	0	範例輸入輸出
2	17	$1 \leq T \leq 1 \cdot 10^2, 1 \leq N \cdot M \leq 2 \cdot 10^5$
3	83	無額外限制

－ 範例輸入 1 －

3
1 1
3 4
2 1

－ 範例輸出 1 －

1
13
2

－ 範例測資解釋 －

第一筆:

$$\varphi(\gcd(1, 1)) = \varphi(1) = 1$$

第二筆:

$$\begin{aligned} & \varphi(\gcd(1, 1)) + \varphi(\gcd(1, 2)) + \varphi(\gcd(1, 3)) + \varphi(\gcd(1, 4)) \\ & + \varphi(\gcd(2, 1)) + \varphi(\gcd(2, 2)) + \varphi(\gcd(2, 3)) + \varphi(\gcd(2, 4)) \\ & + \varphi(\gcd(3, 1)) + \varphi(\gcd(3, 2)) + \varphi(\gcd(3, 3)) + \varphi(\gcd(3, 4)) \\ & = \varphi(1) + \varphi(1) + \varphi(1) + \varphi(1) + \varphi(1) + \varphi(2) \\ & + \varphi(1) + \varphi(2) + \varphi(1) + \varphi(1) + \varphi(3) + \varphi(1) \\ & = 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 2 + 1 = 13 \end{aligned}$$

第三筆:

$$\varphi(\gcd(1, 1)) + \varphi(\gcd(2, 1)) = \varphi(1) + \varphi(1) = 1 + 1 = 2$$

－ 範例輸入 2 －

```
6
999902 232732
123 456
20000 807
114514 1919
878787 878787
14641 1331
```

－ 範例輸出 2 －

```
1165803626217
125162
47610729
718554232
4183599362128
60878865
```

TODO 競賽名稱
TODO 競賽名稱 試題本

附錄

TODO