http://18f-dari.techflow.com/ - Section 508

Scan completed: 6/30/2015 1:45:55 PM

Group	All issues
	0

- ⊙ Section 508

  Section 508 guidelines for web applications as described at the US Access Board web site.

  - ⊙ 1194.22(c)

    Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.

    - ⊙ c.1 Ensure that all information conveyed with color...

      This check identifies pages that potentially require color for visual checking.

      - ⊙ Page references an external style-sheet. Visual check required.
        - http://18f-dari.techflow.com/

  - ⊙ 1194.22(d)

    Documents shall be organized so they are readable without requiring an associated style sheet.

    - ⊙ d.1 Organize documents so they may be read without ...

      Organize documents so they may be read without style sheets. For example, when an HTML document is rendered without associated style sheets, it must still be possible to read the page.

      - ⊙ Page uses an external style sheet. Verify that the page can be read without it.
        - http://18f-dari.techflow.com/

    - ⊙ d.3 Making the DOM order match the visual order

      - ⊙ Elements displayed with absolute positioning may be out of logical DOM order
        - http://18f-dari.techflow.com/
          - Line 71, column 21, SPAN element
          - Line 130, column 9, DIV element

    - ✔ d.2 Failure of Success Criterion 1.4.3, 1.4.6 and 1...

      Users with vision loss or cognitive challenges often require specific foreground (text) and background color combinations. For instance, many people with low vision find it much easier to see a Web page that has white text on a black background, so they may have set their user agent to create this contrast. If the author specifies that the text must be black, then it may override the settings of the user agent and render a page that has black text (specified by the author) on black background (that was set in the user agent). This principle also works in reverse. If the Webmaster forces the background to be white, then the white background specified by the author would be the same color as the white text (which was set in the user agent) rendering the page unusable to the user. Therefore, if the author specifies a foreground (text) color then they should also specify a background color which has sufficient contrast (link) with the foreground and vice versa.

      - ✔ Page contain no elements that specific foreground color but no background color or vice versa
        - http://18f-dari.techflow.com/

  - ⊙ 1194.22(j)

> Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.

- ☉ j.2 Until user agents allow users to control blinki...
    - ☉ Page may contain elements that cause blinking.
        - http://18f-dari.techflow.com/
- ✅ j.1 Pages are required not to contain the BLINK ele...
    - ✅ Page does not contain a BLINK element.
        - http://18f-dari.techflow.com/

- ☉ 1194.22(k)

  > A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.

    - ☉ k.1 Check for a 'Text Only Version' link that provi...

      > If a Text Only Equivalent of a page is provided it must be updated every time the primary content changes. This checkpoint typically gets marked N/A because there are sufficient techniques for making complex web content accessible. This checkpoint may need to be customized.

        - ☉ Verify if text only version is necessary for page
            - http://18f-dari.techflow.com/

- ☉ 1194.22(l)

  > When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.

    - ☉ l.1 Verify information provided by scripts shall be...
        - ☉ Verify that script is invokable or have textual representation
            - http://18f-dari.techflow.com/

- ☉ 1194.22(o)

  > A method shall be provided that permits users to skip repetitive navigation links.

    - ☉ o.1 Pages should contain a bookmark link to skip na...

      > This checkpoint may require customization.

        - ☉ Page has no skip navigation link, but has no significant content.
            - http://18f-dari.techflow.com/

- ☉ 1194.22(p)

  > When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required

    - ☉ p.2 Allow users to complete an activity without any...

      > The objective of this technique is to provide users with all the time they need to complete an activity. This technique involves providing a specified activity which does not require timed interaction. Users are allowed as much time as they need to interact with the activity.

        - ☉ Verify purpose of timeout. Usability test to ensure that user can complete activity without time limit
            - http://18f-dari.techflow.com/
                - Line 275, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/jquery.js"
                - Line 279, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/bootstrap.min.js"
                - Line 282, column 5, SCRIPT element, SRC = "http://18f-dari...flow.com/js/jquery.easing.min.js"
                - Line 283, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/jquery.fittext.js"
                - Line 284, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/wow.min.js"

- Line 285, column 5, SCRIPT element, SRC = "http://18f-dari...flow.com/js/jquery.jqplot.min.js"
- Line 286, column 5, SCRIPT element, SRC = "http://18f-dari...com/js/jqplot.barRenderer.min.js"
- Line 287, column 5, SCRIPT element, SRC = "http://18f-dari...plot.categoryAxisRenderer.min.js"
- Line 288, column 5, SCRIPT element, SRC = "http://18f-dari...com/js/jqplot.pointLabels.min.js"
- Line 289, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/jquery-ui.min.js"
- Line 294, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/creative.js"
- Line 297, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/angular.min.js"
- Line 298, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/app.js"
- Line 299, column 5, SCRIPT element, SRC = "http://18f-dari....com/js/angular-smooth-scroll.js"
- Line 300, column 5, SCRIPT element, SRC = "http://18f-dari...js/controllers/mainController.js"
- Line 301, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/services/drugs.js"
- Line 302, column 5, SCRIPT element, SRC = "http://18f-dari.../js/directives/onFinishRender.js"
- Line 305, column 5, SCRIPT element, SRC = "http://18f-dari...s/directives/angucomplete-alt.js"
- Line 308, column 5, SCRIPT element, SRC = "http://18f-dari.techflow.com/js/utils/chart.js"

- p.1 Pages are required not to use the META element ...

  > Until user agents provide the ability to stop the refresh, do not create periodically auto-refreshing pages.

  - Page does not contain the META element.
    - http://18f-dari.techflow.com/

- 1194.22(n)

  > When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.

  - n.5 Ensure that all LABEL 'FOR' attributes match an...
    - LABEL element 'FOR' attribute has unique ID's and matches all controls.
      - http://18f-dari.techflow.com/

  - n.1 Identify all LABEL elements used within FORM el...

    > Until user agents support explicit associations between labels and form controls, for all form controls with implicitly associated labels, ensure that the label is properly positioned.

    - Page does not contain FORM elements.
      - http://18f-dari.techflow.com/

  - n.2 All INPUT elements are required to contain the ...

    > All visible INPUT elements must have a label, either by using a linked or containing LABEL element, or by using the ALT or TITLE attribute. Buttons are considered to be self-labeling.

    - No relevant INPUT elements found in document.
      - http://18f-dari.techflow.com/

  - n.3 Associate labels explicitly with their controls...

    > All SELECT elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

    - No SELECT elements were found.
      - http://18f-dari.techflow.com/

- - **n.4** Associate labels explicitly with their controls...

    > All TEXTAREA elements must have a label, either by using a linked or containing LABEL element, or by using the TITLE or ALT attribute.

    - No TEXTAREA elements were found.
      - http://18f-dari.techflow.com/
- **1194.22(a)**

  > A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).

  - **a.1** All IMG elements are required to contain either...

    > The ALT or LONGDESC attribute is used by user agents to supply information about an image when images cannot be shown.

    - Page does not have IMG elements.
      - http://18f-dari.techflow.com/
  - **a.2** All APPLET elements are required to contain bot...

    > APPLET elements provide functionality that is not available to all users. Either the element content or the ALT attribute are used to describe the purpose of the applet, depending on the user agent.

    - No APPLET elements found.
      - http://18f-dari.techflow.com/
  - **a.3** When EMBED elements are used, the NOEMBED eleme...

    > EMBED elements present functionality not available to all users. The NOEMBED element can be used to provide a description.

    - Page does not have EMBED elements.
      - http://18f-dari.techflow.com/
  - **a.4** All OBJECT elements are required to contain ele...

    > OBJECT elements typically use technologies that are not available to all users. The element content is used to describe the purpose of the object/applet.

    - Page does not have OBJECT elements.
      - http://18f-dari.techflow.com/
- **1194.22(b)**

  > Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.

  - **b.1** Identify all OBJECT Elements that have a multim...

    > For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory descriptions of the visual track) with the presentation.

    - Page does not have OBJECT elements.
      - http://18f-dari.techflow.com/
  - **b.2** Identify all OBJECT Elements that have a DATA a...
    - Page does not contain OBJECT elements using known multimedia file extensions.
      - http://18f-dari.techflow.com/
  - **b.3** Identify all EMBED elements that have a SRC att...
    - Page does not contain EMBED elements using a known multimedia file extension.
      - http://18f-dari.techflow.com/
  - **b.4** Identify all links that have an HREF attribute ...

    > For any time-based multimedia presentation (e.g., a movie or animation), synchronize equivalent alternatives (e.g., captions or auditory descriptions of the visual track) with the presentation.

- - Page does not contain links referring to any known multimedia file extension.
      - http://18f-dari.techflow.com/
  - 1194.22(e)

    Redundant text links shall be provided for each active region of a server-side image map.

    - e.1 Locate any IMG element that contains the ISMAP ...

      If you must use a server-side image map, provide redundant text links for each active region. You should use client-side image maps where possible.

      - Page does not use server-side maps.
        - http://18f-dari.techflow.com/
    - e.2 No INPUT element should contain the USEMAP attr...
      - Page does not contain INPUT elements.
        - http://18f-dari.techflow.com/
  - 1194.22(f)

    Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.

    - f.1 All AREA elements are required to have the ALT ...

      Client-side image maps present functionality that is not available to all users. The ALT attribute can be used for AREA elements to provide a text equivalent.

      - Page has no AREA elements.
        - http://18f-dari.techflow.com/
    - f.2 No IMG element should contain the ISMAP attribute
      - Page does not contain IMG elements.
        - http://18f-dari.techflow.com/
    - f.3 No INPUT element should contain the ISMAP attri...
      - Page does not contain INPUT elements.
        - http://18f-dari.techflow.com/
  - 1194.22(g)

    Row and column headers shall be identified for data tables.

    - g.1 For data tables, identify row and column headers

      This check identifies data tables that do not have any TH elements. Data tables are recognised as having a border attribute greater than 0. Tables with no border require a visual check, unless they contain input, image or child table elements, or cells with long text, indicating they are most likely layout tables.

      - Page contains no tables.
        - http://18f-dari.techflow.com/
  - 1194.22(h)

    Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.

    - h.1 For data tables that have two or more logical l...

      Describe the table structure using the SUMMARY attribute. Identify structural groups of rows using THEAD, TFOOT, TBODY, COLGROUP and COL. Label table elements with the "scope", "headers", and "axis" attributes to assist user agents.

      - Page does not contain complex data tables.
        - http://18f-dari.techflow.com/
  - 1194.22(i)

    Frames shall be titled with text that facilitates frame identification and navigation

- **i.1** All IFRAME elements are required to contain ele...
  > IFRAME elements provide functionality that is not available to all users. The element content should describe the purpose of the IFRAME.
  - Page does not have IFRAME elements.
    - http://18f-dari.techflow.com/
- **i.2** All FRAME elements are required to contain the ...
  - No FRAME elements found in document body.
    - http://18f-dari.techflow.com/
- **i.3** All FRAMESET elements will be checked for the N...
  > Pages with frames are not available to all users. The NOFRAMES element should used to provide an alternative.
  - Page does not have FRAMESET elements.
    - http://18f-dari.techflow.com/

- **1194.22(m)**
  > When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).
  - **m.1** All pages that have links to files that require...
    > This checkpoint may require customization.
    - Page does not contain links to files known to require a special reader.
      - http://18f-dari.techflow.com/

Total   **0**