



Introduction to Microsoft® Security Development Lifecycle (SDL) Threat Modeling

Secure software made easier

Presenter Name

Date


1




Course Overview

- Introduction and Goals
- How to Threat Model
- The STRIDE per Element Approach to Threat Modeling
- Diagram Validation Rules of Thumb
- Exercise
- Demo

2



3



4



Threat Modeling Basics

- **Who?**
 - The bad guys will do a good job of it
 - Maybe you will...your choice
- **What?**
 - A repeatable process to find and address all threats to your product
- **When?**
 - The earlier you start, the more time to plan and fix
 - Worst case is for when you're trying to ship: Find problems, make ugly scope and schedule choices, revisit those features soon
- **Why?**
 - Find problems when there's time to fix them
 - Security Development Lifecycle (SDL) requirement
 - Deliver more secure products
- **How?**

5



Who

- Building a threat model (at Microsoft)
 - Program Manager (PM) owns overall process
 - Testers
 - Identify threats in analyze phase
 - Use threat models to drive test plans
 - Developers create diagrams
- Customers for threat models
 - Your team
 - Other features, product teams
 - Customers, via user education
 - "External" quality assurance resources, such as pen testers
- You'll need to decide what fits to your organization

6



What

- Consider, document, and discuss security in a structured way
- Threat model and document
 - The product as a whole
 - The security-relevant features
 - The attack surfaces
- Assurance that threat modeling has been done well

7




Why

- Produce software that's secure by design
 - Improve designs the same way we've improved code
- Because attackers think differently
 - Creator blindness/new perspective
- Allow you to predictably and effectively find security problems early in the process


8

How to Threat Model

9



10



11

Any Questions?


- Everyone understands that?
- Spotted the several serious bugs?
- Let's step back and build up to that

12


The STRIDE per Element Approach to Threat Modeling

13

The Process in a Nutshell



14



15

How to Create Diagrams

- Go to the whiteboard
- Start with an overview which has:
 - A few external interactors
 - One or two processes
 - One or two data stores (maybe)
 - Data flows to connect them
- Check your work
 - Can you tell a story without edits?
 - Does it match reality?

16




Diagramming

- Use DFDs (Data Flow Diagrams)
 - Include processes, data stores, data flows
 - Include *trust boundaries*
 - Diagrams per scenario may be helpful
- Update diagrams as product changes
- Enumerate assumptions, dependencies
- Number everything (if manual)

17



Diagram Elements: Examples



18



Diagrams: Trust Boundaries

- Add trust boundaries that intersect data flows
- Points/surfaces where an attacker can interject
 - Machine boundaries, privilege boundaries, integrity boundaries are examples of trust boundaries
 - Threads in a native process are often inside a trust boundary, because they share the same privs, rights, identifiers and access
- Processes talking across a network always have a trust boundary
 - They may create a secure channel, but they're still distinct entities
 - Encrypting network traffic is an 'instinctive' mitigation
 - But doesn't address tampering or spoofing

19


19




Diagram Iteration

- Iterate over processes, data stores, and see where they need to be broken down
- How to know it "needs to be broken down?"
 - More detail is needed to explain security impact of the design
 - Object crosses a trust boundary
 - Words like "sometimes" and "also" indicate you have a combination of things that can be broken out
 - "Sometimes this datastore is used for X"...probably add a second datastore to the diagram

20



21



22



Diagram layers

- Context Diagram
 - Very high-level; entire component / product / system
- Level 1 Diagram
 - High level; single feature / scenario
- Level 2 Diagram
 - Low level; detailed sub-components of features
- Level 3 Diagram
 - More detailed
 - Rare to need more layers, except in huge projects or when you're drawing more trust boundaries


23




Creating Diagrams: analysis or synthesis?

- Top down
 - Gives you the "context" in context diagram
 - Focuses on the system as a whole
 - More work at the start
- Bottom up
 - Feature crews know their features
 - Approach not designed for synthesis
 - More work overall

24



25



26




Diagram illustrating data flow and validation rules:

- Web Server (represented by a circle) sends a **Transaction** (represented by a curved arrow) to the SQL Server Database (represented by a rectangle with horizontal lines).
- The SQL Server Database sends data (represented by a curved arrow) to Analytics (represented by a circle).

Are there data sinks?

You write to a store for a reason: Someone uses it.

27





Diagram illustrating data flow and validation rules:


- Order Database (represented by a rectangle with horizontal lines) and Returns Database (represented by a rectangle with horizontal lines) are connected by two curved arrows forming a loop, indicating a continuous flow of data between them.

Data doesn't flow magically


28




29




30



31



32



33

Identify Threats

- Experts can brainstorm
- How to do this without being an expert?
 - Use STRIDE to step through the diagram elements
 - Get specific about threat manifestation

Threat	Property we want
S poofing	Authentication
T ampering	Integrity
R epudiation	Nonrepudiation
I nformation Disclosure	Confidentiality
D enial of Service	Availability
E levation of Privilege	Authorization

34



Threat: Spoofing

Threat	S poofing
Property	Authentication
Definition	Impersonating something or someone else
Example	Pretending to be any of billg, microsoft.com, or ntdll.dll

35



Threat: Tampering

Threat	T ampering
Property	Integrity
Definition	Modifying data or code
Example	Modifying a DLL on disk or DVD, or a packet as it traverses the LAN

36



Threat: Repudiation

Threat	Repudiation
Property	Non-Repudiation
Definition	Claiming to have not performed an action
Example	"I didn't send that email," "I didn't modify that file," "I certainly didn't visit that Web site, dear!"

37



Threat: Information Disclosure

Threat	Information Disclosure
Property	Confidentiality
Definition	Exposing information to someone not authorized to see it
Example	Allowing someone to read the Windows source code; publishing a list of customers to a Web site

38



Threat: Denial of Service

Threat	D enial of Service
Property	Availability
Definition	Deny or degrade service to users
Example	Crashing Windows or a Web site, sending a packet and absorbing seconds of CPU time, or routing packets into a black hole


39



Threat: Elevation of Privilege

Threat	E levation of Privilege (EoP)
Property	Authorization
Definition	Gain capabilities without proper authorization
Example	Allowing a remote Internet user to run commands is the classic example, but going from a "Limited User" to "Admin" is also EoP

40



ELEMENT	S	T	R	I	D	E
External Entity	✓		✓			
Process	✓	✓	✓	✓	✓	✓
Data Store		✓	?	✓	✓	
Data Flow		✓		✓	✓	

41

Apply STRIDE Threats to Each Element

- For each item on the diagram:
 - Apply relevant parts of STRIDE
 - Process: STRIDE
 - Data store, data flow: TID
 - Data stores that are logs: TID+R
 - External entity: SR
 - Data flow inside a process:
 - Don't worry about T, I, or D
- This is why you number things

42



Use the Trust boundaries

- Trusted/ high code reading from untrusted/low
 - Validate everything for specific and defined uses
- High code writing to low
 - Make sure your errors don't give away too much


43



Threats and Distractions

- Don't worry about these threats
 - The computer is infected with malware
 - Someone removed the hard drive and tampers
 - Admin is attacking user
 - A user is attacking himself
- You can't address any of these (unless you're the OS)

44



45

Mitigation Is the Point of Threat Modeling

- Mitigation
 - To address or alleviate a problem
- Protect customers
- Design secure software
- Why bother if you:
 - Create a great model
 - Identify lots of threats
 - Stop
- So, find problems and fix them

The slide features a decorative header with a blue and white pattern and a small shield icon in the top right corner.

46



Mitigate

- Address each threat
- Four ways to address threats
 1. Redesign to eliminate
 2. Apply standard mitigations
 - What have similar software packages done and how has that worked out for them?
 3. Invent new mitigations (riskier)
 4. Accept vulnerability in design
 - SDL rules about what you can accept
- Address each threat

47



Standard Mitigations

S poofing	Authentication	To authenticate principals: • Cookie authentication • Kerberos authentication • PKI systems such as SSL/TLS and certificates To authenticate code or data: • Digital signatures
T ampering	Integrity	• Windows Vista Mandatory Integrity Controls • ACLs • Digital signatures
R epudiation	Non Repudiation	• Secure logging and auditing • Digital Signatures
I nformation Disclosure	Confidentiality	• Encryption • ACLS
D enial of Service	Availability	• ACLs • Filtering • Quotas
E levation of Privilege	Authorization	• ACLs • Group or role membership • Privilege ownership • Input validation

48



Inventing Mitigations Is Hard: Don't do it

- Mitigations are an area of expertise, such as networking, databases, or cryptography
- Amateurs make mistakes, but so do pros
- Mitigation failures will appear to work
 - Until an expert looks at them
 - We hope that expert will work for us
- When you need to invent mitigations, get expert help

49



Sample Mitigation

- Mitigation #54, Rasterization Service performs the following mitigation strategies:
 1. OM is validated and checked by (component) before being handed over to Rasterization Service
 2. The resources are decoded and validated by interacting subsystems, such as [foo], [bar], and [boop]
 3. Rasterization ensures that if there are any resource problems while loading and converting OM to raster data, it returns a proper error code
 4. Rasterization Service will be thoroughly fuzz tested

(Comment: Fuzzing isn't a mitigation, but it's a great thing to plan as part 4)

50




Improving Sample Mitigation: Validated-For

- “OM is validated and checked by [component] before being handed over to Rasterization Service”
- Validated for what? Be specific!
 - “...validates that each element is unique.”
 - “...validates that the URL is RFC-1738 compliant, but note URL may be to <http://evil.com/ownme.html>”
 - (Also a great external security note)

51



The Process: Validation



52



Validating Threat Models

- Validate the whole threat model
 - Does diagram match final code?
 - Are threats enumerated?
 - Minimum: STRIDE per element that touches a trust boundary
 - Has Test / QA reviewed the model?
 - Tester approach often finds issues with threat model or details
 - Is each threat mitigated?
 - Are mitigations done right?
- Did you check these before Final Security Review?
 - Shipping will be more predictable

53



Validate Quality of Threats and Mitigations

- Threats: Do they:
 - Describe the attack
 - Describe the context
 - Describe the impact
- Mitigations
 - Associate with a threat
 - Describe the mitigations
 - File a bug
 - ✗ Fuzzing is a test tactic, not a mitigation

54



Validate Information Captured

- Dependencies
 - What other code are you using?
 - What security functions are in that other code?
 - Are you sure?
- Assumptions
 - Things you note as you build the threat model
 - ✗ "HTTP.sys will protect us against SQL Injection"
 - ✗ "LPC will protect us from malformed messages"
 - ✓ GenRandom will give us crypto-strong randomness

55



More Sample Mitigations

- Mitigation #3: The Publish License is created by RMS, and we've been advised that it's only OK to include an unencrypted e-mail address if it's required for the service to work. Even if it is required, it seems like a bad idea due to easy e-mail harvesting.
- Primary Mitigation: Bug #123456 has been filed against the RMS team to investigate removing the e-mail address from this element. If that's possible, this would be the best solution to our threat.
- Backup Mitigation: It's acceptable to mitigate this by warning the document author that their e-mail address may be included in the document. If we have to ship it, the user interface will be updated to give clear disclosure to the author when they are protecting a document.

56



Effective Threat Modeling Meetings


- Develop draft threat model before the meeting
 - Use the meeting to discuss
- Start with a DFD walkthrough
- Identify most interesting elements
 - Assets (if you identify any)
 - Entry points/trust boundaries
- Walk through STRIDE against those elements
- Threats that cross elements/recur
 - Consider library, redesigns

57



Pause for Questions
Before Exercise

58



59


A presentation slide with a decorative header of blue and white rounded rectangles. In the top right corner is a shield icon with a blue, green, and yellow circular arrow. The word "Exercise" is in blue. Below it is a bulleted list in black. At the bottom, "Extra credit: Improve the diagram" is written in blue.

Exercise


- Handout
- Work in teams to:
 - Identify all diagram elements
 - Identify threat types to each element
 - Identify at least three threats
 - Identify first order mitigations

Extra credit: Improve the diagram

60



61



62



Identify Threats!

- Be specific
- Understand threat and impact
- Identify first order mitigations

63



Demo

64



Call to Action

- Threat model your work!
 - Start early
 - Track changes
- Work with a Security Advisor!
- Talk to your “dependencies” about security assumptions
- Learn more

65



Threat Modeling Learning Resources

MSDN Magazine

Reinvigorate your Threat Modeling Process

<http://msdn.microsoft.com/en-us/magazine/cc700352.aspx>

SDL Blog

All threat modeling posts

<http://blogs.msdn.com/sdl/archive/tags/threat%20modeling/default.aspx>

Books

The Security Development Lifecycle: SDL: A Process for Developing Demonstrably More Secure Software
(Howard, Lipner, 2006) “Threat Modeling” chapter

<http://www.microsoft.com/mspress/books/authors/auth8753.aspx>

Article

Experiences Threat Modeling at Microsoft

<http://download.microsoft.com/download/9/D/3/9D389274-F770-4737-9F1A-8EA2720EE92A/Shostack-ModSec08-Experiences-Threat-Modeling-At-Microsoft.pdf>


Threat Modeling: Uncover Security Design Flaws Using The STRIDE Approach

<http://msdn.microsoft.com/msdnmag/issues/06/11/ThreatModeling/default.aspx>

66

Resources






SDL Portal
<http://www.microsoft.com/sdl>


SDL Blog
<http://blogs.msdn.com/sdl/>

SDL Process on MSDN (Web)
<http://msdn.microsoft.com/en-us/library/cc307748.aspx>

SDL Process on MSDN (MS Word)
<http://go.microsoft.com/?linkid=9694872>

67

Questions?

THE SECURITY DEVELOPMENT LIFECYCLE


SDL: A Process to Meet the Demand for More Secure Software

Michael Howard and Steve Lipner

68



69



70



Standard Mitigations

STRIDE

Threat	Property we want
S poofing	Authentication
T ampering	Integrity
R epudiation	Nonrepudiation
I nformation Disclosure	Confidentiality
D enial of Service	Availability
E levation of Privilege	Authorization

71



Standard Mitigations

STRIDE

Threat	Property	
S poofing	Authentication	To authenticate principals: • Basic authentication • Digest authentication • Cookie authentication • Windows authentication (NTLM) • Kerberos authentication • PKI systems, such as SSL or TLS and certificates • IPSec • Digitally signed packets To authenticate code or data: • Digital signatures • Message authentication codes • Hashes

72



Standard Mitigations

STRIDE

Threat	Property	
Tampering	Integrity	- Windows Vista mandatory integrity controls - ACLs - Digital signatures - Message authentication codes

73



Standard Mitigations

STRIDE

Threat	Property	
Repudiation	Nonrepudiation	- Strong authentication - Secure logging and auditing - Digital signatures - Secure time stamps - Trusted third parties

74



Standard Mitigations

STRIDE

Threat	Property	
Information Disclosure	Confidentiality	• Encryption • ACLs

75



Standard Mitigations

STRIDE

Threat	Property	
Denial of Service	Availability	• ACLs • Filtering • Quotas • Authorization • High-availability designs

76



Standard Mitigations

STRIDE

Threat	Property
Elevation of Privilege	Authorization • ACLs • Group or role membership • Privilege ownership • Permissions • Input validation