ADVENTURENLEARN · AOS CONTROL PLANE

HIVE OPERATING FLOOR

Unified Builder Manual

Architecture rebuild brief + operating harness · one closed implement path



DECISION / ASK

Recreate the base from this single record. Then attach your domain.

Worked examples are plug-ins, not the framework. Strip case chrome before sharing.

Success: another careful person rebuilds the base without inheriting private harvest.

Edition U-1.1.1 · 8 September 2026 · Floor required · Civic packet optional

0 · What this is — and what it is not

This manual stands one operating floor on top of a language model: a written kernel, durable state, named seats, honesty labels, and a human final call. It merges two source records — a rebuild brief for the building, and a harness guide for the first session — so a stranger does not have to reconcile them.

This manual is a closed implement path: individualization sheet, kernel, folder skeleton, schemas, first-session paste, dry sitting, dual-track scrub, and pass/fail tests. This manual is not a consumer app, a downloadable computer OS, a dump of research, a license to copy private working documents, or an attack toolkit. Published “operator” names in older folders are process labels, not payloads. Skills without a kernel and a comb are only prompts.

HARD TRUTH RULE

A human still decides what is true enough to share. Attention is not a truth signal. Software never crowns Supported. An honest open hole is better than a finished-looking fake board.

Success criterion

Another careful person rebuilds the base from this written record, then attaches their own domain without inheriting someone else’s private harvest. Continuability is the test: hand the files and the latest artifact to a second person who was not in the chat. If they cannot continue, the hive failed even if the chat was brilliant.

Version honesty

A replicable guide that hides version lag is a false complete picture. If a step comes from a dated public file, name it. If a step is current practice that has not been published as a tagged release, mark it Practice. Do not launder Practice as a frozen public spec.

Layer	Public record	This manual uses
Architecture brief	Hive Brain rebuild brief, 7 Sep 2026.	Building, rooms, seed tree, rebuild recipe, schemas.
Harness guide	Operating Harness Builder Guide Ed. 1.0, 28 Aug 2026.	Individualization, seven laws, comb, Frame Audit, session-one, dual-track.
AOS-Public	Civic frameworks. Repository archived 14 Aug 2026.	Philosophy, scrubbing rules, Shatter as ancestor. Library attach only.
Sovereign Edition repo	User guide described 4-agent activation. Tree archived.	On-ramp pattern. Translate “4-agent” to BUILD / VERIFY / DOMAIN.
Live operator kernel	Not a single frozen public tag.	3-role swarm + coordinator + human final call. Marked Practice.
Claim scoring	Evidence Gate + two-axis honesty kernel in both sources.	Both axes required. +1 only after the close rule. Software never mints Supported.

Tri-state on this pack: operating laws as written in the two source briefs = Evidence. That a stranger will succeed = Inference. That ZIP-only with no working document works = Disputed by both sources.

Vocabulary map · one table, then stop mixing

Public language is the default. Operator mnemonics are listed so a builder can hold one picture. Do not print the mnemonic column on civic product screens, navigation, or footers.

Public word (use this)	Operator mnemonic (never on glass)	What it is
Human / final call	Queen	Owns truth-enough-to-share and release. Not a seat file.
Coordinator	Keeper	Owns sitting order, spine, synthesis, host interface.
Implement / Build seat	Builder (BUILD)	Makes the artifact. Never mints Supported.

Public word (use this)	Operator mnemonic (never on glass)	What it is
Verify seat	Guard (VERIFY)	First-paint, leak checklist, ship/no-ship. Verb = gate. File name = verify.
Label seat	Scout (DOMAIN)	Frame, claim list, card id, kicker, honesty strip.
Working document	Comb	Locked cells that survive chat reset.
Primary records	Nectar	Commentary is not evidence.
Continuable artifact	Honey	Someone else can continue.
Frame Audit	Shatter / Layer-0	Assumption audit before synthesis on high-stakes work.
Polity Filter	Desk Layer-0	Civic routing skill. Optional plug-in. Does not mint Supported.
Private floor	Harvest / collector / inbox	Fenced until a human promotes through Verify + OPSEC.

After this page: use the public word first. Never create a Scout seat or Guard seat in the seed tree. Seat file name for the fourth gate-keeper is verify. The verb of that seat is gate. Do not write seats/gate.md.

How to use this book

Do the work in the printed order. Do not plug a real domain until the dry sitting is logged. The floor is required for every colony. The civic packet is optional and attaches only when I-5 is civic glass / power-mapping. Session-zero living files are COLONY.md, KERNEL.md, and COMB.md. COLONY.md stays operator-local. The share pack gets charter, kernel, refuses, empty templates — never a filled identity sheet, never harvest.

Contents

0 What this is / is not · version honesty · vocabulary map
1 Individualization inventory (I-1–I-14)
2 Honesty kernel + seven laws + claim scores
3 The building: six floors, five rooms, seven layers
4 Comb, memory shards, sitting log
5 Seats and the live swarm
6 How work runs · which clock when · Frame Audit
7 Product surface — cards, cells, optional globe
8 Civic plug-in (optional) — Polity Filter, Track A/B, globe
9 Build modes, two-layer seed tree, library attach
10 Rebuild recipe wrapping the three-week calendar
11 Dual-track OPSEC, hard refuses, failure modes
12 Pass / fail audits
13 Copy-paste templates + DRILL ONLY objects
14 Sources, honesty box, open holes

01 · Individualization inventory — session zero

A copied hive with someone else's spine is costume. Before the first model session, fill every row into COLONY.md. If I-2 (spine), I-3 (final-call rule), I-9 (forbidden), or I-11 (first real task) is blank, stop. There is nothing to implement yet.

Do not put legal names, phones, home addresses, passwords, API keys, or live case identifiers in COLONY.md if it might be shared. Use stable codenames. COLONY.md is operator-local. The share pack receives charter / kernel / refuses extracted from it, not the identity sheet.

ID	You must provide	Why the hive needs it	Bad default
I-1	Colony name (system name, not a legal name)	Every artifact and working doc needs a stable title.	Using another operator's brand on public glass
I-2	Mission spine — one sentence you will not bargain	Frame Audit and Verify need a spine to detect drift.	Copying a creed you do not hold
I-3	Final-call rule — who has final call, and on what	Software must not auto-truth or auto-publish.	"The model decides when it's done"
I-4	Default target class: public-suite / pattern-lab / ops-only / archive	Stops lab chrome leaking onto public surfaces.	One pile for jokes and official findings
I-5	First domain (one): research, writing, records, build/QA, civic glass, other	Week-3 module must attach to real work. Civic packet attaches only if this row is civic glass.	Installing every published skill first
I-6	Host model and how you start a session	Activation text has to match the host.	Assuming a private machine layout
I-7	Memory substrate: files, repo, chat-only, other	The comb has to live somewhere outside one window.	Trusting the chat to remember
I-8	Shared vs private scope — what may leave the hive	Dual-track is a rule, not a mood.	Pasting raw local output to the public
I-9	Forbidden in public artifacts (PII, secrets, places, brands)	Scrub list is always on.	"We'll clean it later"
I-10	Codename protocol (yes/no + scheme)	Sensitive entities get stable aliases in durable files.	Real names in committed notes
I-11	First real task (one page, one decision, or one question)	The hive is proven on work, not on a tour.	"Explain the whole system to me"
I-12	Review cadence (when you curate and evict notes)	Growth requires eviction, not infinite accumulation.	Never opening the comb again
I-13	Promote rule — what must be true before public ship	Verify blocks ship on OPSEC fail and missing evidence.	Shipping because the chat said "done"
I-14	Non-goals — what this colony will not do this season	Scope hygiene keeps the comb readable.	Every interesting idea becomes a skill

If two builders fill I-1 through I-14 differently, they should get two different hives that still share the kernel. Sameness of brand is not success. Replicability is. Do not print any source-project spine as the framework default. I-2 is written by the new builder, in the new builder's words.

TARGET CLASS · pick one per job

public-suite — tools, claims, records, learning path in plain language. Honesty strip on. Operator tokens off HUD.

pattern-lab — experiments, games, visual systems. Fenced. Never contaminates public glass.

ops-only — operator process, sitting logs, harness work. Not a public product.

archive — finished chapters freeze. Seed left for the next operator.

02 · Honesty kernel + seven laws + claim scores

Every public claim carries both axes. Missing either axis is a defect. The product UI never auto-mints Supported. Contested claims also carry a tri-state score. The score is not a shortcut around the close rule.

Two axes (required on every public claim)

Axis	Values	Meaning
truth_status	Supported	Quote + primary URL. A human closed the cell. Software did not.
	Unproven	Plausible, not closed. Hole stays labeled.
	Disputed	Records conflict. Show both. Do not average.
	Human decision	A person made the share/hold call. Not a substitute for quote + URL.
basis	Evidence	Quote / record / data + citation + date.
	Inference	Conclusion + one-line reasoning.
	Assumption	Unverified premise. Must be flagged.

Score mapping · Supported is not identical to +1

The two sources used two scoring dialects. This manual keeps both and forbids collapsing them. +1 is the score after the close rule. Supported is the close rule.

truth_status	basis required to close	tri-state	Close rule
Supported	Evidence	+1 only after close	quote + primary URL + human call. Else it is not Supported.
Unproven	Evidence, Inference, or Assumption	0	Hole stays labeled. Leftover URLs are not quotes.
Disputed	Evidence on each side	−1	Show both records. Do not average. Do not invent a winner.
Human decision	states the share/hold	not a score	The release action. Never used to mint Supported.

DEFECT

+1 without quote + primary URL + human call is invented Supported. Software emitting “Supported” or auto-assigning +1 is a refuse. Party ticket does not score truth. Influence or percent-control meters are not truth.

Seven laws of the kernel

Write these into KERNEL.md in the colony’s own words. Domain modules may add procedure. They may not repeal the law.

Law 1 — Spine before style.

The colony names a mission spine in one sentence (I-2). No spine means Verify has nothing to enforce. A new builder writes their own spine. Copying another operator’s creed is costume.

Law 2 — Label the claim.

Every major claim is marked Evidence, Inference, or Assumption. Evidence requires a record, a source, and a date. Inference requires one line of reasoning. Assumption must be flagged as unverified.

Law 3 — Score the claim.

Contested claims carry +1 / 0 / −1 after the close rule in the mapping table. Incomplete is allowed. A clean false picture is not.

Law 4 — Primary records beat commentary.

Prefer the underlying record over a thread, recap, or pundit layer. A leftover URL is not a quote.

Law 5 — The comb is mandatory on complex work.

Decisions, tasks, notes, numbers, verification, and latent state live in a working document with a locked structure. This is how work survives chat reset and handoff.

Law 6 — Frame audit before synthesis on high-stakes work.

Frame Audit runs before the hive "answers." Answer-first is capture. Polity Filter is a separate civic routing skill (optional packet) and does not replace Frame Audit.

Law 7 — Human final call; dual track.

The human releases. Local experiment is free. Public ship is audited. Materials for public use are scrubbed. Raw local work is not a ship.

GET

- Quote + primary URL before Supported
- Labeled hole when the quote is missing
- Human final call on every share
- Primary record over recap
- Both axes visible on public cards
- Honest 0 or −1 allowed to stand

REFUSE

- Invented Supported / donors / sittings
- Influence or % control meters as truth
- Unlabeled mixes of multiple systems
- Leftover URLs treated as quotes
- Software crowning Supported
- +1 without quote + URL + human call

honesty-kernel.md in the seed tree is a one-pager that cites KERNEL.md. Do not write two kernels that can drift.

03 · The building — six floors, five rooms, seven layers

This system is an operating floor for careful thinking. The building has six functions. A sitting is one bounded stretch of work that walks five rooms in order. Skipping Integrity or Coordinate is how private chrome leaks onto public glass.

Six floors

Floor	Job	What lives here
Workshop rules	How work is allowed to run	Charter, refuses, share rules, build modes
Knowledge	Sources become linked notes	Vault index, records, wikilinks, provenance
Thinking	Tools assist; they do not mint truth	Skills, seats, sittings, honesty labels
Public products	Tools + learning path in plain language	Cards, Open Cells, Layer-1 writeups. Globe only if civic packet is on.
Private floor	Experiments stay fenced until promoted	Harvest, collector, inbox, operator notes
Archive	Finished chapters freeze	Sealed sittings, seeds for the next operator

Five rooms · how a sitting moves

01 ORIENT

What question. What domain. What gate. Name the refuse list. Pick the target class. Name the polity only if the civic packet is on.

02 INTEGRITY

Honesty labels, conflicts, holes. Nothing is Supported yet unless a prior human call already closed it. On high-stakes work, Frame Audit runs here before synthesis.

03 MISSION

What must ship this sitting. One primary artifact. Everything else is optional or next.

04 COORDINATE

Who owns which artifact. One artifact, one seat, or an explicit handoff. No freelance past the verb.

05 SURFACE

What the public / operator sees. Layer 1 first. Honesty strip on. Operator tokens off HUD.

Loop on every artifact

Record → Link → Conflict → Human call → Export → Seed. A sitting that produces no seed is a dead end.

Step	Does
RECORD	Capture the primary, the quote, the date, the URL.
LINK	Attach it to the card / cell / note. One system id.
CONFLICT	If two records disagree, show both. Do not average.
HUMAN CALL	A person chooses Supported, hole, or hold.
EXPORT	Layer 1 writeup + honesty box + open holes.
SEED	Next question, next hole, next owner. Dated.

Seven sitting layers

Layer	What it holds	Rebuild rule
Instructions	Standing laws, refuses, share rules	Write these first. They outrank chat.
Agents / seats	Named roles with one verb each	Not a personality dump. Verb + owns + never-owns.
Projects	Domain packets with their own memory shards	Plug-in. Keep case files out of the framework pack.
Memory	Profile (durable) · log (dated) · note (fades)	Three kinds. Do not mash them into one scrap file.
Skills	Reusable playbooks	Verification, reasoning, domain, coordination. Indexed.
Modes	How code / visual work is routed	CLOUD default. LOCAL-BOX smoke. LOCAL-HOST rare.
Personalization	Operator voice	Never on public glass. Never in the share pack.

COMPOSE RULE

A seat may call a skill. A project may hold memory shards. Instructions bind all of them. No seat writes public glass without Verify. No skill mints Supported. No project imports another project's private harvest into the framework pack.

04 · Comb, memory shards, sitting log

Memory is three timescales, not three competing apps. Do not invent a fourth scrap file.

Timescale	File	What it is
PROFILE — durable	COLONY.md (operator-local)	Who the operator is, standing prefers, standing refuses. Changes rarely. Not a diary. Not in the share pack unless scrubbed of identity.
LOG — dated, append-only	COMB.md Decisions / Verification / Growth + sittings/*.md	What happened. Decisions, human calls, seeds. Do not silently rewrite history.

Timescale	File	What it is
NOTE — fades	COMB.md Notes	Scratch, hypotheses, half-links. Promote to log or drop. Never ship a note as a claim.

vault/index.md is an OPSEC fence pointer — what must not leave the private floor — not a second comb.

Locked comb structure

The comb is the single source of truth for multi-turn work. Load or create it at the start of complex work. Copy it out of the chat into COMB.md before the window dies.

Cell	Rule	What goes in
Purpose / target class	Set once per job	public-suite | pattern-lab | ops-only | archive, plus one-sentence purpose
Decisions	Append-only	Verbatim decision + date. Do not silently rewrite history.
Plan tasks	Checkboxes	Work still open, in progress, or evidenced-complete
Notes	Curate or evict	Context, open questions. Stale notes get evicted on purpose.
Numbers	Named metrics only	Counts, scores, dates, budgets — with units
Verification	No self-report	What was checked, by whom (role), what evidence exists
Latent state	Handoff packet	Locked decisions, open gaps, correlation ids, current focus
Growth log	Required for long work	What was curated, evicted, newly associated

COMB.md is the live working document. A sitting log (sittings/S-YYYY-MM-DD-slug.md) is the dated export of one bounded stretch. Both exist. Do not collapse them. Continuability test: hand the comb and the latest artifact to a second person who was not in the chat. If they cannot continue, the hive failed.

05 · Seats and the live swarm

Published v3 materials describe 4-agent orchestration. Live practice uses a fixed 3-role model. This manual implements the live model: fewer roles, less theater, same gates. 4-agent text is ancestor.

Public seat (seed tree)	Live role	Verb	Owns	Never owns
coordinate	Coordinator	coordinate	Sitting order, charter, cross-lane framing, host interface	Day-job spam lanes, case harvest
build	BUILD / Implement	build	Product artifacts, the named deliverable	Truth minting, self-certify quality
verify	VERIFY	gate	First-paint, integrity, P0 leak checklist, ship/no-ship	Feature authorship
label	DOMAIN / Label	label	Frame, claim list, card id, kicker, honesty strip. Civic add-on: Track A/B cell labels	Implementation, share decision

SEAT NAME LOCK

Charter seats line: coordinate · build · verify · label. Folder: seats/verify.md. Verb of that seat: gate. Do not write seats/gate.md. Human / final call is not a seat file. Do not spawn a new seat because a skill exists. Route the skill through the seat that owns the verb. Optional research pods report to coordinator only. Do not grow a swarm on public glass.

Even a solo operator names the role that is speaking and logs the handoff. Simple Q&A stays direct. Complex work declares target class, which roles are on, OPSEC posture, and the next single action. Do not dump three raw walls of role output at the human. Synthesize.

06 · How work runs

WHICH CLOCK WHEN

Every sitting walks five rooms: Orient → Integrity → Mission → Coordinate → Surface.

Every artifact walks Gather → Compile → Judge → Do → Check → Gate.

Tier 1 / high-stakes: Frame Audit runs before Judge.

Civic plug-in on (I-5 = civic glass): Polity Filter runs after the frame is honest. It does not mint Supported.

First week: recipe steps 0–8, Table 5 twice, then the dry sitting.

If two clocks seem to disagree, the sitting rooms win for order, Gather→Gate wins for the artifact, and the human wins for share/hold.

Artifact pipeline

#	Stage	Does
1	GATHER	Primary records, URLs, dates. No commentary first.
2	COMPILE	Link into cards / cells / notes. One id each.
3	JUDGE	Label both axes. Surface conflicts. Do not mint.
4	DO	Build the artifact the mission named.
5	CHECK	Verify first-paint, leaks, unlabeled mixes.
6	GATE	Human call. Share or hold. Leave a seed.

Skills compose from an index

A skill is a playbook with one verb, a when-clause, steps, refuses, and an output. Skills do not own public glass.

Skill family	Verb	Owns	Never owns
Verification	gate	Labels, first-paint, leak checklist, quote+URL rule	Feature authorship, truth minting
Reasoning	judge	Conflicts, inferences, assumptions, hole list	Shipping, HUD copy
Domain	label	Card id, kicker, honesty strip. Civic add-on: Track A/B cells + axis list	Implementation, share decision
Coordination	coordinate	Sitting order, charter, handoffs, host interface	Day-job spam lanes, case harvest

Frame Audit · not Polity Filter

On Tier 1 / high-stakes work, audit the frame before synthesizing. Public Shatter Protocol text is the ancestor. Builders may compose layers. They may not skip this on high-stakes work and call the output finished. Polity Filter lives in the civic packet (§8). Do not collapse the two files.

Gate	Name	Question the hive asks
0	Activate	Has the operator declared a frame audit?
1	Token / sensory	What is actually being processed versus what the prompt is steering toward?
2	Routing / guardrail	What redirection is shaping the output?
3	Value / accuracy	What accuracy is being deprioritized to avoid refusal or discomfort?
4	Labeling / hedging	What softening language is weakening the claim?
5	Composite illusion	Is a unified voice hiding several competing factors?

Gate	Name	Question the hive asks
6	Evidence Gate	Do remaining claims survive both axes + tri-state?
7	Close and seal	Are outcomes logged to the comb, including vetoes?

Share model

Layer	When	What it looks like
Layer 1 — default	Always first	Conversational plain talk. End with an honesty box and open holes — not fake completeness.
Layer 2 — on request	Only when asked	Granular depth: scoreboards, seat files, hole lists, quote tables. Do not lead with the machinery.

07 · Product surface — cards, cells, optional globe

Every colony that ships a public claim needs a card contract and an Open Cells board. A globe host-surface is civic glass. Skip globe rules unless I-5 is civic glass.

Cards / Claims contract

Every public card has exactly one system id, one public kicker (human label), and an honesty strip (truth status + basis). Unlabeled mixes — multiple systems on one card without separation — are defects. Operator-internal tokens stay in docs, never on HUD.

Field	Rule
system_id	One. Stable. Not a sentence.
public_kicker	Human label. Plain language.
truth_status	Supported / Unproven / Disputed / Human decision
basis	Evidence / Inference / Assumption
quote	Required to close Supported. Else empty.
primary_url	Required to close Supported. Else empty.
hole_label	Required if not Supported.
notes	Operator only. Never HUD.

Open Cells method

- A cell closes Supported only with quote + primary URL + human call.
- Otherwise the cell stays open (labeled hole).
- Leftover URLs are not quotes. Keep leftover_urls as a non-closing field.
- No pins for unquoted invent.

Glass refuses (every public surface)

× No software auto-crowning Supported.
× No unlabeled mixes of multiple systems on one card.
× No leftover URLs treated as quotes.
× No hive / swarm / seat brand names on public HUD, navigation, or footer.
× No catalog dump on first paint.
× No iframe of live method hosts into the product.

Civic-only refuses (influence meters, world choropleth of fake scores, Tutor minting Claims scores) live with the civic packet in §8.

08 · Civic plug-in · optional packet

SKIP THIS SECTION UNLESS I-5 IS CIVIC GLASS / POWER-MAPPING

A writing colony, a QA colony, or a research colony that is not mapping power does not stand Track A/B boards, a polity-filter skill, scoreboard axes, or globe host-surface rules before the dry sitting. Those files are the civic plug-in. The floor already has a kernel, seats, comb, cards, Open Cells, Frame Audit, and sittings.

When the work is civic

- Same scrutiny both ways. Do not go easy on the side you like.
- Challenge before publish. A primary that contradicts you wins.
- Self-correct in the log when a primary contradicts a prior card.
- A hole stays a hole. Do not paint a choropleth over missing quotes.
- Partner country is a variable. Never hard-code one case as the method.

Polity Filter · a method, not a manifesto on glass

The filter refines routing on civic work after the frame is honest. The honesty kernel still owns Supported. Put this on glass as a method skill, never as a sermon, never as first paint.

Rule	Meaning
Polity gate	Gate on citizen + national sovereignty. The operator names the polity. Do not invent one.
Foreign entanglement	In scope when it hardens into national policy. Not in scope as vibes or headlines.
Partner variable	Partner country is a variable. Never hard-code one case as the method.
Scoreboard axes	Templates only. Empty until a primary fills a cell. No invented winners.
Kernel still owns	The filter does not mint Supported. Honesty kernel + human call do.

Scoreboard axis list (empty templates — keep the list, do not fill winners in the framework pack): companies · countries · industries · individuals · chambers · named committees · regulators · education · research · civil society (separate) · capital paths.

Track A / Track B · civic speech is not library attach

When mapping power, keep two tracks structurally separate. Collapsing them is how a method becomes a story. This is not library attach. GitHub ZIPs are never called Track B.

Track	Definition	Typical records
A — contracts	Partnership / procurement / R&D / funding authorities that produce contracts, grants, access, co-production	Awards, solicitations, cooperative agreements, grant notices, docketed procurements
B — speech / definitions	Speech / definitional / platform / campus law and interpretation governed elsewhere	Statutes, guidance, Terms, civil-rights letters, AG civil actions, duty-of-care bills, assessment statutes

LINK RULE

Track B can constrain who performs Track A contracts (and how). Track A can raise stakes around Track B actors. Close a cross-link cell only with a primary that ties them.

Globe host-surface (only if I-5 is civic glass)

Rule	Do	Do not
Mount	Globe stays the host surface.	Replace the globe with a catalog dump on first paint.

Rule	Do	Do not
Freeze	Freeze camera. No auto-fly / auto-zoom while frozen.	Steal the camera when a layer toggles.
Layers	Multi layers / tabs may stay open together.	Let a toggle unfreeze or yank selection.
Select	Selection marks the globe without flying when frozen.	Fly-to on every click.
Work	Desks, drawers, scenario tools sit over the frozen globe.	Navigate by flying the user around.

Civic glass refuses (add to the floor refuses when the packet is on)

× No influence meter dressed as civic truth.
× No world choropleth of fake scores · pins for unquoted invent.
× No Tutor / lesson engine minting Claims scores.
× Collapsing Track A and Track B without a primary.
× Treating unenacted bill text as executed law.

09 · Build modes, two-layer seed tree, library attach

How code moves

Mode	Use	Rebuild rule
CLOUD	Default for repository code — branch + PR; operator merges	Open PRs ready for review (undrafted) and mergeable.
LOCAL-BOX	Visual smoke on the assistant computer after the operator has seen once	Smoke only. Local pixels are not the source of truth.
LOCAL-HOST	Only when the operator machine filesystem / login is required	Rare. Coordinator picks this. Do not ask the operator to swap tools.
Optional third	Off unless the operator explicitly re-enables	Default off. Do not quietly turn it on.

Coordinator picks the mode. Host layout is not assumed. No-repo path is primary. A folder the builder controls plus a new model session is enough to start.

Seed tree · two layers

A rebuilder with no root repos starts here. Empty templates. No winners. No harvest. Floor files are required for every colony. Civic plug-in files are created only when I-5 is civic glass.

Floor (required)

```
base/
  COLONY.md                 operator-local identity (do not share filled)
  KERNEL.md                 seven laws in the colony's words
  COMB.md                   live working document
  charter.md                shareable standing law
  honesty-kernel.md         two axes + close rule (cites KERNEL.md)
  refuses.md
  share-model.md
  build-modes.md
  seats/coordinate.md
  seats/build.md
  seats/verify.md           file name = verify; verb = gate
  seats/label.md            frame + claim list + honesty strip
  skills/index.md
  skills/verification.md
  skills/reasoning.md
  skills/domain.md
  skills/coordination.md
  skills/frame-audit.md     Shatter — do not name this desk-layer-0
  contracts/cards.md
  contracts/open-cells.md
  contracts/phase-gates.md
  vault/index.md            OPSEC fence — not a second comb
  sittings/_template.md
  sittings/_dry-sitting.md
  archive/.keep
```

Civic plug-in (create only if I-5 = civic glass)

```
  skills/polity-filter.md   Desk-0 — do not name this shatter
  contracts/track-a-b.md
  scoreboards/axes.md       empty names only
  product/globe-rules.md
  product/glass-refuses.md
```

File-name note: older architecture text used skills/desk-layer-0.md. This manual splits that name so Frame Audit and Polity Filter cannot be collapsed by a filename.

Library attach (optional) — after Table 5

This is not civic Track B. Civic Track B is speech / definitions (§8). Library attach is an optional published-tree add-on after the kernel stands. Two public trees exist in the source record. Both cited trees were archived on or before this manual's sources were frozen. They are optional attach-after, not the implement path.

Keep KERNEL.md and COMB.md as law. Published skills do not outrank them. Attach only core / public protocols until session one has passed Table 5. Translate remaining "4-Agent" text to BUILD / VERIFY / DOMAIN. Do not attach specialized security-operator folders unless the colony's lawful scope is authorized security process design. This manual does not teach exploitation. Full URLs live in the citation leaf (§14).

10 · Rebuild recipe · one path

Do not plug a real domain until step 8 is done. Coordinator picks modes. Operator merges. The three-week calendar is the wrapping schedule, not a competing recipe. First-session A–F is the no-repo expansion of steps 0–2 and 8, not a second clock.

Step	Do	Done when
0	Fill I-1–I-14 in COLONY.md.	No blanks on I-2, I-3, I-9, I-11. Human signed the declaration line.
1	Write KERNEL.md + charter.md + refuses.md + honesty-kernel.md.	Four files exist. Human signed the human-final-call line on the charter.
2	Stand four seats: coordinate · build · verify · label. Open COMB.md with Purpose filled.	Each seat file has verb, owns, never-owns, reports-to. Comb exists outside the chat.
3	Define card contract + Open Cells template.	Blank board with the quote+URL rule printed on it.

Step	Do	Done when
4	Mount a globe with freeze + multi-layer rules.	Skip if I-5 is not civic glass. Else: frozen camera; toggles do not steal it.
5	Pick CLOUD for code; LOCAL visual only for smoke.	PRs undrafted and mergeable when a repo exists. No tool-swap requests.
6	Add Polity Filter as a method skill.	Skip unless I-5 is civic glass. Else: skill file exists; no manifesto on first paint.
7	Add Track A / Track B separation before any hot case.	Skip unless I-5 is civic glass. Else: two empty boards; cross-link cells exist and are open.
8	Run session-one (Table 5) then one dry sitting on a toy domain.	Table 5 all 8 rows Yes. Drill objects exist. Seed left. Case files still empty.
9	Only then plug a real domain. Keep case files out of the framework pack.	Domain packet has its own memory shards. Framework pack still clean.
10	Archive finished chapters; leave seeds.	Archive folder has a frozen sitting + a dated seed.

Three-week wrapping calendar

When	Build	Done when
Week 1 — Kernel	Steps 0–3 and 5. Five real tasks through the paste block.	Table 5 passes twice. Growth log has at least one eviction.
Week 2 — Three cells	Three short modules in the colony's voice: claim scorer, frame breaker, coordinator.	Each module has purpose, triggers, never-do list, output shape. One task used all three.
Week 3 — One domain desk	Steps 9–10. One module for I-5 only.	A continuable artifact exists. Verify logged OPSEC on it.
Ongoing — Growth	Curate notes, evict stale cells, record new associations, review I-12 cadence.	Comb stays readable by a stranger. Skill count is not the score.

Catalog tourism is not a week. Installing the published skill zoo before Table 5 is a fail.

No-repo expansion of steps 0–2 and 8

A. Fill I-1–I-14. Stop if I-2 or I-11 is blank. B. Create a folder the builder controls. Put COLONY.md, KERNEL.md, COMB.md in it. C. Open a new model session. Paste Template C with bracketed fields replaced. Attach KERNEL.md and COMB.md only. D. First model output must include a filled Purpose cell and at least one Plan task. Reject the turn if it does not. E. DOMAIN lists claims. BUILD produces the artifact. VERIFY writes a verification cell. Human accepts, rejects, or sends back. F. Copy the updated comb out of the chat into COMB.md. If the host forgets tomorrow, the hive still exists.

11 · Dual-track OPSEC, hard refuses, failure modes

A refuse is a stop, not a style note. If a sitting wants one of these, hold and write the hole. Local experiment is free. Public ship is audited. Promotion is a sitting, not a copy-paste.

Always-on scrub list

- No legal names, phones, emails, home addresses, or account identifiers in samples.
- No secrets: API keys, tokens, cookies, private keys, .env values.
- No municipality names in samples, packs, or shareable demos (geographic agnosticism).
- No internal tool paths or host topology.
- No raw working documents or chat exports.
- No operator skill brands or swarm chrome in public product UI, navigation, or footers.
- No promote of raw scrapes. Quarantine stays quarantine until Verify and the human say otherwise.
- No filled COLONY.md in the share pack. No filled scoreboard winners inside the framework pack.

Hard refuses (floor)

× Invent Supported · invent donors · invent sittings · invent dollar schedules
× Catalog dump on first paint · iframe method hosts
× Mixing private harvest / collector / inbox chrome into public glass
× Shipping operator brain paths, emails, mail links, or private keys
× Unlabeled mixes (multiple systems on one card without separation)
× Leftover URLs treated as quotes
× Software auto-crowning Supported
× Calling +1 “Supported” without quote + URL + human call
× Hive / swarm names on public HUD
× Collapsing Frame Audit with Polity Filter

Add when the civic packet is on

× Influence / “% foreign control” meters as truth
× Collapsing Track A and Track B without a primary
× Treating unenacted bill text as executed law
× World choropleth of fake scores · pins for unquoted invent
× Tutor / lesson engine minting Claims scores
× Party ticket used as a truth score
× Hard-coding one partner country as the method
× Filling scoreboard winners inside the framework pack

May share / must strip

May share: charter, kernel, refuses, templates; empty axes, empty cells, empty seats; Layer 1 writeups with honesty boxes; this manual; blank individualization sheet.

Must strip: private case files and harvest dumps; inbox / collector / operator brain paths; keys, mail links, emails, host filesystem; filled winners and municipality samples; filled COLONY.md identity answers.

Failure modes

Anti-pattern	What it looks like	Correction
Catalog tourism	Fifty skills attached, zero comb lines	Delete attachments. Pass Table 5 first.
Costume spine	Pasted another operator’s creed	Rewrite I-2 in the builder’s words or halt.
Answer-first	Long synthesis, audit promised “later”	Restart the turn at Frame Audit Gate 0.
Self-report ship	“Done,” “tests passed,” no artifact	Verify rejects until the file exists.
False complete picture	Every claim scored +1 from one blog	Mark 0 or −1. Primary records or silence.
Chrome leak	Hive / swarm names on a public civic screen	Rewrite public copy in plain language.
Infinite nectar	Notes never evicted; comb unreadable	Forced curation session. Growth-log the evictions.
Host superstition	“It only works on this machine / this path”	Re-run from a folder + new chat. Platform is portable.
Layer collapse	Shatter used as a polity sermon, or Desk-0 used as a prompt audit	Keep Frame Audit and Polity Filter in separate files.
Score laundering	“Supported because +1” with no quote	Re-open the cell. Apply §2 mapping.
Civic bolted to floor	Writing colony forced to stand Track A/B before a dry sitting	Skip steps 4, 6, 7 unless I-5 is civic glass.

12 · Pass / fail audits

Charming chat does not substitute. A hive with all +1 scores and no artifacts is still a −1 on continuability.

Table 5 · session-one (Gate S)

Session-one test	Pass
COLONY.md has I-1–I-14	Yes / No
KERNEL.md states seven laws in the colony's voice	Yes / No
COMB.md exists outside the chat	Yes / No
At least one Decision line with a date	Yes / No
At least one claim labeled E/I/A	Yes / No
At least one 0 or −1 was allowed to stand	Yes / No
Verification cell is not "looks good"	Yes / No
A second person could continue from the files	Yes / No

Gate S requires all eight rows Yes. The continuability row is not optional.

Phase gate list · rebuild (Gate P)

- ☐ charter + honesty kernel + refuses exist
- ☐ four seats stood (coordinate / build / verify / label)
- ☐ every public card has id · kicker · strip
- ☐ every cell is quote+URL or labeled hole
- ☐ verify: first-paint, no P0 leak, no mix
- ☐ human call recorded in the sitting log
- ☐ Layer 1 export + holes · seed left
- ☐ COLONY.md not included filled in the share pack
- ☐ dry sitting logged on a toy domain
- ☐ Frame Audit skill file exists
- ☐ when I-5 is civic glass: Track A / Track B not collapsed
- ☐ when I-5 is civic glass: Polity Filter applied (polity named by the operator)
- ☐ when I-5 is civic glass: globe freeze + multi-layer rules written
- ☐ when I-5 is civic glass: empty scoreboard axis list (names present, winners absent)

Table 7 · implementation audit (week 1 and week 3)

Claim about the new hive	Score	Evidence required
A written spine exists and is used	+1 / 0 / −1	I-2 text + one logged spine check
Claims are labeled and scored	+1 / 0 / −1	Three examples in COMB.md
State survives a new chat	+1 / 0 / −1	COMB.md opened in a fresh session, work continued
High-stakes work hits Frame Audit first	+1 / 0 / −1	One sealed Gate 0–7 note
Verify rejected at least one self-report	+1 / 0 / −1	Verification cell that sent work back
Public-facing text was scrubbed	+1 / 0 / −1	Before/after or a written promote decision
A stranger can continue	+1 / 0 / −1	Independent read of COLONY + KERNEL + COMB + artifact

Dry sitting · rooms walk (objects live in §13)

QUESTION · Does this public trail-map legend list winter hours?

Orient: domain = recreation posting. Gate = public-share. No polity — this is not civic glass.

Integrity: do not invent hours. No pin until a quote exists. Both axes required. Nothing Supported.

Mission: one card + one Open Cell + five COMB lines. Layer 1 sentence.

Coordinate: Label owns the card. Verify owns the gate. Coordinator owns the seed.

Surface: “Winter hours are not posted on the legend we have.” Honesty: Unproven / Assumption, hole labeled.

Hours on a legend is a posting record. Civic Track B is speech/definitions. The drill does not borrow that letter.

13 · Copy-paste templates + DRILL ONLY objects

One schema set. Do not invent a second. Copy these into files. Do not fill winners. Do not paste private case content.

13.1 COLONY.md · blank individualization sheet (operator-local)

```
# COLONY.md
colony_name:                # I-1
mission_spine:              # I-2  one sentence you will not bargain
final_call_rule:            # I-3  who has final call, on what
default_target_class:       # I-4  public-suite | pattern-lab | ops-only | archive
first_domain:               # I-5
host_and_session_start:     # I-6
memory_substrate:           # I-7
shared_vs_private:          # I-8
forbidden_in_public:        # I-9
codename_protocol:          # I-10
first_real_task:            # I-11
review_cadence:             # I-12
promote_rule:               # I-13
non_goals_this_season:      # I-14

declaration: I will not paste private case content, secrets, or another person's PII into this colony's public track.
human_initials_date:
```

13.2 charter.md · shareable standing law

```
# charter.md
purpose:  operating floor for careful thinking
success:  another careful person rebuilds the base, then plugs their own domain
refuses:  invent Supported / donors / sittings / dollar schedules
          catalog dump on first paint
          iframe live method hosts
          mix private harvest onto glass
          leftover URLs treated as quotes
          software crowning Supported
          hive/swarm names on public HUD
          collapse Frame Audit and Polity Filter
seats:    coordinate · build · verify · label
share:    Layer 1 default · Layer 2 on request
human_final_call: yes
signed:
```

13.3 Honesty kernel one-pager

Field	Write this
Axes	truth_status: Supported | Unproven | Disputed | Human decision basis: Evidence | Inference | Assumption
Close rule	Supported only with quote + primary URL + human call
Open rule	Else labeled hole. Leftover URLs are not quotes.
Score rule	+1 only after close. Unproven = 0. Disputed = −1. +1 without close is a defect.
Laws	Records > commentary. Incomplete > fake-complete. No invented sittings/donors/dollars.
UI	Product never auto-mints Supported. Honesty strip on every public card.

13.4 KERNEL.md

Copy the seven law titles from §2. Rewrite each body sentence in the colony's words. Do not paste another operator's creed into Law 1. Law 1 is I-2.

13.5 COMB.md · working document

```
# COMB — [colony name] — [job title]

## Purpose / target class
Target class:
Purpose (one sentence):

## Decisions (append-only)
- [YYYY-MM-DD]

## Plan tasks
- [ ]

## Notes

## Numbers

## Verification
- Check:
- Evidence:
- Tri-state on the main claim:
- Promote readiness: no | quarantine | yes (human only)

## Latent state
- Locked decisions:
- Open gaps:
- Current focus:

## Growth log
- Curated:
- Evicted:
- New association:
```

13.6 Seat file

```
seat:            <name>
verb:            <one verb>
owns:            <artifact classes>
never_owns:      <explicit>
reports_to:      coordinator
handoff_when:    <what must be true to pass the artifact>

# Minimum four
seat: coordinator   verb: coordinate
owns: sitting order, charter, handoffs, host interface
never_owns: day-job spam lanes, case harvest

seat: build         verb: build
owns: product artifacts, the named deliverable
never_owns: truth minting, self-certify

seat: verify        verb: gate
owns: first-paint, integrity, P0 leak checklist
never_owns: feature authorship
# file name = seats/verify.md   do not write seats/gate.md

seat: label         verb: label
owns: frame, claim list, card id, kicker, honesty strip
never_owns: implementation, share decision
# civic add-on when packet is on: Track A/B cell labels
```

13.7 Open Cell · blank row

```
cell_id:         C-<track-or-toy>-<nnn>
question:        <one question>
track:           A | B | cross | n/a
quote:           <verbatim or empty>
primary_url:     <url or empty>
status:          open | supported
truth_status:    Unproven | Supported | Disputed | Human decision
basis:           Evidence | Inference | Assumption
hole_label:      <required if not supported>
leftover_urls:   <do not close on these>
closed_by:       <human, date, or empty>
seed_next:       <next question or empty>
```

13.8 Sitting log

```
sitting_id:      S-YYYY-MM-DD-<slug>
date:
question:
domain:          <plug-in name, not case chrome>
gate:            public-share | private-floor | archive
rooms_run:       orient · integrity · mission · coordinate · surface
artifacts:       <paths or ids>
conflicts:       <or none>
human_call:      <Supported / hole / hold>
export:          Layer 1 + honesty box + holes
seed_next:       <dated, owned>
```

13.9 Skill / module file · one verb

```
name: [short-name]
status: draft | active | absorbed
target_class: ops-only | public-suite | pattern-lab | archive
verb: <one>
when: <activate clause>
reports_through: <seat verb, not a new seat>
steps: Gather → Compile → Judge → Do → Check → Gate
never: <OPSEC, auto-truth, scope>
verification: evidence that this module ran. Self-report is insufficient.
```

13.10 Frame-audit skill stub (floor)

```
name:            frame-audit
verb:            audit
when:            high-stakes / Tier 1 work before synthesis; or operator declares a frame audit
reports_through: verify
steps:           0 Activate · 1 Token/sensory · 2 Routing/guardrail
                 3 Value/accuracy · 4 Labeling/hedging · 5 Composite illusion
                 6 Evidence Gate · 7 Close and seal
never:           mint Supported; skip on high-stakes and call the output finished;
                 collapse with Polity Filter
outputs:         sealed Gate 0-7 note in COMB Verification + Growth log, including vetoes
```

13.11 Polity-filter skill stub (civic plug-in only)

```
name:            polity-filter
verb:            filter
when:            civic work after the frame is honest; operator has named a polity
reports_through: label
steps:           name polity
                 test foreign entanglement only when it hardens into national policy
                 keep partner country a variable
                 keep scoreboard axes empty until a primary fills a cell
                 do not mint Supported
never:           manifesto on first paint; invent a polity;
                 hard-code one partner as the method; fill winners in the framework pack
```

13.12 First-session paste block

Operator-session text. Not public product UI copy. Replace bracketed fields from COLONY.md.

```
You are running a small evidence-first operating harness for [COLONY NAME].

Mission spine: [I-2]
Human final call: [I-3]
Default target class: [I-4]
Forbidden in shareable output: [I-9]

Rules:
- Label every major claim Evidence / Inference / Assumption.
- Score contested claims +1 / 0 / -1 after the close rule, and say why.
- Supported requires quote + primary URL + human call. Software never crowns it.
- Prefer primary records over commentary.
- Prefer honest incomplete state over a clean false picture.
- Keep a working document with: Purpose, Decisions, Plan, Notes,
  Numbers, Verification, Latent state, Growth log.
- On high-stakes work, run Frame Audit before synthesizing.
- Do not put swarm or hive names into public product UI copy.

Roles even if you are one model:
- DOMAIN frames the problem, lists claims, and owns card id / kicker / honesty strip.
- BUILD makes the artifact.
- VERIFY gates quality, scrubbing, and completion evidence.

Synthesize. Do not dump three raw role walls.
Start COMB.md in this reply. Then do this task:
[I-11]
```

13.13 DRILL ONLY — three filled objects

DRILL ONLY

Toy domain: recreation posting. Not a case file. Not a product sample. Do not keep these filled objects in a share pack as evidence of anything except “the method produced a file.”

Object 1 — one card

```
system_id:     trail-legend-hours
public_kicker: Winter hours on the trail-map legend
truth_status:  Unproven
basis:         Assumption
quote:
primary_url:
hole_label:    Current legend we have does not state winter hours
notes:         (operator only — never HUD)
```

Object 2 — one Open Cell

```
cell_id:       C-TOY-001
question:      Does this public trail-map legend list winter hours?
track:         n/a — toy posting record (not civic Track A or Track B)
quote:
primary_url:
status:        open
truth_status:  Unproven
basis:         Assumption
hole_label:    Current legend we have does not state winter hours
leftover_urls:
closed_by:
seed_next:     Find the current legend PDF or leave the hole.
```

Do not mark this cell Track B. Track B is speech/definitions. Hours-on-a-legend is a posting record.

Object 3 — COMB (Purpose, Decision, Plan, Verification, Latent state, Growth)

```
# COMB — [colony name] — trail-legend-hours
## Purpose / target class
Target class: public-suite (drill)
Purpose: Determine whether the public trail-map legend lists winter hours.
## Decisions (append-only)
- [2026-09-08] Do not invent hours. Leave the cell open.
## Plan tasks
- [x] Write one card + one Open Cell
- [ ] Find the current legend PDF
## Verification
- Check: self-report “hours are probably posted”
- Evidence: none. No quote. No primary URL.
- Tri-state on the main claim: 0 / Unproven
- Promote readiness: no
- Result: rejected. Status remains Unproven / Assumption.
## Latent state
- Locked decisions: do not invent hours
- Open gaps: current legend PDF not in hand
- Current focus: leave hole or find PDF
## Growth log
- Seed: Find the current legend PDF or leave the hole. Owner: coordinator. Date: 2026-09-08.
```

14 · Sources, honesty box, open holes

Primary records beat this commentary. Retrieval dates follow the harness guide freeze (28 August 2026) plus the architecture brief date (7 September 2026). This merged edition is U-1.1.1, 8 September 2026.

Source briefs for this merge

• AdventureNLearn, “Hive Brain — System Architecture Rebuild Brief,” 7 September 2026. [16]

• AdventureNLearn, “The Hive — Operating Harness Builder User Guide,” Edition 1.0, 28 August 2026. [17]

No-repo path does not depend on a live clone. Optional public picture refs (pictures, not proof): adventurenlearn.grok.me · keptglobal.grok.me · x.com/AdventureNLearn

Citation leaf · archived public trees (library attach only)

[1] https://github.com/AdventureNLearn/AOS-Public/blob/main/docs/getting-started.md — archived 14 Aug 2026.

[2] https://github.com/AdventureNLearn/AOS-v3---LPIN/blob/main/README.md — Sovereign tree; 4-agent text is ancestor.

[3] https://adventureosapp.com/ — distinct consumer/logistics surface, not this operating floor.

[4] Practice — 3-role swarm + working-document + Frame Audit pairing. Not a frozen public tag.

[5] https://github.com/AdventureNLearn/AOS-Public/blob/main/SCRUBBING_GUIDE.md — archived 14 Aug 2026.

[6] https://github.com/AdventureNLearn/AOS-Public/blob/main/RELEASE_NOTES_v0.1.md — archived 14 Aug 2026.

[7] https://github.com/AdventureNLearn/AOS-Public — archived 14 August 2026; read-only thereafter.

[8] https://github.com/AdventureNLearn/AOS-v3---LPIN/blob/main/docs/AOS_v3.0_User_Instruction_Guide.md — translate 4-agent to BUILD / VERIFY / DOMAIN.

[9] Evidence Gate claim protocol as published in public/sovereign materials and restated in Practice.

[10] Working-document locked sections and update protocol — Practice.

[11] https://github.com/AdventureNLearn/AOS-Public/blob/main/protocols/shatter-protocol.md — Frame Audit ancestor.

[12] https://github.com/AdventureNLearn/AOS-Public/blob/main/docs/architecture.md — archived 14 Aug 2026.

[13] Solo-operator practice now absorbed into coordinator solo mode — Practice.

[14] https://github.com/AdventureNLearn/AOS-Public/blob/main/LICENSE — MIT License, Copyright (c) 2026 AdventureNLearn.

[15] https://github.com/AdventureNLearn/AOS-Public — archived 14 Aug 2026.

[16] Hive Brain System Architecture Rebuild Brief, HIVE-PDF-v1, 7 September 2026 (source A).

[17] Operating Harness Builder User Guide, Edition 1.0, 28 August 2026 (source B).

This edition (U-1.1.1, 8 September 2026) is the merge record of [16] and [17]. It is not a cited authority for its own laws.

License note. Public repository text cited by the harness guide sits under the MIT License on AOS-Public [14]. This manual is an original merge that quotes short operating laws for instruction and points builders back to those trees. It does not reproduce unpublished private skills.

HONESTY BOX · THIS PACK

Truth status: Human decision — this is a method brief, not a scored civic case.

Basis: Evidence for the operating laws as written in the two source briefs; Inference that another careful person can rebuild from them.

This pack describes the machinery. It is not a running install, not a 3D asset kit, and not a filled scoreboard. Software did not crown anything Supported. That a stranger will succeed from this pack is Inference, not Supported.

Open holes (leave them open)

- No code tree ships with this brief. CLOUD mode still needs a repository the operator names.
- Globe is specified as rules, not as a bundled map engine or tileset, and only when the civic packet is on.
- Partner-country and polity stay variables until the operator names them.
- Scoreboard axes are empty by design. Filling them is a civic-packet act, not floor work.
- Visual smoke (LOCAL-BOX) is not included. Run it after the operator has seen once.
- Published trees change. The no-repo path (folder + three files + paste block) does not depend on a live clone.
- That a stranger will succeed is Inference. There is no independent rebuilder study in this pack.

CLOSING LINE

Framework only. Your domain plugs in. Human still decides.

The hive is implemented when the files exist, the first task has a verification cell, and another builder can continue. Until then it is only a conversation.

HIVE-U1.1.1 · coordinator pattern · 2026-09-08

Floor required · Civic packet optional · Strip case chrome before you pass this on.

Truth-Seeking · Evidence over optics · Human final call