

INTOXICOM Workshop 4: Building FAIR Learning Paths for Toxicology Education

BioHackathon series:
INTOXICOM Workshops
Europe, 2024-2025
Workshop 4

Submitted: 30 Aug 2026

License:
Authors retain copyright and
release the work under a Creative
Commons Attribution 4.0
International License ([CC-BY](#)).

Published by [BioHackrXiv.org](#)

Marvin Martens ¹, **Sara Morsy** ², **Meike Büniger** ³,
Scott Glaberman ⁶, **Bob Lee** ⁶, **Susana Loureiro** ⁵, **Gavin Lloyd** ⁶,
Ralf Weber ⁶, **Tim Williams** ⁶, **Egon Willighagen** ¹, and
Iseult Lynch ⁶

¹ Dept of Translational Genomics, NUTRIM, Maastricht University, Maastricht, NL  ² University of Bradford, Bradford, UK  ³ Data Team, Health Research Infrastructure, NL  ⁵ University of Aveiro, Aveiro, PT  ⁶ University of Birmingham, Birmingham, UK 

Introduction

The fourth workshop of the [INTOXICOM Implementation Study](#), titled "Registration of Project Courses in ELIXIR TeSS and Conversion of Open Educational Resources into Toxicology Curricula", was held on 24–25 June 2025 at the University of Birmingham, UK. An introductory webinar on 6 June 2025 prepared participants by introducing workshop objectives and gathering initial educational resources.

This workshop is part of INTOXICOM's effort to make toxicology educational resources FAIR (Findable, Accessible, Interoperable, and Reusable) (Garcia et al., 2020) and to establish a sustainable training ecosystem within the ELIXIR infrastructure. The meeting brought together toxicology and bioinformatics trainers, educators, curriculum developers, and FAIR training experts to collaboratively design structured curricula in the form of ELIXIR Learning Paths.

Workshop Objectives and Approach

The workshop aimed to:

- Increase discoverability of toxicology training materials by registering them in ELIXIR Training e-Support Service (TeSS, <https://tess.elixir-europe.org/>) (Rioualen et al., 2024)
- Introduce FAIR training principles, metadata annotation, and Bioschemas (Gray et al., 2017) for automated population of resources
- Build shared expertise on developing learning paths, a structured curriculum concept within ELIXIR
- Co-design toxicology-specific learning paths that address gaps in current training and support modern approaches to chemical and nanomaterial safety assessment

Hands-on sessions provided participants with practical experience design, develop, populate learning paths, and about governance and sustainability within TeSS.

Understanding Learning Paths

Participants gained a shared understanding of ELIXIR Learning Paths, which guide learners through a sequence of training materials from foundational to advanced levels (https://tess.elixir-europe.org/about/learning_paths). Through guided exercises, attendees explored how to structure toxicology curricula, link resources, and annotate them with standardized metadata.

Discussions highlighted key requirements for FAIR toxicology training, including improved ontology coverage, mechanisms for maintaining up-to-date curricula, and strategies for automated population of TeSS resources using Bioschemas (<https://bioschemas.org/>).

Proposed Toxicology Learning Paths

Four thematic learning paths were conceptualized during breakout sessions:

- New Approach Methodologies (NAMs) – A curriculum encompassing modern, animal-free methods integrating in vitro, omics, molecular AOPs, and computational tools for regulatory toxicology
- FAIR AOP Development – Training for constructing and curating Adverse Outcome Pathways with semantic web technologies and FAIR principles
- FAIR Nanotoxicology Data – Modules for harmonizing nanosafety datasets with standardized metadata and interoperability practices
- In Silico Hazard Prediction – Computational training covering QSARs, molecular docking, and network-based modeling for chemical and nanomaterial hazard assessment

Target Audience for Toxicology Learning Paths

The learning paths developed during Workshop 4 are designed to address the training needs of early-career researchers entering the field of modern toxicology. The primary audience consists of individuals with a Bachelor's degree in biology, chemistry, pharmacy, biochemistry, molecular biosciences, medical biology, or veterinary medicine, and ideally a Master's degree in one of these disciplines or in toxicology.

These curricula particularly support early-stage researchers, such as PhD students, who require structured training to rapidly build expertise in emerging toxicology approaches. The paths are also suitable for postgraduates and professionals transitioning into computational toxicology, nanotoxicology, or regulatory science who need to understand mechanistic safety assessment and FAIR data practices.

All four learning paths—New Approach Methodologies (NAMs), FAIR AOP Development, FAIR Nanotoxicology Data, and In Silico Hazard Prediction—share this baseline audience. Individual paths can be tailored to specific interests and backgrounds, for example by focusing more heavily on laboratory methods, data science, or regulatory applications.

NAMs Learning Path: First Prototype

The workshop developed a detailed draft of the NAMs learning path as a pilot for structured toxicology curricula within ELIXIR TeSS. This prototype outlines a modular program introducing XXXX for using and integrating NAM data in risk assessment frameworks.

The learning path is designed for participants with a Bachelor's degree in biology, chemistry, pharmacy, biochemistry, molecular biosciences, medical biology, or veterinary medicine, and ideally a Master's degree in one of these disciplines or in toxicology. It particularly targets early-stage researchers (e.g., beginning a PhD project) who need to quickly acquire a mechanistic understanding of modern, animal-free safety assessment approaches.

The NAMs path builds on existing courses and modules, such as those in the University of Birmingham's [MSc Toxicology](#) program and training developed within VHP4Safety, ensuring alignment with established academic and project-based offerings.




Figure 1: Content of the learning path as designed during the workshop.

Ontology Development for FAIR Training Metadata

Another outcome of the workshop was the identification of gaps in toxicology-specific ontology terms used for annotating training resources in TeSS. Without these terms, toxicology courses and materials cannot be consistently described or discovered across the ELIXIR ecosystem.

Participants compiled a list of proposed additions or refinements to the EDAM ontology (Ison et al., 2013), including high-level terms such as Toxicology, and specialized subfields including Medical Toxicology, Ecotoxicology, Forensic Toxicology, and Environmental Toxicology. For each term, draft definitions were prepared, relationships to existing ontology terms were mapped, and links to related ontologies (e.g., OMIT, NCIT) were identified.

This work will be submitted to the EDAM ontology maintainers for inclusion in future releases. Expanding EDAM with toxicology-specific terms will allow:

- Precise tagging of training materials in TeSS, improving discoverability
- Automated assembly of learning paths, since resources can be filtered and grouped by ontology tags (e.g., all resources related to NAMs or regulatory toxicology)
- Better integration with FAIR data and tool registries (e.g., bio.tools, FAIRsharing), enabling cross-linking of courses, datasets, and software relevant to toxicology

The compiled list of terms, definitions, and ontology links is included as an Appendix A to this report.

Towards Automated Population of Resources

A key recommendation from the workshop is the automation of resource population into TeSS. The group discussed implementing Bioschemas markup on external training repositories (e.g., [PARC Learning Materials](#)) to allow automated harvesting by TeSS. This approach would ensure sustainable growth of registered resources and reduce manual effort for course providers.

Ontology improvements were also identified as necessary for toxicology-specific training annotation. The proposals to extend the EDAM ontology (<https://edamontology.org/>) will enrich keyword coverage and enable accurate classification of toxicology educational resources.

Path Initiation and Community Uptake

Besides the NAMs path, the workshop initiated schematic outlines for three additional learning paths: “FAIR AOP development”, “FAIR nanotoxicology data”, and “In silico (chemical and nanomaterial) hazard prediction”. These will be further refined and are intended to be picked up by educators within the ELIXIR Toxicology Community. The workshop established the Toxicology Community as a future content provider in TeSS to initiate a coordinated curation process and community-driven maintenance of these learning paths. Our community now is both [a provider](#) and has [a collection](#).

Conclusions and Future Directions

Workshop 4 successfully built a shared understanding of FAIR training principles and delivered an initial learning path prototype and a set of draft learning paths for the ELIXIR Toxicology Community to adopt. The NAMs learning path prototype is a concrete output of the workshop and serves as an example for further development of toxicology education pathways.

Next steps include finalizing the NAMs path with broader stakeholder review, expanding and linearizing the other three proposed paths, contributing new ontology terms, and initiating automated resource harvesting via Bioschemas.

Funding

This workshop was funded by the ELIXIR Europe INTOXICOM grant (Grant No. NL-2023-INTOXICOM).

References

- Garcia, L., Garcia, L., Batut, B., Batut, B., Burke, M., Burke, M. L., Kuzak, M., Kuzak, M., Psomopoulos, F., Arcila, R., Arcila, R., Attwood, T., Attwood, T. K., Beard, N., Beard, N., Silva, D. C., Carvalho-Silva, D., Dimopoulos, A. C., Dimopoulos, A. C., . . . Palagi, P. M. (2020). Ten simple rules for making training materials FAIR. *PLOS Computational Biology*, 16(5), e1007854. <https://doi.org/10.1371/JOURNAL.PCBI.1007854> [cito:citesAsRecommendedReading]
- Gray, A. J. G., Goble, C. A., Jiménez, R. C., & Community, T. B. (2017, October 22). Bioschemas: From Potato Salad to Protein Annotation. *Proceedings of the ISWC 2017 Posters & Demonstrations and Industry Tracks*. The 16th International Semantic Web Conference, Vienna, Austria. <http://ceur-ws.org/Vol-1963/paper579.pdf> [cito:discusses]
- Ison, J. C., Kalaš, M., Jonassen, I., Bolser, D., Uludag, M., McWilliam, H., Malone, J., López, R., Pettifer, S., & Rice, P. (2013). EDAM: An ontology of bioinformatics operations, types of data and identifiers, topics and formats. *Bioinformatics*, 29(10), 1325–1332. <https://doi.org/10.1093/BIOINFORMATICS/BTT113> [cito:citesAsPotentialSolution]
- Rioualen, C., Bacall, F., Furlan, C., Kalaš, M., Leskosek, B., Ménager, H., & Szomolay, B. (2024, April 8). Synergising ELIXIR resources for training in systems biology. *BioHackathon Europe 2023 Reports*. BioHackathon Europe 2023, Barcelona,. <https://doi.org/10.37044/OSF.IO/ZXC8M> [cito:discusses]

Appendix A

Table 1: Analysis of EDAM for terms for toxicology.

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
Toxicology			Toxins and the adverse effects of these chemical substances on living organisms		EDAM:2840	
	Medical toxicology		The branch of medicine that deals with the diagnosis, management and prevention of poisoning and other adverse health effects caused by medications, occupational and environmental toxins, and biological agents.		EDAM:3415	
	Ecotoxicology					
	Forensic toxicology					
	Environmental toxicology					
	Regulatory toxicology					
		CMR				
		EDC				
		Genotox				
		Developmental tox				
		Neurotox				
	Occupational Health					
	Cellular Toxicology					
	Molecular Toxicology					

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
	Mechanistic Toxicology Computational Toxicology	Chemoinformatics Nanoinformatics QSARs PBPK modelling Exposure modelling dose- response modelling QVIVE modelling				

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
Stressor						What about alternative grouping terms such as contaminants of emerging concern (CECs), persistent organic pollutants (POPs), etc?
	EDC Nanomaterials Micro & Nanoplastics Pesticides Pharmaceuticals MESH ontology of stressors					
Testing approach	In Vivo	organ toxicity				

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
Domain of Interest	In vitro	system				
		toxicity				
		organism				
		effect				
		population				
		effect				
		ecosystem				
		effect				
		Molecular				
		event				
Domain of Interest	In silico	Cellular				
		response				
Domain of Interest	Policy and regulation			Regulatory affairs	EDAM:3394	
		Exposure assessment				
		Hazard and risk				
		FAIR data and data management		FAIR data	EDAM:4012	
Domain of Interest	Safe and Sustainable by Design			Data Management	EDAM:3071	

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
Scope	Statistics NAM			Statistics & Probability	EDAM:2269	
	Advanced (nano)materials Biotechnology Chemicals Chemical mixtures Pesticides				EDAM:3297	
Target stakeholder	Academia (PhD and MSc student, professor, researcher) Consultants Education (schools and under- graduates) Industry NGOs Regulator, pol- icy maker, risk assessor					

Level 1	Level 2	Level 3	Existing or proposed Definition	Related term name	(EDAM) ID	Comment
Type of material		Format of documents including word processor, spreadsheet and presentation.				
	Course E-learning tool Presentation / slides		A training course available for use on the Web.	Document format	EDAM:3507	
	Reading materials Video Webinar recording			Online course	[EDAM:3670](http://edamontology.org/data_3670)	
Level of expertise	Beginner Intermediate Advanced					



Author contributions

Marvin Martens: Conceptualization, Writing – review & editing

Egon Willighagen: Writing – review & editing