




Driving refresher course



Refresher course Learner's booklet

16-17
17-18⁴⁵
18⁴⁵-19¹⁵ HAVSAKA
19¹⁵-21⁰⁰

Veronika's pamphlet





Name of learner : _____

Course no: _____

Course site: _____

Course mentor : _____

Dates of the meetings: _____

First meeting:	Day	Time
----------------	-----	------

Second meeting:	Day	Time
-----------------	-----	------

Third meeting:	Day	Time
----------------	-----	------



Name of learner :

Course no:

Course site:

Course mentor :

Dates of the meetings:

First meeting: Day Time

Second meeting: Day Time

Third meeting: Day Time

> Objectives of the refresher course

The objectives of the refresher course are to update knowledge on driving that has been acquired during the driving learning period, and according to acquired driving experience until the date of the course, in order to maintain the rules of correct and preventive driving and minimize the risk of involvement in accidents

> Goals of the refresher course

1. At the end of the course, the learners will be able to describe ways of preventing accidents despite mistakes on the way made by other drivers, cyclists and pedestrians.
2. The learners will update their knowledge of traffic laws and road signs that have been added or changed in recent years.

This booklet contains an abundance of vital information for the driver and is submitted to you with the aim of assisting you in driving safely. Take good care of it and use it for your benefit.

The course program

- Unit 1 Introductory talk The general duty of care
- Unit 2 Traffic vision Identification of telltale signs
- Unit 3 Limitations of vehicle control
- Unit 4 The driver
- Unit 5,6 The driver and the modern vehicle
- Unit 7,8 Driving speed – advantage and disadvantages
- Unit 9 Prevention of front to rear accidents
- Unit 10 Veering from a lane and preventing a head on collision
- Unit 11 Driving at night and in the dark
- Unit 12 Test and summary of the course

The legal basis for this course

The traffic statutes | Regulation 213

Driving continued education course

- (A) The Licensing Authority shall invite each year a driving license owner who in that year has had a driving license for five years, to take a course in driving at a time and place determined by the Licensing Authority or the agents thereof and shall successfully pass a test at its end.
- (B) A participant in a driving course who fails the test three times shall be considered as not having passed the course.
- (C) The Licensing Authority shall not renew the license of a driving license holder as defined sub-regulation (A) at the license renewal time that will occur after being summoned as set forth, unless a confirmation that he has passed a course in driving has been shown.



נהג/ת יקר/ה,

בעיית תאונות הדרכים הינה אחת הבעיות הקשות של מדינת ישראל.

הגורם האנושי הינו הגורם המשמעותי ביותר לתאונות הדרכים. נהיגה נכונה והקפדה על כללי הבטיחות וחוקי התנועה הצמצם בצורה משמעותית את מעורבות הנהגים בתאונות הדרכים. הקורס שהנך נדרש לעבור יחשוף בפניך סוגיות רבות בנהיגה ובבטיחות. בתקונת התעבורה ובעיקר בנהיגה מונעת. נכונה וצמצם ממך להשתתפות מלאה בקורס נהיגה נכונה רענון ולצאת עם ידע רחב ושמירה על כללי הבטיחות בדרכים. אנו מאחלים לך הנאה בקורס ונהיגה נעימה ובטוחה.

בברכה,

משרד התחבורה
אגף הרישוי



מדינת ישראל
משרד התחבורה
והבטיחות בדרכים
מנהל התנועה אגף הרישוי

תלמיד/ה יקר/ה,

רשת עמל, באמצעות "עמל הישגים", שמטחה להכשיר אותך בקורס נהיגה נכונה על כל גווניה, על פי הנחיות משרד התחבורה.

אנו מאים לקחת חלק במערך ההסברה וההדרכה, שנועד לשפר את תרבות הנהיגה בישראל, ולצמצם עד כמה שאפשר את מספר הנפגעים בתאונות דרכים.

מאחלים לך הצלחה, ומקווים שתקוורס ייתן לך כלים חדשים ומעשיים לנהיגה זריחה ובטוחה.

בברכת נהיגה בטוחה,

עמל נהיגה נכונה



זכור!

בנהיגה נכונה זהירה תציל חיי אדם!

Contents of the booklet

The refresher course program	3
The general duty of care	7
Traffic vision	
Identification of telltale signs in driving	12
"Field of lack of control" or "driving safety margin"	15
The driver	19
The driver and the modern vehicle	23
Driving speed	33
Distance in front	42
The vehicle behind	46
Prevention of head on collisions	49
Driving at night and in the darkness	53
The scoring method for traffic offenses	56
Schedule of road signs	62

The general duty of care

Illustration

Two vehicles simultaneously approach a junction. One of them has a "Stop" sign ahead.



? | Question What duty applies to each of the drivers?

! | Answer

- A. It is the duty of the driver on whose way a "Stop" sign is posted to stop and give way.
- B. It is the duty of the driver who is entitled to a right of way to slow down as necessary, examine the behavior of the person who is required to stop, and prepare to stop if he is not given a right of way.

Explanation

The law does not "give" a right of way but states in various situations, using road signs or regulations, who should give way.

If the person who has to give way fulfills his duty by giving way – the person entitled to a right of way is to continue.

If the person who is required to give way does not do so, the person entitled to a right of way does not have one, because it has not been given to him, and he must slow down / stop / yield, in accordance with the circumstances, as long as he is not involved in an accident. The legal coverage for "yielding" is vested in the Traffic Regulations as the general duty of care.



"No person shall drive a vehicle recklessly or without care, or without sufficient attention considering all of the circumstances, including the type of vehicle, its cargo, braking method and brake condition, the ability to stop comfortably and safely and noticing road signs, signals by policemen, traffic of passersby and any object that is on or near the road surface and the condition of the road".

Analysis of the general duty of care

? | Question What does the legislator mean by stating: "Recklessness or without care in driving"?

! | Answer Recklessness or carelessness in driving includes, among other things:

- > A speed that does not suit the road conditions;
- > Driving in a non-roadworthy vehicle (such as: low tire inflating pressure)...

? | Question What does the legislator mean by stating: "Without sufficient attention"?

! | Answer

Driving without sufficient attention includes, among other things:

- > Doing things that are not related to driving, such as a telephone call;
- > Insufficient use of the vehicle's mirrors

? | Question

What does the legislator mean by stating:

"... Attention to the type of vehicle or its cargo..."?

! | Answer

Attention to the type of vehicle or its cargo includes, among other things:

- > The interior mirror of a commercial vehicle does not usually reflect the picture behind the vehicle, and therefore wing mirrors must always be used;
- > A load in the rear of the vehicle requires extra air pressure for the rear tires...

8 | Correct driving

? | Question

What does the legislator mean by stating: "...Attention to the traffic of way users and any object that is on or near the way and the condition of the way".

! | Answer

Attention to the traffic of way users and any object that is on or near the way and the condition of the way is, among other things:

- > When a traffic light is green, a road user crossing it may fail to obey the red light in his direction, and one has no choice but to yield to him;
- > Pedestrians, particularly children, may run into the road, and one has no choice but to slow right down and prepare to stop;
- > The road is bumpy and restricts the speed;
- > Various objects conceal the road or road signs or users, particularly short children, and one must drive at low speed that will allow one to look out for and identify any detail that is vital to safe driving...



The sign tells you to stop.

Stop!

Think life

The National Road Safety Authority

Correct driving | 9

Questions for revision

- Who is to blame for an accident at a junction at which one of the parties involved had a "Stop" sign?**
 - Both drivers: the one who did not give way and the one who drove negligently.
 - Only the driver who did not stop at the "Stop" sign.
 - Only the driver who did not give way despite there being a "Stop" sign on his way.
 - If the driver who did not have a "Stop" sign in his way had driven at excessive speed, he is the sole culprit.
- Who could have prevented a side (T-bone) collision that is occurs at a junction with a traffic light?**
 - Only the driver who did not obey the red traffic light.
 - Both drivers, one who should have obeyed the red light and the other who drove negligently.
 - Only the driver who drove through the green light but drove negligently.
 - In driving in a built up area – both, outside a built up area only the one who did not obey the red light.
- Two vehicles simultaneously approach a junction. One of them has a "Stop" sign ahead. How must the right of way be considered?**
 - The driver who has a "Stop" sign ahead must stop and give way; the other driver must continue at the same speed in order not to delay the traffic behind him.
 - The driver who has a "Stop" sign ahead must stop and give way, unless he feels that the driver who is entitled to a right of way has waived his right.
 - The driver who has a "Stop" sign ahead must stop and give way; the driver with the right of way must prepare to stop in case he does not get the right of way.
 - Both drivers must stop according to the general duty of care. The priority to continue driving will be that of the driver who has no "Stop" sign in his travel direction.
- What is the general duty of care in the Traffic Regulations?**
 - Driving recklessly, carelessly or without sufficient attention is prohibited.
 - The vehicle driver must consider all circumstances on the road, including the type of vehicle, its cargo, braking method and condition of brakes.
 - The driver of a vehicle must identify road signs, signals by policemen, the traffic of road users and any object that is on or near the road.
 - All the answers are correct.

- In a junction, who gives the right of way?**
 - A driver to a driver or drivers?
 - The law - according to what the Traffic Regulations say.
 - The traffic light - according to the colors of the light in the lenses.
 - The markings on the road surface.

- Is yielding to another driver who does not give way a matter of courtesy or obeying the law?**

- Courtesy, because yielding is merely a matter of good will.
- Obeying the law, because of the general duty of care in the Transport Regulations.
- Courtesy, according to the duty of courtesy in the Transport Regulations.
- Obeying the law only when the other driver is driving a security vehicle, ambulance, fire engine or police vehicle.

- What does the legislator mean by prohibiting "driving without sufficient attention"?**

- Overtaking at a speed above the speed limit.
- Parking in violation of a road sign prohibiting parking.
- Driving a vehicle that has not had its periodical service in time.
- Doing things that are not necessary for driving, such as taking a telephone call.

- In what case may a telephone call in a vehicle distract the driver from driving?**

- When the call is held without a hands free kit.
- Always.
- When the caller is an unskilled driver.
- When the call lasts more than a minute or so.

- 1** **Answers |** 1-A, 2-B, 3-C, 4-D, 5-A, 6-B, 7-D, 8-B

Traffic vision

Identification of telltale signs in driving

The rate of events on the road, which are perceived by the driver's senses, primarily the sense of vision, is very rapid and varies with the road type, traffic congestion and pedestrian behavior. Events are perceived by the eyes of the driver who looks ahead and turns to the sides to look, as necessary, and as reflected in the mirrors of the vehicle. There are events that are perceived by hearing – ordinary horns, sirens of security vehicles and engine noise. A driver must not miss any event that might affect him.

The driver is the one to decide which events he must react to and how.


"Traffic Vision" – is the ability to identify all events occurring on the road, combined with anticipation of future events according to telltale signs.

"Telltale signs" – are occurrences, situations or phenomena on the road that indicate an impending emergency that may result in an accident.

An **"emergency"** also known as a "near miss", can be prevented by identifying the telltale signs and reacting correctly in advance, before the emergency develops.

Telltale signs in the vicinity of the street illustrated

2 | Question What is the telltale sign in the places marked with numbers?
Other signs can also be found



1 | Answer

1. The cyclists may suddenly turn from the pavement to the road
2. Next to a car whose rear door is open there is a person who may head for the road.
3. Among the parked cars a person may enter the road.
4. There is no field of view towards the street on the left, a vehicle may approach from it. And more....

Events on the road that are perceived as "surprising" should not surprise a skilled driver who anticipates occurrences according to telltale signs. Each telltale sign calls for a correct reaction as though the expected event would occur with certainty.

Recommendation: Practicing the identification of telltale signs during a routine journey and turning it into a habit.

2 "Telltale signs" in driving | Questions for revision

1. What are "telltale signs" in correct driving?
A. Illuminated signs and reflectors on the road.
B. Signs: "Narrow road", "Speed humps", "Dangerous junction", "Slow", etc.
C. Phenomena, situations or occurrences on the road that hint as to a possible emergency.
D. Warning and instruction signs, traffic lights and marks on the road surface
2. In driving, what is the emergency that may develop from a vehicle in front that is parked perpendicularly, with its rear facing the road?
A. The vehicle may start reversing.
B. The vehicle will stay in place until the road behind it is clear.
C. A parked vehicle has no telltale signs.
D. Another vehicle will arrive from another place and try to take the parking space of the parked vehicle.
3. In driving, what is the telltale sign from a parked vehicle whose engine hood is open?
A. It will start reversing.
B. A person who is servicing the vehicle may approach the road.
C. It will start driving towards the road.
D. All the answers are correct.
4. A teenager rides a bicycle on the pavement. What is the telltale sign that arises from this?
A. That other bicycles may suddenly appear.
B. That the road is clear for free traffic.
C. That there is a junction nearby.
D. He will suddenly turn into the road.

5. What is usually the correct reaction to signs of an emergency developing?

- A. Slight acceleration and rapidly driving away from the site.
- B. Slowing down and moving one's foot to the brake pedal.
- C. Sounding the horn and/or flashing lights.
- D. Not increasing one's travel speed.

6. A bus is stationary and its upper rear has two red lights flashing intermittently. What is the meaning of this?

- A. A bus on a service line that has stopped at a place that is not a bus stop.
- B. The bus cannot continue driving because of a malfunction.
- C. The bus is being used for transferring patients or casualties.
- D. The bus is transporting students and is now letting them board or alight.

7. Is a driver allowed to give another driver hand signals of his intentions?

- A. Yes.
- B. No.
- C. Yes, but only if his signaling system is not working.
- D. Only as a token of gratitude.

8. The traffic light is green, but there are stationary vehicles on the other side of the junction that will not let the driver cross the junction. What should the driver do?

- A. When the light is green he has to advance, enter the junction and wait until he can clear it.
- B. The driver must turn right or left to the extent possible at the junction and not wait there.
- C. The driver must veer to the right to the extent possible and wait, giving other vehicles an opportunity to overtake him.
- D. Wait despite the green light, until he can enter the junction and clear it without obstructing the traffic.

Answers | 1-C, 2-A, 3-B, 4-D, 5-B, 6-D, 7-A, 8-D

"The field of lack of control" or "the driving safety margin"

The control actions

The main actions using which the driver controls his vehicle are:



Limitations of control:


1. A driver cannot react instantaneously by accelerating, steering or braking, and therefore his control of the vehicle is limited;
2. Pressing the brake pedal does not cause the vehicle to stop immediately.

Field of lack of control

Control limitations, which consist of the reaction time / distance and the braking distance, form a "field of lack of control" in which the driver – despite already having identified an event that requires a reaction – still has not had time to complete a control action: braking until the vehicle comes to a complete stop, or turning the wheel to prevent the accident.

Safety margin in driving

Turning the "field of lack of control" into the "driving safety margin" is a basis for correct driving.



Reducing one's driving speed reduces the field of lack of control and increases the safety margin in two ways:

- > The reaction time / distance is shorter relative to the reduction in the driving speed
- > The braking distance decreases with the square of the decrease in speed

Alertness and concentration in driving reduce the field of lack of control and increase the safety margin by reducing the driver's reaction time.

2 | Question In what other situations in driving must the driver slow down to maintain a suitable safety margin?

1 | Answer

Examples

- > Following another vehicle – to increase the distance from it in the case of it braking suddenly.
- > Approaching junctions – according to the field of view to the directions of traffic on the intersecting road and pedestrian crossings.
- > When approaching a junction with a traffic light and the light is green – in case it changes.
- > When approaching a pedestrian crossing.
- > Where pedestrians are near the road.
- > A bus at a bus stop.
- > Parked automobiles – lest a door be opened towards the road.

The safety margin is the basis for safe driving


The more experienced and skilled the driver, the greater his confidence of his ability to drive without mishaps is.

However, one must not forget the reaction and braking limitations:

a vehicle does not stop instantaneously. From the time the driver reacts until the vehicle brakes, time goes by while the vehicle is still moving forward.

A speed that allows for a reaction in the field ahead in the case of a surprise, transforms the field of lack of control into a driving safety margin.

A vehicle does not stop instantaneously



16 | Correct driving

2

The "field of lack of control" or "the driving safety margin" | Revision questions

1. What are the main actions through which the driver controls the vehicle?

- A. Braking, signaling and sounding the horn.
- B. Signaling, mirrors and steering.
- C. Speeding up, steering and braking.
- D. Auxiliary brake, parking brake and transmission system.

2. A driver says: "I drove in the city at 40 kph. 5 meters before me a boy runs into the road between two cars, straight towards the front of my car..." How did the event end?

- A. The driver braked and stopped his vehicle before reaching the boy.
- B. The driver quickly turned the steering wheel left and prevented a collision with the boy.
- C. The driver quickly turned the steering wheel right or left and prevented a collision with the boy.
- D. The vehicle hit the boy.

3. What is the "field of lack of control" in driving?

- A. A field in which the driver's control of the vehicle is impaired because of a malfunction in the braking system.
- B. A stretch in front of the vehicle in which the driver will not have time to react in the case of an emergency.
- C. The rear of the vehicle that is not protected against rear impact.
- D. A physical and mental domain of the driver that disrupts his control of the vehicle.

4. What causes the field of lack of control in driving to be longer?

- A. Increased speed and lack of alertness.
- B. Reducing speed, which adversely affects the driver's alertness.
- C. Reducing speed and heightened alertness.
- D. Not keeping a distance from the vehicle in front and a vehicle driving closely behind.

5. What is the "safety margin" in driving?

- A. A sophisticated mechanical electronic system that warns of approaching another vehicle or another vehicle approaching.
- B. A safe environment for a vehicle whose speed is reasonable and whose driver keeps a distance from road users ahead, behind and to the sides.
- C. Infrastructures of roads with wide lanes, an excellent forward field of view, no sharp slopes or curves and good, usable shoulders.
- D. The front and rear vehicle lighting, ensuring that the vehicle will be visible to other vehicle users from a great distance, by day, by night and in stormy weather alike.

Correct driving | 17

6. What is a vehicle's "stopping distance"?

- A. The distance that the vehicle passes from the time the driver identifies a situation requiring stopping until the brake pedal is pressed.
- B. The distance that the vehicle passes from the time the driver presses the brake pedal until the vehicle comes to a complete stop.
- C. The length of the tire's stop marks on the road surface.
- D. The distance that the vehicle passes from the time the driver identifies a situation requiring stopping until the vehicle comes to a complete stop.

7. At what distance must a driver drive behind another vehicle?

- A. A distance that will allow for safe stopping in any case.
- B. A distance that will allow him to see the wheels of the vehicle in front.
- C. A distance that will allow an overtaking vehicle to enter before the following vehicle.
- D. A distance that will allow the driver to see where the tires of the vehicle ahead touch the road.

8. What is the reaction distance in driving?

- A. The distance that the vehicle passes from the time that the driver identifies a danger until it stops.
- B. The distance that the vehicle passes once the driver presses the brake pedal until it stops.
- C. The distance that the vehicle passes from the time that the driver identifies a danger until he starts reacting.
- D. The distance that the vehicle passes at a given speed in a fixed time of $\frac{3}{4}$ of a second.

Answers | 1-C, 2-D, 3-B, 4-A, 5-B, 6-D, 7-A, 8-C



Stopping in a traffic lane endangers you and others
Think life
The National Road Safety Authority

18 | Correct driving

The driver

The Israel Police regularly reports causes of road traffic accidents, such as failing to obey traffic lights or road signs, failing to keep safe distances, reversing, vehicle deficiencies and so on. The police does not usually report distraction, fatigue, the influence of drugs, etc., as causes of road traffic accidents, because it cannot know for sure what the attention level* of the driver just before the accident was. Distraction, fatigue, alcohol and narcotics intensify the driving restrictions for a vehicle driver and are lethal phenomena in driving.

The young driver

It must be emphasized that unfortunately, young drivers (not just in Israel) are involved in serious and lethal road traffic accidents at much higher rates than older drivers.

The proportion of drivers up to the age of 24 who are involved in lethal, severe accidents is 1.3 times that of the entire driver population, and almost twice that of drivers aged 45 and older.

The reasons for this are diverse, including the increased energy level of the young person, peer pressure exerted by friends who entice him, leading to traffic offenses such as speeding, competitive overtaking, failure to obey road signs and traffic lights, driving while fatigued and under the influence of alcohol.

One of the most influential factors over the degree of involvement in lethal, severe accidents is driver age. Young drivers are involved more in road accidents, both because of low driving experience but also because of driving style.

The driving of young people is thrill oriented. Its purpose is to attempt to examine the limits of the vehicle and driver, sometimes combined with competitive behavior.

This driving features daring and risk taking. It is important to emphasize that young drivers are aware of the consequences of dangerous driving, but do not always correctly assess the risks that they themselves take, and are not always aware of their limitations during driving.

*Attention – listening, hearing, paying attention, noticing, turning one's ear, concentration, interest (all are important for driving).

Correct driving | 19

Recognized distractions in driving, for example

- > Passengers – young people – festive or stressful, nagging children, inter-personal conflicts...
- > Telephone call – is distractive even when using a hands off device.
- > Texting (SMS) – reading or writing of text messages while driving is prohibited (and impossible).
- > Programming a GPS receiver – an extreme distraction; removing the hand from the steering wheel is prohibited.
- > Talking into a radio set – is distractive.
- > Scanning through radio channels – shifts the eyes from the way and requires removal of a hand from the steering wheel.
- > Handling objects inside the vehicle.
- > Drinking / eating while driving.
- > Looking for sites and views around the vehicle.
- > Personal care (shaving, makeup, scratching, picking...).
- > Smoking – particularly while lighting a cigarette, fear of a cigarette or burning ember falling.

Fatigue and driving make a poor combination

- > Driving under extreme fatigue due to lack of sleep is prohibited.
- > Fatigue after a long journey requires a refreshment break: stretching, drinking, a light snack.
- > Fatigue because of monotony of the road and driving requires a refreshment break.
- > Then the biological clock ticks and leads to driver fatigue, the driver must be aware of its influences, avoid driving or freshen up (take a break) more frequently

Narcotics and alcohol are disastrous for driving

- > Drugs – are also narcotics. One must not drive except as directed by a physician
- > Narcotics – needless to say
- > Alcohol – according to the traffic laws in Israel, a limited amount of alcohol may be consumed, according to body weight, before driving, but it must be known that the adverse effect of alcohol over driving starts from the first drop.

Why does the driver's reaction take longer and become impaired?

Distraction, fatigue, alcohol and narcotics, cause, among other things, lengthening of the reaction time / distance. What is the distance that a vehicle passes in the ideal reaction time of $\frac{1}{4}$ of a second or a second, and what is the distance that the vehicle passes when the reaction time is longer because of distraction and other factors?

Reaction distance in meters by different reaction times

Speed	Half a second	of a 3/4 second	One second	One and a half seconds	Two seconds
20 kph	2.77	4.17	5.55	8.33	11.10
30kph	4.15	6.23	8.31	12.46	16.62
40 kph	5.54	8.34	11.12	16.68	22.24
50 kph	6.94	10.42	13.89	20.83	27.78
60 kph	8.33	12.50	16.67	24.00	33.33
70 kph	9.72	14.58	19.44	29.17	38.89
80 kph	11.11	16.66	22.22	33.33	44.44
90 kph	12.50	18.75	25.00	37.50	50
100 kph	13.89	20.83	27.78	41.67	55.56

In an emergency, in the reaction time, a driver does not perform any vehicle control action, he does not brake and does not turn the wheel. He does not do anything and meanwhile the vehicle continues to speed forward.

Reasonable speed, which suits the road conditions, alertness and concentration, allows the driver to react in the available time and distance.

The driver | Revision questions

1. What is the rate of involvement in lethal and severe road accidents of young drivers up to the age of 24 compared to older drivers?

- The involvement of young people in severe accidents is about 5% less than that of older people.
- The involvement of young people in severe accidents is about 50% less than that of older people.
- Young people are involved in severe accidents almost twice as much as older people.
- Older people are involved in severe accidents almost twice as much as younger people.

2. **What conditions lengthen the reaction time of a vehicle's driver?**
 A. Fatigue, distraction, alcohol...
 B. A wet road, sand on the road surface...
 C. Brakes that are in a poor condition, worn tires...
 D. All the answers are correct.
3. **What causes young drivers to be more involved in accidents?**
 A. Peer pressure causing excess speed and failure to obey road signs.
 B. Low driving experience.
 C. Driving with thrills, sometimes with competitive behavior.
 D. All the answers are correct.
4. **Is a driver allowed to send text (SMS) messages by telephone while driving?**
 A. Yes, only when the telephone is in its cradle and not in his hand.
 B. A young driver up to the age of 24 is not allowed to send text messages; an older driver is allowed to as long as he observes precautions.
 C. No.
 D. Yes, but during slow driving only, on a road in a built-up area.
5. **In what cases is a driver allowed to take a hand off the steering wheel?**
 A. When the hand is needed to operate the vehicle or manipulate an audio system or telephone, for a brief moment only.
 B. When the hand is needed for vital operation of the vehicle, such as changing gear or signaling.
 C. When the left hand is firmly on the wheel, the right can be taken off it for any time and for any purpose.
 D. All the answers are correct.
6. **Is a tired driver allowed to drive?**
 A. Only a tired professional driver is not allowed to drive.
 B. A tired driver is allowed to drive if he takes actions to prevent falling asleep, such as music and coffee.
 C. A tired driver is allowed to drive as long as he takes refreshment breaks once an hour at least.
 D. If fatigue causes physical weakness, nodding off (eyelid dropping) and lack of concentration, driving is prohibited.
7. **What causes fatigue in driving?**
 A. Lack of sleep, driving at reasonable speed, driver's age and lack of skill in driving.
 B. Lack of sleep, long driving, strenuous driving, boring road.
 C. Long drive, keeping a distance, avoiding overtaking, boring road.
 D. All the answers are correct.
8. **What is recommended for a person who intends to drive after a sleepless night?**
 A. Wash his face with cold water once an hour and drink plenty of water.
 B. Drink a strong coffee, approximately one cup per hour.
 C. Take a refreshment break and stretch once an hour.
 D. Avoid driving.

Answers | 1-C, 2-A, 3-D, 4-C, 5-B, 6-C, 7-B, 8-D.

The driver and the modern vehicle

Modern automobiles are equipped with active and passive safety measures.

- > **Active safety measures** are supposed to compensate for driving errors and improve the stability of the vehicle and its braking system in emergencies to prevent an accident
- > **Passive safety measures** are supposed to give the driver and passengers impact protection when an accident occurs.

Some of the active and safety measures are managed by the vehicle's computers. The driver does not know how to maintain them and is unable to repair their faults, and only a licensed garage with skilled workers and special instrumentation does this

Active and passive safety does not replace the driver and does not replace his duty to drive intelligently, but, as set forth, will try to correct errors in driving or minimize injury in the case of an accident.

Active and passive safety today is part of the vehicle structure, shape, structural materials, assemblies and systems.

Tires

The driver controls the vehicle by transmitting forces from the vehicle to the road through the tires. Tires constitute the sole connection between the vehicle and the road and determine the quality of braking, acceleration and steering (vehicle control actions).

What are the duties of the driver concerning the vehicle's tires?

- A. The tires must be of the sizes indicated in the driver's handbook and vehicle license.
- B. The tires must be in good condition:
 - 1) Equal wear on the tire surface.
 - 2) Grooves of 2 mm depth at least.
 - 3) Without cuts, bursts or dryness.
 - 4) Inflating pressure in accordance with the instructions and directions of the vehicle manufacturer for the front axle, and according to rear loading for the rear axle.
- 5) The driver must inspect the tires daily and use a measuring instrument periodically to ensure that they are satisfactory



Infant safety seat



Toddler safety seat



A booster seat for a small child.



Booster seat



Seatbelts



The function of seatbelts is to keep the vehicle occupants in their seats and prevent them, in an accident (collision or overturning) from being propelled from their seats and being injured by the shattering front windshield or other objects in the vehicle, or being thrown out of the vehicle and injured outside, or being shaken in the vehicle and hitting other occupants.

The seatbelt must be worn in any vehicle (that has belts installed) in any journey – even at low speeds – an indication on the indicator panel and a buzz warn the driver of failing to wear his seatbelt.

An infant up to one year's age must be secured in a safety seat with its back in the direction of travel; a toddler up to age 3 or so is to be secured in a safety seat suitable for his age. A child must not be seated in a safety seat in the passenger seat that has an active airbag installed in front of it.

From the age of 3 to about 8, the child must be secured on a booster seat that adapts the diagonal belt to his dimensions. Advanced technology seatbelts are seatbelts with a mechanical or pyrotechnical pretensioner that tightens the belt to the body of the person and the seat rest before a collision.

The traffic statutes | Regulation 83 (B)



Duty to wear seatbelts

- (A) No person shall drive or travel in a vehicle in which seatbelts are installed unless the driver and passengers are wearing seatbelts or harnessed in a safety seat or booster seat as set forth in Regulation 83A, as relevant.
- (B) The provisions of sub-regulation (A) shall apply to the vehicle occupants in accordance with the number of belts installed therein.

The traffic statutes | Regulation 83 (A)



Duty to secure children in a vehicle

- (A) In this regulation -
- "Safety seat" – a seat that is secured to a vehicle using a seatbelt, which is intended for transporting children in the vehicle, on which special harnesses are installed for securing the child to it, which complies with the standard set forth in the Addendum to the Regulations;
- "Booster seat" – a seat that is designed to transport children in a vehicle, the child sitting on it being secured with the vehicle's seatbelt and that complies with the standard set forth in the Addendum to the Regulations.
- (B) No person shall transport in the front seat of a motor vehicle or rear seat of a vehicle manufactured in 1983 or later, except a bus that is not a private minibus, a taxi or motorcycle -
- (1) A child under the age of 3 years, unless he is secured in a safety seat that matches the child's age and weight;
- (2) A child over the age of 3 but under the age of eight years, unless he is secured in a safety seat or booster seat that matches the child's age and weight;
- (C) No person shall transport in a vehicle as set forth in Sub-Regulation (B) a child who is less than one year old, unless the backrest of the safety seat is in the direction of the vehicle's front.
- (D) No person shall transport a child in a safety seat in a place in which an airbag is installed in front of it, unless its activation mechanism has been disarmed."

Exemption from seatbelts

The duty to wear a seatbelt shall not apply to -

- A. A worker of the General Security Service; a security agent who has written permission from the Head of the General Security Service; a policeman who is driving an Israel Police vehicle that from a qualified officer; or a policeman who is driving an operational vehicle and any the Commissioner has confirmed in writing as being an operational vehicle and any passenger therein;
- B. A soldier driving a military vehicle for carrying out an operational mission and a passenger in this vehicle (an "operational journey" is a journey for executing a mission that has been confirmed in writing by an officer who is qualified in the military orders to approve an operational mission);
- C. The driver and passenger of a vehicle that the Licensing Authority has exempted from the duty of installing seatbelts;
- D. A person whom the Licensing Authority has exempted in writing from the duty to wear a seatbelt based on the confirmation of one of the following: 1) From a qualified physician, whereby he is unable for medical reasons to wear a seatbelt; 2) From his physician, that he has upper limb injuries and the physician recommends exempting him from wearing a seatbelt; 3) That he is fourteen years of age at least and weighs not more than 35 kg and is not more than 150 cm tall.
- E. The driver of a taxi on a road in a built-up area in which there are passengers and passengers in a taxi on a road in a built-up area seated on the rear seat;
- F. The driver of a vehicle while reversing;
- G. A qualified driving instructor, while driving on a way by a person who is learning to drive a bus or commercial vehicle whose total permitted weight exceeds 3,500 kg, and a driving examine while conducting the practical driving test in such a vehicle.



Fine and points:

The fine for not wearing a seatbelt - a driver or passenger - is NIS 250.

Points using the scoring method:

- A passenger without a belt - 2 points.
- A driver without a belt - 6 points.
- A child who is not secured in a safety seat - 6 points.

Always belt up: in any vehicle, in any seat in the vehicle, on any road and in every journey.

Seatbelts in a vehicle, safety seats for children and airbags, along with other passive safety measures in the structure of the modern vehicle, are a very good safety package in the case of a road traffic accident.

Accident prevention is the main step in driving safety, but if we fail to prevent an accident, seatbelts and airbags are a lifesaving last resort.

Therefore, we must wear seatbelts for every journey, short and long alike, in any vehicle, on any road, uncompromisingly, as required by law.



Don't drive before everyone is belted up. In the back too.

Think life

The National Road Safety Authority

Inflatable airbags

Airbags are installed in modern vehicles as a standard accessory. There are airbags for the driver and passenger/s in the front seat, window bags and bags for passengers in the rear seat/s.

The airbag for the driver and passenger next to him deploys in front of them when the vehicle is stopped by a frontal collision that exceeds a certain strength threshold. The airbag deploys a split second after the collision and quickly propels the person in front of it into his seat. An airbag may severely injure a person who is not secured in his seat during the accident by a seatbelt.

The correct functioning of the airbag system is shown as an indication on the indicator panel. The indication turns on for a few seconds when the ignition switch is turned and then turns off. In the case of a fault in the airbag system, an indication will appear.



As set forth, children must not be seated on a safety seat in front of an active airbag (and in general it is not advisable to seat children on the front seat). But in exceptional cases in which a child is seated in a safety seat on the front seat, in new automobiles the passenger's airbag may be deactivated temporarily. In the case of such disconnection, the indication will work.

Additional airbags in a vehicle:

> Window bags that open upon a collision like a curtain across the window prevent passengers from hitting their heads on the vehicle's side windows.

> Airbags for passengers in the rear seat deploy from the side of the vehicle that is hit in a strong collision.

At any point in a vehicle at which there is an airbag installed, the text AIRBAG or SRS or both will appear.



The driver and the modern vehicle | Revision questions

1. In which situation is a seatbelt more effective?
 - A. When it passes from the shoulder of the vehicle occupant, through his chest to the waist belt, tightly on its wearer.
 - B. When the driver or passenger seat is reclined slightly and there is a gap between the belt and the chest.
 - C. When the diagonal belt is placed on the chest and the waist belt is placed high on the abdomen.
 - D. Low waist belt and diagonal belt placed above or under the occupant's armpit.
2. By law (the Traffic Regulations), is a vehicle occupant allowed to pass the diagonal part of the seatbelt under his armpit or behind his bag?
 - A. Yes. The law permits it for a child up to the age of 14.
 - B. Yes. The law permits it for a person of low stature.
 - C. No. The law states that a belt that is not a waist belt must be worn above the shoulder.
 - D. Yes. The law permits a child up to the age of 14 to pass the belt under his armpit but not behind his bag.

3. A vehicle travels at 35 kph and collides with a parked truck; a passenger weighing 70 kg is slammed forward and is stopped by his seatbelt at a certain force. What force will the seatbelt absorb if the person is slammed forward in a similar collision at 70 kph?
 - A. Twice more.
 - B. Four times more.
 - C. 10 times more.
 - D. The same force.

4. In which vehicle must the driver and passengers wear seatbelts?
 - A. Only in private and light commercial vehicles.
 - B. Only in private vehicles and buses transporting school students.
 - C. Only in a private vehicle and taxi.
 - D. In any vehicle that has seatbelts installed.

5. Is a seatbelt effective in off-road driving?
 - A. No, but the driver and passengers must wear a belt because the law requires it.
 - B. Yes, because of the shakes and the danger of overturning on slopes.
 - C. No, a seatbelt is dangerous off road, because it may delay passengers in the vehicle from jumping out of the vehicle when it overturns.
 - D. Yes, because of the danger of front to rear collisions.

6. What is the sign indicating airbags in the vehicle and their location in the vehicle?
 - A. AIRBAG or SRS
 - B. ABS or ESR.
 - C. ABW.
 - D. A drawing of an inflatable balloon.

7. Why must an infant be seated in a safety seat in a vehicle with his back in the direction of travel?
 - A. To allow for good securing and mounting of the seat to the vehicle.
 - B. So that he is more visible to the adult traveling with him in the vehicle.
 - C. To provide an infant whole body support, including his head, in the case of braking or an accident.
 - D. Because the safety seat's seatbelts are not effective for securing the infant.

8. What is a child booster seat?
 - A. A high safety seat that raises the child to a height that will allow an adult in the vehicle to see him.
 - B. A seat that raises the child in a manner that allows him to enjoy the scenery and be calm.
 - C. A high, strong seat that allows the child to sit on the seat beside the driver.
 - D. A device for raising the child so that he may be secured by the seatbelt installed in the vehicle.

9. What is "active safety" in a vehicle?
 - A. Preventive driving.
 - B. Devices in a vehicle whose function is to compensate for errors in driving, such as ABS or ECP.
 - C. Measures whose function is to prevent or reduce injury to vehicle occupants in the case of an accident, such as seatbelts and airbags.
 - D. Measures in a vehicle that warn the driver of expected engine malfunctions, such as the oil pressure gauge or coolant temperature gauge.

10. What is "passive safety" in a vehicle?

- A. Preventive driving.
- B. Devices in a vehicle whose function is to compensate for errors in driving, such as ABS or ECP.
- C. Measures whose function is to prevent or reduce injury to vehicle occupants in the case of an accident, such as seatbelts and airbags.
- D. Measures in a vehicle that warn the driver of expected engine malfunctions, such as the oil pressure gauge or coolant temperature gauge.

11. What does low inflating pressure cause in a vehicle driving on a curve?

- A. The vehicle's steering stiffens to the point of difficulty controlling it.
- B. The tire abrasion increases by 30-40 percent.
- C. The fuel consumption on a road full of curves increases by 60-90 percent.
- D. Reduced resistance to "throwing of the vehicle" caused by centrifugal force.

12. How does the driver know what the inflating pressure required for his vehicle's tires is?

- A. The inflating pressure is indicated on the tire's left wall.
 - B. The inflating pressure is indicated in the driver's (vehicle) handbook and/or on a table that is attached to the vehicle's body.
 - C. The pressure for a private passenger vehicle is constant: 30 PSI for front wheels (about 2 bar) and 32 PSI for rear wheels (2.2 bar).
 - D. The information center of the Ministry of Transport provides details on the inflating pressure of tires, by vehicle type and tire type.
- 13. Why do rear tires of a laden vehicle need a higher air inflating pressure?**
- A. To harden the walls of the tires and prevent displacement of the rear of the vehicle when centrifugal force acts on it.
 - B. To protect the springs and suspension of the rear axle from jumps and shocks.
 - C. To harden the walls of the tires and prevent jumps and discomfort for the vehicle occupants.
 - D. So that the air leak from the tires due to the weight on the vehicle's rear will not lead to the tire air pressure being lower than required.

14. What does wear look like on a good tire after a long period of use?

- A. The center of the tire tread is worn more?
- B. The sides of the tire tread are worn more?
- C. The wear on the tire tread is even throughout its width.
- D. The wear on the tire tread does not yet pass the grooves of the tire throughout its width.

15. What is the depth of the grooves of the tire below which the tire is not to be used?

- A. 2 mm.
- B. 1 mm.
- C. 3 mm.
- D. 4 mm.

16. What is the ESP vehicle stability control system?

- A. An electronic system that prevents skidding by preventing the wheels from locking during braking.
- B. An electronic system that warns the driver of uncontrolled deviation from the travel path.
- C. An electronic system that warns the driver of driving too close to an object while reversing.
- D. An electronic system that acts to stabilize the vehicle in turns at too high a speed.

Answers | 1-A, 2-C, 3-B, 4-D, 5-B, 6-A, 7-C, 8-D, 9-B, 10-C, 11-D, 12-B, 13-A, 14-C, 15-A, 16-D



Driving speed

? | Question What is the permitted speed?

! | Answer A reasonable speed that does not exceed the speed limit.

The traffic statutes | Regulation 51

Reasonable speed

"No person shall drive a vehicle except at a reasonable speed considering all of the circumstances and the road and traffic conditions, in a manner that will allow him to maintain complete control of the vehicle."

? | Question What are the driving actions through which the driver controls the vehicle?

! | Answer

- (1) Steering.
- (2) Braking.
- (3) Acceleration

Reasonable speed allows the vehicle driver to perform perfectly steering, braking and acceleration actions without any mishaps (accidents or near misses).

Reasonable speed requires slowing down in the following cases:

- > Limited visibility;
- > A wet, slippery road;
- > Before entering sharp curves;
- > In a long, steep descent;
- > Before a pedestrian crossing;
- > Near pedestrians and schools;
- > Next to a stationary bus;
- > On narrow roads and road sections.

The speed limit

Route Vehicle	Built up area 	Road in a rural area 	Rural area with a built up dividing area* 	Freeway 
Private and commercial up to 12 tons, taxi, minibus and motorcycle.	50	80	90	110
Non-mini bus	50	80	90	100
Commercial above 12 tons	50	80	80	80
Slow vehicle, tractor and mobile machine	40	40	40	No entry 

* A built up dividing area - a dividing area that divides the road lengthwise using an elevated construction above the road such as an elevated curbstone, safety barrier or vegetation.

The "special speed" road sign states



"Driving at a speed exceeding the number of kph indicated on the sign is prohibited until the next junction, until a road sign indicating the end of the road or roads in a built up area or freeway, or a road sign that states another speed, if posted before the next junction."



"Traffic abatement area"

The sign is posted at the entrance to residential neighborhoods with a large amount of pedestrian traffic. The road structure in the area does not permit a speed of more than 30 kph.

Driving speed

advantage and disadvantages

1. Fast driving on long roads, particularly in rural areas, may save an insignificant amount of time, which is worth examining compared to the risks and costs of fast driving.
2. Fuel consumption increases as speeds increase. Air resistance increases with speed and the vehicle motor's stresses increase at speeds exceeding cruising speed (90-100 kph in a modern private vehicle), increasing fuel consumption.
3. The vehicle's wear also increases at high speeds. Friction generates heat. The higher the speed, the greater the brakes heat up when braking, and the heat between the mechanical parts that rub each other in the vehicle, the tires and the road surface is greater.
4. Emergency braking indicates the brink of danger.
5. High speed dictates to the driver that he must overtake many times, which is not a good thing.
6. High speed is more fatiguing.

Excess speed – the risks:

1. The vehicle's braking distance
- 2 | Question If at 30 kph the braking distance of a light vehicle on a dry asphalt road is 5 meters,

- A. What will be the braking distance of that vehicle on the same road at 60 kph (twice the speed)?
- B. What will be the braking distance at an (excessive) speed of 120 kph (four times the speed)?

1 | Answer

The braking distance increases with the square of the increase in speed. These are natural laws, meaning that:

1. The speed from 30 to 60 kph increases twofold, while the braking distance increases by 2 squared: $22 \times 5 \text{ meters} = 20 \text{ meters}$
2. The speed from 30 to 120 kph increases fourfold, while the braking distance increases by 4 squared: $42 \times 5 \text{ meters} = 80 \text{ meters}$

kph	distance in 3/4 of a second	distance on a dry road	distance Reaction + braking
30	6	5	11
40	8	9	17
50	10	14	24
60	12.5	20.2	32.7
70	14.5	27.6	42.1
80	17	36	53
90	19	45.6	64.6
100	21	56.2	77.2
120	25	81	105.8

A diagram illustrating the components of a car's stopping distance. A red car is shown at the top, moving to the right. Below it, a horizontal line represents the road. A vertical tick mark on the road is labeled "Braking distance". To the left of this tick mark, a double-headed arrow indicates the "Reaction time / distance". To the right of the tick mark, another double-headed arrow indicates the "Stopping distance". The car is shown again at the bottom, having stopped.

Refresher course Learner's booklet

1. The high the speed, the greater the stopping distance by far and the greater the centrifugal force (increasing with the square of the speed).
2. Even when speed is not the main cause of a certain accident, due to speed, the results of the accident are more severe for occupants of involved vehicles and pedestrians.

Refresher course Learner's booklet

Excess speed Fines and points

Slight speed limit violations:

Up to 20 kph above the speed limit in a built up area or up to 25 kph above the speed limit in a rural area = NIS 250

Major speed limit violations:

21-30 kph above the speed limit in a built up area or 26-40 kph above the speed limit in a rural area = NIS 750 + 8 points.

Very major speed limit violations:

More than 30 kph on a road in a built up area or more than 40 kph on a road in a rural area = disqualification of a driving license for 30 days by a police officer + court summons + 10 points.



Don't exceed 50 kph in town!

Think life

The National Road Safety Authority

Driving speed | Revision questions

1. What causes the braking distance not to increase in direct proportion to the increase of speed but much more?
 - A. Heating of the brakes.
 - B. Heating of the tires.
 - C. Laws of nature.
 - D. The vehicles sophisticated braking system.
2. In a test crash of a vehicle into a concrete barricade at 20 kph, the strength of the blow that the vehicle sustains is measured. In a second trial, the same vehicle hits the same barrier at 40 kph. What was the strength of the blow that the vehicle sustained in the second collision?
 - A. Four times more.
 - B. Twice more.
 - C. Like in the first.
 - D. Six times more.
3. What is "centrifugal force" that acts on a turning vehicle?
 - A. A force that stabilizes the vehicle in the driving course and limits the tires' grip of the road.
 - B. A force that pulls the vehicle out of its course towards the center of rotation.
 - C. A stronger than normal collision course.
 - D. A force that pushes the vehicle out of its course away from the center of rotation.
4. What is a reasonable speed?
 - A. The cruising speed of the vehicle in its highest gear.
 - B. A speed that allows the driver to maintain complete control of the vehicle and react correctly to any situation.
 - C. The speed limit for that road.
 - D. 10 kph below the speed limit of that road.
5. Why must one drive slowly on a long, steep descent?
 - A. In order not to exceed the speed limit.
 - B. In order not to damage the gearbox by overheating the transmission oil.
 - C. To prevent front to rear collisions.
 - D. To prevent excessive use of the brakes, which will cause them to overheat and be less effective.
6. What is "tunnel vision" in the context of driving speed?
 - A. Vision focusing a long way away in front and less to the sides of the road at high speed.
 - B. Narrowing of the field of view of the driver because of cumulative fatigue at low speed.
 - C. Driving in a tunnel blurs and impedes vision.
 - D. Passing from daylight into the darkness of a tunnel causes partial blindness for a short time.

7. **What is the correct sentence about fuel consumption and vehicle wear?**
 - A. Very high speed causes decreased fuel consumption and vehicle wear.
 - B. Very high speed causes increased fuel consumption and vehicle wear.
 - C. Very high speed increases vehicle wear and fuel consumption decreases.
 - D. There is no connection between driving speed, fuel consumption and vehicle wear.
8. **How is "centrifugal force" affected on the road and in turns by driving speed?**
 - A. Centrifugal force increases in direct proportion to the increase in speed.
 - B. Centrifugal force is a constant value according to the weight of the vehicle and speed does not affect it.
 - C. Centrifugal force increases with the square of the increase in speed.
 - D. The greater the speed, the smaller the centrifugal speed in direct proportion to the increase in speed.
9. **What is the speed limit for a private vehicle, a commercial vehicle weighing up to 12 tons, a taxi and a motorcycle on a road in a built up area?**
 - A. Private and commercial up to 3.5 tons and a taxi – 50 kph, others – 40 kph.
 - B. 40 kph.
 - C. 60 kph.
 - D. 50 kph.
10. **What is the speed limit for a private vehicle, a commercial vehicle weighing up to 12 tons, a taxi and a motorcycle on a road in a rural area?**
 - A. Private and commercial up to 3.5 tons and a taxi – 80 kph, others – 70 kph.
 - B. 90 kph.
 - C. 80 kph.
 - D. 70 kph.
11. **What is the speed limit for a private vehicle, a commercial vehicle weighing up to 12 tons, a taxi and a motorcycle on a road in a rural area that has a dividing area?**
 - A. 90 kph.
 - B. 80 kph.
 - C. 100 kph.
 - D. Private and commercial up to 3.5 tons and a taxi – 90 kph, others – 80 kph.
12. **What is the speed limit for a private vehicle, a commercial vehicle weighing up to 12 tons, a taxi and a motorcycle on a freeway that has no special speed signs posted?**
 - A. 100 kph.
 - B. 110 kph.
 - C. 90 kph.
 - D. Private and commercial up to 3.5 tons and a taxi – 110 kph, others – 100 kph.

40 | Correct driving

13. **What is a "built up dividing area"?**
 - A. An area that divides two roads and contains stone or wooden structures.
 - B. Houses that separate one way streets.
 - C. A concrete ditch between two roads that constitute a single way.
 - D. An area that divides the road lengthwise using an elevated, structured device or vegetation.
14. **What does the "special speed" road sign indicate?**
 - A. A speed limit that is different to the ordinary speed limit for the way.
 - B. A higher speed limit than the ordinary speed for freeways.
 - C. A speed that applies to security and rescue vehicles.
 - D. A permitted excess speed for certain vehicles on certain ways.
15. **Until where is the instruction of the "special speed" road sign valid?**
 - A. Until the closest junction with a traffic light.
 - B. Until there is a yellow sign announcing the cancellation of the special speed.
 - C. Until a sign that cancels it or until the next junction, or an end of road in built up area sign.
 - D. Until a sign that indicates the entry into a built up area road.
16. **At what excess speed will the license of a driver be immediately disqualified by a police officer, the driver will be summoned to court and upon conviction will have 10 points recorded against him?**
 - A. More than 30 kph above the speed limit in a built up area or more than 40 kph above the speed limit in a rural area.
 - B. More than 20 kph above the speed limit in a built up area or more than 25 kph above the speed limit in a rural area.
 - C. More than 10% of the speed limit on the road on which the driver has driven.
 - D. At any excess speed, in the case of the driver being convicted of this offense a second time within two years.



Answers | 1-C, 2-A, 3-D, 4-B, 5-D, 6-A, 7-B, 8-C, 9-D, 10-C, 11-A, 12-B, 13-D, 14-A, 15-C, 16-A

Correct driving | 41

Space in front

Keeping a distance from the vehicle ahead has many advantages:

1. Prevention of an accident with the vehicle ahead if it brakes or slows down.
2. The driver can see the forward sector better, especially behind a large vehicle.
3. The vehicle is more visible to drivers who approach from up ahead.
4. Prevention of driving stress (caused due to elevated alertness).
5. Saving fuel and wear to the vehicle (less acceleration and braking).
6. Another, overtaking vehicle can return to the right lane more easily.
7. It is easier and safer to start overtaking and the driver can change his mind.
8. Prevention of mud from forming on the windshield, which is spattered on a wet road from the tires of the vehicle in front.
9. Protection against objects that fall off or are thrown from the vehicle in front (gravel or other objects).
10. Prevention of emergency braking and dangerous skidding.
11. Prevention of a rear end collision by avoiding strong braking.
12. Comfort and safety of passengers without emergency braking.
13. Prevention of unnecessary tire wear caused by emergency braking.


The traffic statutes | Regulation 49 (A)



Space between vehicles

"No person shall drive behind another vehicle except while maintaining a space that allows him to stop the vehicle at any time and prevent an accident, considering the travel speed of both vehicles, the state of the road, visibility and traffic."

If the vehicle ahead suddenly brakes, the distance of at least 2 seconds includes the reaction time / distance of the driver and at least some of the braking distance of the vehicle, and leaves room for gentle stopping.



Two seconds at least

Under the best conditions: an alert, attentive driver, a fully roadworthy vehicle, good lighting and a dry road – the distance that the vehicle passes in 2 seconds at least is the effective distance from the vehicle in front

Under suboptimal conditions: wet road, darkness, inclement weather, after a day of work... A greater distance is needed.

Estimating the distance. When the vehicle in front passes a static object (a road sign, tree, bridge pier, etc.), one begins to count: Twenty one... twenty two.

If we have still not reached the static object – great!

If after the count we have just reached the static object, not bad, when the conditions are fine;

If we reach the static object before counting off two seconds, we are too close. We must slow down and increase the distance.



Distance from the vehicle in front | Revision questions

- What is the recommended distance from the vehicle in front?**
 - Two seconds at least.
 - One second at least.
 - The length of one car per 15 kph of speed.
 - About 10 meters in a built up area, about 20 meters in a non-built up area, 25 meters on a freeway.
- In what situation is a two second distance from the vehicle in front not enough?**
 - At a speed of more than 80 kph.
 - In dense traffic.
 - In the dark and in the rain.
 - All the answers are correct.
- What is the "reaction distance" in driving?**
 - The distance that the vehicle passes at a given speed in a fixed time of $\frac{1}{4}$ of a second.
 - The distance that the vehicle passes from the time that the driver identifies a danger until he starts reacting.
 - The distance that the vehicle passes once the driver presses the brake pedal until it stops.
 - The distance that the vehicle passes from the time that the driver identifies a danger until it stops.
- What conditions lengthen the reaction time of a vehicle's driver?**
 - A wet road, sand on the road surface...
 - Fatigue, distraction, alcohol...
 - Brakes that are in a poor condition, worn tires...
 - All the answers are correct.
- What is a vehicle's "braking distance"?**
 - The distance that the vehicle passes from the time the driver identifies an event that requires braking until it stops.
 - The distance that the vehicle passes once the driver starts to press the brake pedal until it stops.
 - The distance that the vehicle passes during the driver's reaction time until braking starts.
 - All the answers are correct.
- What factors lengthen a vehicle's braking distance?**
 - A wet road, brakes that are in a poor condition, worn tires.
 - Driver fatigue, distraction, alcohol...
 - Darkness and poor visibility.
 - All the answers are correct.

7. What is a vehicle's "stopping distance"?

- The length of the tire's stop marks on the road surface.
- The distance that the vehicle passes from the time the driver identifies a situation requiring stopping until the brake pedal is pressed.
- The distance that the vehicle passes from the time the driver identifies a situation requiring stopping until the vehicle comes to a complete stop.
- The distance that the vehicle passes from the time the driver presses the brake pedal until the vehicle comes to a complete stop.

8. At what distance must a driver drive behind another vehicle?

- A distance that will allow him to see the wheels of the vehicle in front.
- A distance that will allow an overtaking vehicle to enter before the following vehicle.
- A distance that will allow the brake lights of the vehicle in front to be seen.
- A distance that will allow for safe stopping in any case.




Answers | 1-A, 2-C, 3-B, 4-B, 5-B, 6-A, 7-C, 8-D



A zebra crossing is a pedestrian right of way
Think life
The National Road Safety Authority

The vehicle behind

2 | Question How does one avoid being hit in the rear by a vehicle that drives too closely?



1 | Answer

1. By identifying the vehicle behind in the mirror.
2. By slowing down and increasing the distance from the vehicle in front.
3. If possible by veering to the right to encourage it to overtake).
4. One beckons to the driver behind (by hand or using brake lights).

2 | Question How does one protect oneself in case of being hit in the rear?




1 | Answer

1. Properly wearing a seatbelt.
2. Proper adjustment of the headrest

Adjusting the mirrors

Traditional adjustment

Advanced adjustment



Wing mirrors reflect part of the vehicle sides

Wing mirrors are tilted slightly away from the vehicle sides

2 The vehicle behind | Learning questions

1. **When must the driver of a vehicle look in one of the vehicle's mirrors?**
 - A. Every 15 seconds in a road in a built-up area; as necessary in a road in a rural area.
 - B. Very often, particularly before slowing, braking, veering or turning.
 - C. Only before turning, veering or stopping.
 - D. Only before turning or veering or when another vehicle sounds its horn.
2. **How must the vehicle's interior mirror be adjusted?**
 - A. The mirror must show half of the rear window and the left rear window of the vehicle.
 - B. The mirror must show the bottom half of the rear window and the position of the passengers on the rear seats.
 - C. The mirror must show the entire rear window.
 - D. The mirror must show half of the rear window and the right rear window of the vehicle.
3. **How must the vehicle's left wing mirror be adjusted?**
 - A. The mirror must show a narrow strip of the left side of the vehicle in any inspection or when the driver shifts his head slightly to the left.
 - B. The mirror must reflect in its close half the left side of the vehicle and the road in the other half.
 - C. The mirror must reflect the rear left tire in its lower right part.
 - D. If the interior mirror is adjusted with a leftward tilt, the adjustment of the left wing mirror is unimportant.

4. When a vehicle drives closely behind, what is the most effective way of preventing rear impact?

- A. Accelerating while approaching the vehicle in front and moving away from the one behind.
- B. Strong intermittent braking to warn the driver behind.
- C. Using right of left indicator lights for an extended time to get the attention of the driver behind.
- D. Increasing the distance in front and encouraging the driver driving closely behind to overtake.

5. What activates the brake lights of a vehicle?

- A. The initial (very light) press of the brake pedal.
- B. Only strongly pressing the brake pedal, which causes the vehicle to slow down because of the brakes' operation.
- C. Only pressing the brake pedal strongly for rapid braking of the vehicle.
- D. Only emergency braking in an emergency.

6. What is the function of the headrest?

- A. Allowing the driver's neck to rest during long drives.
- B. Supporting the head in case of an accident.
- C. Supporting the head in an accident and allowing it to rest during long drives.
- D. Supporting the head in an accident and stabilizing the driver's seating position in long journeys.

7. How must the headrest be adjusted?

- A. Headrests are not adjustable, as they have a rigid connection to the backrest.
- B. The neck will touch the headrest when tilting the head back.
- C. The headrest must be locked at the highest point, which is the most effective.
- D. By tilting the head back, the nape area will touch the headrest.

8. How should one check the state of traffic behind and to the side before overtaking?

- A. Careful inspection of the interior mirror is enough.
- B. One must make sure that there is no vehicle to the left, the left wing mirror provides the full picture.
- C. A look into the interior mirror, a look to the left wing mirror and a glance to the left.
- D. In addition to the mirrors, one must turn one's head further to the left to look at the lane on the left behind the vehicle.

Answers | 1-B, 2-C, 3-A, 4-D, 5-A, 6-B, 7-D, 8-C

Prevention of a head-on collision

A head-on collision with a vehicle approaching from ahead, which usually occurs on roads in rural areas, is the worst kind of accident. The results of head-on collisions are severe because of the speed of occurrence, involving enormous forces.

Head-on collisions have but one cause: a vehicle veering from its lane into the opposite lane.



There are many possible reasons for a vehicle veering into the opposite lane:

Driver dependent reasons:

- > Fatigue
- > Influence of narcotics or alcohol
- > Taking medication
- > Physical weakness
- > Lack of skill
- > Glare
- > Using a telephone
- > Another distraction (or distractions)
- > Failure to keep to the right
- > Excess speed (particularly on curves)
- > Deliberate action: Overtaking or turning left

Vehicle related reasons (also driver dependent):


- > Low tire inflating pressure
- > Puncture
- > Defective steering system
- > Defective braking system

Road related reasons (also driver dependent):

- > Bumpy road
- > A curve on the road
- > Skidding

Prevention of head-on collisions (main rules):

- > Driving alertly and without distractions (telephone, attention seeking passengers and everything else);
- > Keeping to the right;
- > Correct tire inflation pressure (according to the vehicle manufacturer's instructions);
- > Reasonable speed (according to the road conditions);
- > Identification (seeing) of telltale signs that the vehicle ahead may cross the midline.



Telltale signs that the vehicle ahead may cross the midline (a few examples):

- > The vehicle ahead is beckoning to the left.
- > The vehicle ahead is not keeping to its right.
- > A vehicle or number of vehicles following a slow vehicle.
- > Approaching a curve with a vehicle ahead.
- > A vehicle ahead overtakes or tries to overtake.
- > A vehicle ahead drives on a low shoulder (is "thrown" to the center of the road during a climb).
- > A slippery road (first rain, mud, earth...).
- > In the dark, vehicles dazzle the driver ahead.

The formula for preventing head-on collisions (when a telltale sign appears):

- > Slowing down (so that the encounter with the vehicle ahead occurs later and to reduce the stopping distance);
- > Veering to the right (to the extent possible, even to the shoulder);
- > Warning the driver ahead (flashing one's lights or sounding the horn; if he understands the warning, it may help prevent the accident).

Prevention of a head-on collision | Learning questions

1. **On what part of the road must one usually drive a vehicle?**
 - A. In the center of the right lane.
 - B. Within the right lane.
 - C. On the rightmost part of the road.
 - D. On the right side of a road with one lane in the direction of travel, in the center of a road with more than one lane.
2. **What must the driver do when he sees telltale signs that the vehicle ahead, on a two-lane road, may veer from its lane and cross the road's midline?**
 - A. Flash his lights and sound the horn, to get the attention of the driver ahead and get him to return to his lane.
 - B. Veer to the right to the extent possible, even driving onto the right shoulder.
 - C. Veer to the left to the extent possible, even driving onto the left shoulder.
 - D. Stay in his lane until he sees that the driver does veer from his lane and then act as necessary.
3. **What are the possible causes of a vehicle veering from its lane?**
 - A. The driver veers intentionally to overtake another vehicle.
 - B. The driver falls asleep for a short time, or is distracted or his eyes have shifted from the road.
 - C. A fault occurs in the vehicle, or driving at unreasonable speed on a bumpy road shifts the vehicle from its lane.
 - D. All the answers are correct.
4. **What is the main cause of head-on collisions between vehicles driving in front of each other?**
 - A. One of the vehicles crosses the midline of the road.
 - B. Excess speed.
 - C. A narrow road.
 - D. No shoulders on the road
5. **How should a driver on a two way road act when there is vehicle traffic ahead and the driver notices tell-tale signs of one of the vehicles veering from its lane?**
 - A. Keep in the right lane, but flash his lights and give a long horn sound.
 - B. Slow down and veer to the right.
 - C. Veer to the shoulder and continue to drive on it until the danger passes.
 - D. Stop on the side of the road.

6. **Two vehicles are travelling towards each other on a two way road at 90 kph. They are 150 meters apart. How long will it take for them to pass each other?**
- A. At 90 kph, each vehicle passes 10 meters per second, 75 meters in 7.5 seconds. Therefore they will meet in another 7.5 seconds.
 B. At 90 kph, each vehicle passes 5 meters per second, 75 meters in 15 seconds. Therefore they will meet in another 15 seconds.
 C. At 90 kph, each vehicle passes 1.5 meters per second, 75 meters in 50 seconds. Therefore they will meet in another 50 seconds.
 D. At 90 kph, each vehicle passes 25 meters per second, 75 meters in 3 seconds. Therefore they will meet in another 3 seconds.

7. **What are the main purposes of checking the road ahead before overtaking?**
- A. Estimating the speed of the vehicle being overtaken.
 B. Making sure that the driver of the vehicle ahead sees the overtaking vehicle and knows of his intent to overtake him.
 C. Making sure that the road is clear for a distance and planning the return from overtaking.
 D. Checking whether the road ahead has no road signs prohibiting overtaking.
8. **What accident may occur due to an error in overtaking?**
- A. A head-on collision with a vehicle ahead and/or a side to side collision with the vehicle being overtaken.
 B. With the vehicle behind and the vehicle coming from the side at a junction.
 C. With a vehicle that is driving backwards without taking precautions.
 D. All the answers are correct.

Answers | 1-C 2-B, 3-D, 4-A, 5-B, 6-D, 7-C, 8-A



Red-amber-green
 Drive lawfully at junctions too
 Think life
 The National Road Safety Authority

Driving at night and in the dark

- > Driving in the dark is limited to the range of lights (clean lamp surfaces and windshields improve the range). The travel speed must match the stopping ability within the range of lamps in the case of any surprises
- > Outside built up areas, when there are no vehicles in front or ahead, the range of lights may be improved by turning on the high beam lights. When a vehicle approaches ahead, or when behind another vehicle, the headlights must be dipped and the vehicle slowed down as necessary, to adjust the speed to the shorter light range.

The traffic statutes | Regulation 97 (A)

Illumination of a motor vehicle

"No person shall drive a motor vehicle during lighting time* except when the head lights and rear lights are on and the rear identification plate is illuminated.
 * Lighting time - "Nighttime and another time in which visibility is poor due to weather conditions or other reasons."

The traffic statutes | Regulation 97 (B)

Lighting for a motorcycle

"No person shall ride a motorcycle, on a way, except when headlights or lights that are intended exclusively for daytime riding are on."

The traffic statutes | Regulation 97 (C)

Lights on in the daytime too

"No person shall drive a taxi, bus or commercial vehicle whose total permitted weight exceeds 14,999 kg, on any road or any other motor vehicle on a way in a rural area from November 1 to March 31 each year, except when the head lights and rear lights are on."

Prevention of blinding

- > The driver of a vehicle approaching from ahead or the driver in front must not be dazzled using high beam lights.
- > If another vehicle dazzles the driver from up ahead, one must slow down, approach the right side of the vehicle and shift one's gaze slightly to the right.
- > If the blinding light of the vehicle behind is reflected in the vehicle mirrors, the interior mirror's angle may be changed (to its anti-glare position) and driver may avoid looking into the wing mirrors. This adjustment of the mirrors reduces driving safety, so it is worth slowing down and veering to the right to encourage the driver of the vehicle behind to overtake.

The traffic statutes | Regulation 99 (A)

Light dipping

A motor vehicle driver whose high beam lights are on shall dip his lights in any of the following cases:

- (1) He is driving towards another vehicle on the same way until another vehicle passes it, or when he is driving towards another vehicle that is on a nearby way and may dazzle the driver of another vehicle;
- (2) He is stopping;
- (3) He is driving behind another vehicle and his high beam light illuminates the rear of the vehicle driving in front of him.

2 Driving in the dark | Questions for revision

1. What is the difference between the high beam light and dipped light?

- The high beam light illuminates for a distance and dazzles people entering the beam; the dipped light illuminates the slightly to the sides and below and is not blinding.
- The high beam light disperses fog, the low light is reflected back into the eyes of the vehicle driver.
- The high beam light illuminates to treetop height so it is not blinding; the low light illuminates to eye height so it is blinding.
- The high beam light is asymmetric in order to reduce its intensity, the dipped light is direct.

2. When must one dip one's vehicle lights?

- During clear, moonlit nights.
- At a distance of approximately 200 meters from the vehicle approaching ahead and when driving 50 meters or less behind a vehicle.
- When a vehicle approaches ahead and when the high light beam illuminates the rear of the vehicle in front.
- When the driver of the vehicle ahead beckons this by flashing his lights, and at a distance of less than 2 seconds from the vehicle in front.

3. What is a reasonable speed at nighttime?

- About 10 to 15 kph less than the speed limit for that way.
- Speed limit, as long as the driver slows down in the case of vehicle traffic approaching from ahead.
- 30 kph in a city and 80 kph outside the city; 90 kph on a freeway.
- A speed that allows for stopping within the illuminated area in the case of a surprise and not more than the speed limit.

4. Is a driver allowed to turn on the high beam head lights on a road in a built up area?

- Turning on high beam lights in roads in a built up area is strictly forbidden.
- Yes, if the way is not illuminated and this does not dazzle drivers of vehicles ahead or behind or pedestrians.
- It is permitted and advisable to drive using high beam lights on a road in a built up area and dip the lights when a vehicle approaches up a head or when driving behind another vehicle.
- The high beam light does not work at less than 50 kph.

5. Is a driver allowed to turn on high beam lights when the vehicle is stationary?

- Yes, as long as he does not dazzle the users of vehicles approaching from ahead.
- When stationary for parking or waiting – it is prohibited. When waiting at a traffic light or when giving way, it is permitted.
- No.
- It is prohibited on a road in a built up area, but permitted on a road in a rural area.

6. To what distance does a vehicle's low beam light illuminate in the dark?

- 30 meters at least.
- 20 meters at the most.
- 20 meters at least.
- The dipped light beam range varies with the travel speed from 20 to 50 meters.

7. To what distance does a vehicle's high beam light illuminate in the dark?

- 80 meters at the most.
- 80 meters at least.
- The high beam light range varies with the travel speed from 100 to 200 meters.
- 100 meters at least.

8. What is the contribution of a reflector in the dark to safety?

- A reflector lights up in the dark and indicates its place.
- A reflector allows one to see a vehicle or a pedestrian wearing it earlier.
- A reflector self recharges during movement and lights up in different colors.
- A reflector operates until the non-replaceable batteries embedded in it are exhausted.

1 Answers | 1-A, 2-C, 3-D, 4-B, 5-C, 6-A, 7-D, 8-B

The scoring method for traffic offenses

The purposes of the scoring method

- > Detering drivers from committing traffic offenses;
- > Serving as an instrument for identifying frequent traffic offenders.

Imposition of points:

If a driving license holder has been convicted of one of the offenses set forth below, he shall have points imposed in accordance with the number prescribed beside the offense for which he has been convicted

Summation and accumulation of points:

- > The Licensing Authority will add up the number of valid points listed against a driver each time new points are imposed on him.
- > Points that are imposed on a driver shall remain in effect for the accumulation period that is two years from the day of commission of the offense.
- > If during the accumulation period 22 points or more have been accrued against a driver, his accumulation period shall be extended by two years, and shall be four years.

Corrective measures

Corrective measures - some or all of the following:

- > Courses in correct driving followed by a test;
- > A theoretical driving test;
- > A practical driving test;
- > Disqualification of a driver from possessing a driving license for a period or until the fulfillment of conditions that the Licensing Authority has prescribed;
- > Medical tests.

Imposition of corrective measures:

- > A driver who has accrued 12 to 22 valid points shall be summoned for instruction in correct driving in a basic course administered on behalf of the Licensing Authority and shall successfully pass a test.
- > A driver who has accrued 24 to 34 valid points shall be summoned for instruction in correct driving in an advanced course administered on behalf of the Licensing Authority and shall successfully pass a test.
- > A driver who has accrued 36 valid points shall be disqualified from possessing a driving license for 3 months, and his license will be renewed after he passes a practical examination.
- > A driver who has accrued 72 points or more shall have his license disqualified for 9 months, and the license shall be renewed only after he passes medical tests of the Road Safety Medical Institute and a theoretical test and practical test.



Drop children off on the pavement side only
This is a children's area!

Think life

The National Road Safety Authority

The scoring method

Points by offenses

2 points

1. Regulation 38 (A) - driving on the pavement other than for crossing it
2. Regulation 83 B (A) - a passenger not wearing a seatbelt
3. Regulation 90 (F) - unsafe towing of a vehicle
4. Regulation 91 (A) - unlawful towing of a mobile machine
5. Regulation 91 (B) - towing of a trailer or semitrailer in violation of towing conditions
6. Regulation 91 (C) - towing of a motor vehicle using an unsuitable vehicle
7. Regulation 91 (F) - towing of more than one trailer without a permit
8. Regulation 91 (G) - towing by motorcycle without a permit
9. Regulation 97 (A), (B) and (C) - driving without turning on lights as required

4 points

1. Regulation 21 (B) (3) - interference to or delaying of the traffic
2. Regulations 22 (A) and 63 (D) - failure to obey road sign B-37 (Stop) - concerning failing to stop only
3. Regulation 22 (A) - failure to obey road sign B-48 (roundabout) - failing to pass on the right hand side of the road sign or failing to give way to traffic crossing the way in a roundabout
4. Regulation 28 (B) - driving while using a telephone other than using a microphone
5. Regulation 36 (E) - entering a junction in a commercial vehicle other than in the right lane
6. Regulation 45 - reversing while endangering or causing harm
7. Regulations 47 (a) and 47 (E) (2) - overtaking other than on the left hand side, or overtaking or veering after road sign A-30 (100 meters) before a railway crossing
8. Regulations 48 (B) and (C) - delaying the traffic, failure to drive on the shoulder or hard shoulder or failing to stop
9. Regulation 57 - crossing a railway crossing that is not paved with asphalt using a bus
10. Regulation 67 (A) - failing to let a pedestrian complete crossing safely
11. Regulation 85 (A) (3) - unsafe or unsecured transporting of cargo
12. Regulation 85 (A) (2) - transporting of cargo that restricts the field of view
13. Regulation 93 (A) (1) - failure to give way to a security vehicle
14. Regulation 95 D - driving of a street illegal utility vehicle outside a prescribed area
15. Regulations 96, 97 (D), 99 (A) (1), (2) and (3), 101, 103 - driving without using lights as required

6 points

1. Section 2 of the Traffic Ordinance - driving without a vehicle license for a vehicle that requires registration and licensing
2. Section 62 (2) of the Traffic Ordinance - driving a vehicle recklessly
3. Regulation 21 (C) - driving without care
4. Regulation 22 (A) - failure to obey various no entry signs applying to vehicles: B-1, B-2, B-12, B-13, B-14, B-15, B-16, B-17, B-18, B-54, B-60, B-68
5. Regulation 22 (A) - failure to obey road signs prohibiting overtaking according to road signs B-8, B-10
6. Regulations 22 (A) and 36 (D) - driving in directions other than according to road signs B-40, B-41, B-42, B-43, B-44, B-45, B-46, B-47, B-50, B-51, E-4 or in contravention of the direction of the arrow marked on the road surface
7. Regulations 23 (A) (1) and (2) - failure to obey the instructions or signals of a policeman or municipal inspector
8. Regulations 26 (A) and 27 (C) - driving without being in control of a vehicle
9. Regulation 33 (A) - driving off a road except for a two wheeled vehicle
10. Regulation 36 (C) - crossing a continuous dividing line while driving
11. Regulations 35, 36 (A) - driving other than on the right of the way
12. Regulation 37 - driving a vehicle in the opposite direction on a two-way road
13. Regulations 39 A (A) and (C), 39A (G), 39 C (A) - driving of a mobile machine or all-terrain vehicle on contravention of the regulations
14. Regulations 47 (E) (3) and (4) - overtaking before a pedestrian crossing, at a junction or failure to finish overtaking before a junction
15. Regulation 47 (H) - a commercial vehicle weighing more than 4,000 kg unlawfully overtaking an overtaking vehicle
16. Regulation 64 (A) (1), (2) and (3), 64 (b) (1) and (2), 66 and 68 - failure to give way: to a vehicle on the right, to a vehicle ahead when turning left, to a vehicle on a paved road, to a pedestrian, to a vehicle driving on the road, to a vehicle approaching against it; failing to let a pedestrian cross safely, entering a thoroughfare while endangering
17. Regulation 65 - entry to a railway crossing or junction without being able to clear it
18. Regulation 83 (A) - a child who is not secured in a securing device
19. Regulation 83 (B) (A) - a driver not wearing a seatbelt
20. Regulations 85 (A) (6), 86 (1), (2) and (3) - transporting of bulk goods without a cover, obscuring or spilling over
21. Regulation 155 - discharge of materials that impair safety

8 points

1. Section 10 (A) of the Traffic Ordinance – driving with a driving license that is not valid for that type of vehicle
2. Section 38 (3) of the Traffic Ordinance and Regulation 21 (B) (2) – a road accident in which a person has been hurt or behavior that causes injury to a person
3. Regulations 21 (b) (4) and 26 (1) - behavior that may endanger human life, passersby
4. Regulation 28 (A) - driving a vehicle whose condition may endanger passersby
5. Regulation 44 (A) - U-turning while endangering passersby in aggravated circumstances
6. Regulations 47 (E) (1), 47 (G) - overtaking in poor visibility before a junction, before a pedestrian crossing or before a railway crossing
7. Regulations 54 (A) and 22(A) - a speed of 20 to 30 kph above the speed limit on a road in a built up area
8. Regulations 54 (A) and 22(A) - a speed of 25 to 40 kph above the speed limit on a road in a rural area or a freeway
9. Regulations 56 (A) (1), (2), (3) and (4) - failure to stop before a railway crossing
10. Regulations 64 (D) and 22 (A) - driving through a red and amber traffic light in contravention of traffic light E-2
11. Regulation 64 (E) - driving through a flashing amber traffic light without allowing a pedestrian to cross safely or without allowing a vehicle approaching the junction to cross the junction safely
12. Regulation 85 (A) (4) - unsafe or unsecure transporting of cargo
13. Regulations 85 (D) (1) and 85 (E) (3) - transporting of cargo that exceeds the vehicle's dimensions
14. Regulations 85 A (F) (1), (3) and (4) - transporting of a container in contravention of the regulations
15. Regulation 168 - driving in excess of the permitted number of hours
16. Regulation 308 (D) - driving a vehicle for which a disuse notice has been given
17. Regulation 364 D (B) - driving without a tachograph in working order
18. Regulation 364 E (C) - driving without a speed governor in working order

10 points

1. Section 304 of the Penal Code - causing death through negligence
2. Section 64 (A) of the Traffic Ordinance - abandonment after causing injury
3. Regulations 22 (A) and 54 (A) - a speed of more than 30 kph above the speed limit on a road in a built up area
4. Regulations 22 (A) and 54 (A) - a speed more than 40 kph above the speed limit on a road in a rural area or a freeway
5. Regulations 47 (D) and 47 (E) (5) - overtaking a vehicle on a road that is not clear on a continuous dividing line
6. Regulations 64 (C) and 22 (A) - failure to give way at road sign B-36 (give way)
7. Regulations 64 (C) and 22 (A) - failure to give way at road sign B-37 (stop)
8. Regulations 64 (D) and 22 (A) - driving through a red traffic light in contravention of traffic light E-1
9. Regulation 67 (A) - not allowing a pedestrian to finish crossing safely in aggravated circumstances
10. Regulation 85 (A) (5) - transporting of cargo in excess of 24.9% more than the total permitted weight
11. Section 62 (3) of the Traffic Ordinance and Regulations 26 (2) and 169 (B) - driving under the influence of alcohol or narcotics
12. Section 67 of the Traffic Ordinance – driving while disqualified

2011 Chart of road signs		Warning and caution signs		
101		108		Warning and guidance for a sharp curve. The road continues in the direction indicated by the arrows on the sign. Pass in front of the sign.
102		109		Road narrows
103		110		Road narrows on the right
104		111		Road narrows on the left
105		112		Narrow passage or obstacle. If the sign is posted on only one side of the road, it means there is an obstacle on that side of the road. The diagonal lines point downward towards the center of the adjacent lane.
106		113		High obstacle: Passage to a height of less than 4.50 meters.
107		114		Crossroads intersection.

Chart of road signs		Warning and caution signs		
115		122		Traffic light
116		123		Side road merging from the right with a road with the right of way; no right turn into side road.
117		124		Side road merging from the left with a road with the right of way; no left turn into side road.
118		125		Merging into road with right of way on the right. No right turn.
119		126		Merging into road with right of way on the left. No left turn.
120		127		Heavy traffic ahead
121		127P		

Chart of road signs

Warning and caution signs

128		Local train crossing in both directions
133		Railway crossing, one track
134		Railway crossing, more than one track
135		Pedestrian crossing ahead
136		Pedestrians in the area
137		Bicycle traffic
130		Railway crossing in 300 meters.
131		Railway crossing in 200 meters.
132		Railway crossing in 100 meters.
139		*Stop sign 302 ahead.

Chart of road signs

Warning and caution signs

140		Sleep descent
141		Danger of skidding
142		Rocks falling on your right
143		Rocks falling on your left
144		Speed bumps
145		Two-way traffic
146		Animals
147		Work vehicles or tractors crossing
148		Direction and warning posts on the side of the road: Square light reflector - right side of the road. Two round light reflectors - left side of the road.
149		Guidance or separation post.
150		Dangerous location where there is no special sign

Chart of road signs

Mandatory signs

201		Drive straight or turn right. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Right U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	208		Turn right or left. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Right and left U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.
202		Drive straight or turn left. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Left U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	209		Drive straight or make a right U-turn; left U-turns are prohibited. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Left U-turns are prohibited, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.
203		Drive straight ahead. If the arrow appears in a diagonal direction, drive in the direction of the arrow. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. U-turns are prohibited. Lanes should be chosen according to sign 813 or 926.	210		Drive straight or make a left U-turn; right U-turns are prohibited. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Right U-turns are prohibited, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.
204		Turn right, before the sign. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Right U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	211		Make a right U-turn. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Lanes should be chosen according to sign 813 or 926.
205		Turn left, before the sign. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Left U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	212		Make a left U-turn. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Lanes should be chosen according to sign 813 or 926.
206		Turn right, after the sign. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Right U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	213		Pass on either side. A yellow arrow indicates the direction of travel for public transit only.
207		Turn left, after the sign. A yellow arrow indicates the direction of travel for public transit as specified for sign 501. If the sign is positioned above a traffic light, the traffic light instructions apply to the traffic, permitted by the traffic sign. Left U-turns are permitted, unless prohibited by another sign. Lanes should be chosen according to sign 813 or 926.	214		Keep right. A yellow arrow indicates the direction of travel for public transit only.

Chart of road signs

Mandatory signs



215		Keep left. A yellow arrow indicates the direction of travel for public transit only.	222		Speed limit
216		Entrance to highway. No entry to pedestrians, bicycles, slow vehicles, hand carts, animals, or any vehicle that is not capable or authorized to move at the speed indicated by sign 218 that is posted before the entrance to the highway.	223		End of speed limit
217		End of highway.	224		One-way lane for bicycle traffic. Travel is permitted only in the direction indicated by sign 804.
218		Road for motor vehicles that are capable and authorized to travel at a speed that is not less than the speed indicated on the sign in kilometers per hour.	225		End of bicycle lane.
219		Road for motor vehicles only.	226		Path for pedestrians only.
220		Residential street.	227		Path for bicycles only.
221		End of residential street.			

Chart of road signs

Mandatory signs

228		Path for bicycles and pedestrians only.	229		Separate paths for bicycles and pedestrians, respectively.
-----	---	---	-----	---	--

Chart of road signs

Right-of-way signs

301		Yield to crossing traffic, including on railway.	306		Yield to pedestrians.
302		Stop! Yield to crossing traffic, including on railway.	307		On narrow road section, yield to oncoming traffic.
303		Roundabout: Yield to traffic crossing your path on the roundabout or railway. Go through the roundabout on the right.	308		On narrow road section, you have right of way over oncoming traffic.
304		Stop! (Movable sign.)	309		Priority road. (You have right of way.)
305		Advance cautiously. (Movable sign.)	310		End of priority road. (Your right of way ends.)

Chart of road signs

Prohibitory or restrictive signs

401		Road closed to all vehicles - in both directions.	408		Entry is prohibited to motor vehicles, other than two-wheel vehicles.
402		Entry is prohibited to all vehicles.	409		Entry is prohibited to motorcycles.
403		Barrier: The road is blocked. If a sign is posted indicating a direction, it is permitted to advance only in the direction indicated on the sign.	410		Entry is prohibited to work vehicles and tractors.
404		Barrier before a railway crossing: If the barrier is being lowered, being raised, or horizontal, stop before it and do not continue on the road until the barrier is fully raised.	411		Entry is prohibited to animals.
405		Entry is prohibited to all motor vehicles.	412		Entry is prohibited to bicycles.
406		Entry is prohibited to commercial motor vehicles whose total permitted weight in tons exceeds that indicated on the sign.	413		Entry is prohibited to pedestrians.
407		Entry is prohibited to vehicles carrying hazardous materials that require placarding by law, except for the supply of fuel and gas.			

Chart of road signs

Prohibitory or restrictive signs

414		Entry is prohibited to work vehicles, tractors, animals, bicycles and pedestrians. If three or fewer types of users are noted on the sign, the instructions of the sign apply according to what is noted on it.
415		Entry is prohibited to any vehicle whose total permitted weight in tons exceeds that indicated on the sign.
416		Entry is prohibited to vehicles whose height, including cargo, exceeds the number of meters indicated on the sign.
417		Entry is prohibited to vehicles whose width, including cargo, exceeds the number of meters indicated on the sign.
418		Area where driving instruction is prohibited.
419		End of area where driving instruction is prohibited.
420		Passing or overtaking a motor vehicle moving on more than two wheels in the same direction is prohibited.
421		End of overtaking restriction.
422		A commercial vehicle whose total permitted weight exceeds 4 tons is prohibited from passing or overtaking a motor vehicle moving on more than two wheels in the same direction.
423		End of overtaking restriction.
424		Urban road area.
425		End of urban road area.
426		Special speed limit: It is prohibited to travel at a speed exceeding the kilometers per hour indicated on the sign.

Chart of road signs

Prohibitory or restrictive signs

426P		Special speed limit: It is prohibited to travel at a speed exceeding the kilometers per hour indicated on the sign.
427		End of special speed limit.
428		Right turn is prohibited at the next turn.
429		Left turn is prohibited at the next turn.
430		Right U-turn is prohibited at the next turn.
431		Left U-turn is prohibited at the next turn.
432		It is prohibited to park a vehicle on the side of the road where the sign is posted.
433		It is prohibited to stop or park a vehicle on the side of the road where the sign is posted, unless required to fulfill the provisions of any law.
434		End of restriction under the provisions of signs 432 and 433 only.
435		Area where it is prohibited to park a commercial vehicle whose total permitted weight exceeds 10,000 kg.
436		End of area where it is prohibited to park a commercial vehicle whose total permitted weight exceeds 10,000 kg.
437		Parking reserved for the vehicle of a disabled person with a permit as shown on the sign.
438		Stop! Customs inspection.
439		Sign with a mandatory instruction for which there is no sign in the chart of road signs. If the sign is placed immediately below another sign, what is stated on this sign shall apply in addition to the sign above it.

Chart of road signs

Public transit signs

501		Road or lane for public transit: Travel on the road or in the lane is permitted for local rail, for buses, taxis or vehicles carrying at least the number of passengers, including the driver, indicated on the sign. Should one or more types of vehicle be indicated on the sign, the provisions of the sign shall apply accordingly.	508		End of taxi station area.
502		End of the public transit lane.	509		Area for taxis to stop for boarding or disembarking passengers only. It is prohibited for any other vehicle to stop or park. Should taxi numbers or shared taxi ("shenit") route numbers be noted on sign 439 below this sign, the disembarking and boarding of passengers is permitted only for those taxis noted.
503		Public transit lane: Double broken line combined with yellow diamonds or yellow arrows. Travel in this lane is permitted for a vehicle as indicated on sign 501 or for a vehicle turning at the next intersection, as per sign 813 or 526. If sign 501 is not posted, travel in this lane is permitted for public vehicles only. It is prohibited to stop or park vehicles in this lane, unless otherwise noted.	510		Station for providing rides to soldiers - for boarding and disembarking only.
504		Traffic in the direction of the white arrow is permitted for all vehicles. Vehicles that are permitted to travel in accordance with sign 501 are permitted to travel in the opposite direction also.	511		Stopping place for a certain type of vehicle along the curbstone painted red and yellow: Stopping is prohibited, other than for the type of vehicle permitted by the sign to stop in order to board and disembark passengers only.
505		Public bus stop: The back of the sign will have its contents written in the same format in another language. If a "disabled" symbol is included, the buses on that route have been adapted for people with disabilities. If a "train" symbol is included, the line leads to a train station. If a "night-time public transit" symbol is included, the buses on this route operate at night.	512		Stopping place for a certain type of vehicle in a place where there is a bay and curbstone: Stopping within the bay or next to the segmented line is prohibited, other than for the type of vehicle permitted by the sign to stop there in order to board and disembark passengers only.
506		Local rail station: The back of the sign will have its contents written in the same format in another language.	513		Stopping place for a certain type of vehicle in a place where there is no bay and no curbstone: Stopping is prohibited, other than for the type of vehicle permitted by the sign to stop there in order to board and disembark passengers only.
507		Taxi station: It is prohibited for any other vehicles to stop or park, except to disembark passengers. If taxi identification numbers or emblems set by the local sign authority are indicated on sign 439 below this sign, parking will be permitted only for those taxis noted.			

Chart of road signs

Signs providing information and directions

601		Name of interchange or intersection: On a highway - in white letters on a blue background. On another road - in white letters on a green background. The number on sign 630 indicates the distance in meters.	606		Directions to exit from the road:
602		Directions to destinations above the lanes before an interchange on a non-urban road. On a highway - in white letters on a blue background. On other roads - in white letters on a green background.			Directions to a highway - in white letters on a blue background. Directions to other roads - in white letters on a green background.
603		Directions to destinations above the lanes before an intersection on a non-urban road. Directions to tourist sites - in white letters on a brown background.			Directions to exit only: Above the lane. Directions to a highway - in white letters on a blue background. Directions to other roads - in white letters on a green background.
604		Advance directions to destinations before an intersection on a non-urban road. Directions to tourist sites - in white letters on a brown background.			Location of the exit from the road.
605		Two consecutive and adjacent exits: Directions to a highway - in white letters on a blue background. Directions to other roads - in white letters on a green background.			Location of the exit from the road.
		Location of the exit from the road.			Location of the exit from the road.
		Location of the exit from the road.			Location of the exit from the road.

Chart of road signs

Signs providing information and directions

610



Destinations on non-urban roads:

On a highway – in white letters on a blue background.
On other roads – in white letters on a green background.
The number indicates the distance in kilometers to the center of the destination.

613



Traffic lane designations:

On a highway – in white arrows on a blue background.
On other roads, in white arrows on a green background.
A yellow arrow indicates a public transit lane as specified for sign 501.

611



Road number:

On a highway – in blue.
On a main road – in red.
On a regional road – in green.
On a local road – in black.

614



Directions to destinations on urban roads:
Destinations outside the urban boundaries – in white letters on a blue background.
Destinations within the urban boundaries – in white letters on a green background.
Tourist sites – in white letters on a brown background.

615



Directions above lanes before an interchange on an urban road:

Destinations outside the urban boundaries – in white letters on a blue background.
Destinations within the urban boundaries – in white letters on a green background.
Tourist sites – in white letters on a brown background.

616



Directions above lanes before an intersection on an urban road:

Destinations outside the urban boundaries – in white letters on a blue background.
Destinations within the urban boundaries – in white letters on a green background.
Tourist sites – in white letters on a brown background.

612



Kilometer number on the road:

On a highway – in blue.
On a main road – in red.
On a regional road – in green.
On a local road – in black.

The arrow shows whether the kilometer numbers are ascending or descending in the direction of travel.

Chart of road signs

Signs providing information and directions

617



Directions at an intersection or interchange:



Directions to a highway – in white letters on a blue background.
Directions to other roads – in black letters on a white background.
Directions to a tourist site – in white letters on a brown background.



622



Change in the number of lanes:

Left lane ends, road narrows.

623



Road with no exit.

Dead end.

618



One-way road:


Entry to a section of road where movement is permitted only in the direction indicated by the arrow.

624



Road with no exit (dead end) to the right.

619



Change in the number of lanes:

Road widens, lane added on right.

625



Road with no exit (dead end) to the left.

620



Change in the number of lanes:

Road widens, lane added on left.

626



Vehicle parking:

If a vehicle type is noted below the sign, parking is for that type of vehicle only.

621



Change in the number of lanes:

Right lane ends, road narrows.

627



Parking is permitted on the sidewalk for vehicles whose total permitted weight is up to 2200 kg, as depicted, and without blocking passage of a reasonable width for pedestrians or for wheelchairs.

Chart of road signs

Signs providing information and directions




628		632	
	End of location or section where parking was permitted on the road or on the sidewalk by sign 626 or 627		The information on the road sign above this one is intended for those turning in the direction of the arrow.
629		633	
	Warning or advisory sign with information for which there is no sign in the chart of road signs.		Tunnel.
629P		634	
	If the sign is placed immediately below another sign, what is stated on this sign shall apply in addition to the sign above it.		End of tunnel.
630		635	
	At the distance indicated in meters, that stated on the sign above this one, or within which it is posted, will apply.		Fire hazard.
631			
	Along the section of road ahead of you, indicated in meters, that stated on the sign above this one will apply.		

Chart of road signs

Traffic lights and signals, and lane control






701		704	
	Red light: Stop! If an instructional sign in the form of an arrow or arrows is placed above the light, its instruction(s) shall apply to the traffic moving in the direction(s) indicated by the sign. If there is a marked stop line, stop before the stop line. If there is a marked pedestrian crossing, stop before the pedestrian crossing. If no stop line or pedestrian crossing is marked, stop close to the nearest traffic light. It is prohibited to cross the stop line or the pedestrian crossing or to enter the intersection while the red light is on.		Green arrow for vehicles: Advance. It is permitted to travel only in the direction indicated by the arrow. Making a U-turn is permitted in the direction of the arrow unless prohibited by another sign. If the green light is flashing, the green light will end and the yellow light 705 is about to appear. Lanes should be chosen according to sign 813 or 926.
702		705	
	Red light and yellow light together: Stop as specified for 701 until the green light appears. It is prohibited to cross the stop line or the pedestrian crossing or to enter the intersection while the red and yellow lights are on together. Prepare to advance once the signal changes.		Yellow light: Stop as specified for 701. If you cannot stop safely before the intersection, or if you have already entered it, proceed through the intersection and clear it immediately, as specified for 703 or 704.
703		706	
	Green light: Advance. It is permitted to travel straight, to the right, or to the left, or to make a U-turn, unless an instructional sign placed above the traffic light indicates otherwise. If the green light is flashing, the green light will end and the yellow light 705 is about to appear. Lanes should be chosen according to sign 813 or 926.		Flashing yellow light: Advance cautiously, obeying all laws. Lanes should be chosen according to sign 813 or 926. If the traffic light is located near a crossing for pedestrians or bicyclists, allow pedestrians or bicyclists to cross the road safely.
		707	

Chart of road signs

Traffic lights and signals, and lane control


708 	Horizontal rectangular white light: Stop! If there is a marked stop line, stop before the stop line. If there is a marked pedestrian crossing, stop before the pedestrian crossing. If no stop line or pedestrian crossing is marked, stop close to the nearest traffic light. It is prohibited to cross the stop line or the pedestrian crossing or to enter the intersection while the white rectangular horizontal signal in the top light is on.	711 	Diagonal rectangular white light: Advance. Drive to the right, according to the direction in which the upper end of the rectangular white light is slanted. Making a U-turn is permitted in the direction of the signal unless prohibited by another sign. If the light is flashing, the signal will end and signal 716 is about to appear.
709 	Horizontal rectangular white light and round white light together: Stop as specified for 708 until the vertical white light or the diagonal white light appears. It is prohibited to cross the stop line or the pedestrian crossing or to enter the intersection while the horizontal rectangular white light and the round white light are lit together. Prepare to advance once the signal changes.	712 	Diagonal rectangular white light: Advance. Drive to the left, according to the direction in which the upper end of the rectangular white light is slanted. Making a U-turn is permitted in the direction of the signal unless prohibited by another sign. If the light is flashing, the signal will end and signal 716 is about to appear.
710 	Vertical rectangular white light: Advance. Drive straight ahead. If the light is flashing, the signal will end and signal 716 is about to appear.	713 	Vertical rectangular white light and diagonal rectangular white light: Advance. Drive straight, or to the right, according to the direction in which the upper end of the diagonal rectangular white light is slanted. Making a U-turn is permitted in the direction of the diagonal unless prohibited by another sign. If the light is flashing, the signal will end and signal 716 is about to appear.

Chart of road signs

Traffic lights and signals, and lane control


714 	Vertical rectangular white light and diagonal rectangular white light: Advance. Drive straight, or to the left, according to the direction in which the upper end of the diagonal rectangular white light is slanted. Making a U-turn is permitted in the direction of the diagonal unless prohibited by another sign. If the light is flashing, the signal will end and signal 716 is about to appear.	717 	Flashing white light: Advance cautiously, obeying all laws.
715 	Vertical rectangular white light and diagonal rectangular white lights: Advance. Drive straight, to the right, or to the left. U-turns are permitted unless prohibited by another sign. If the light is flashing, the signal will end and signal 716 is about to appear.	718 	Red figure of a standing pedestrian: Do not begin crossing the road, and if you are already on the road, clear it immediately.
716 	Round white light: Stop as specified for 708. If you cannot stop safely before the intersection, or if you have already entered it, proceed through the intersection and clear it immediately, as specified for 710, 711, 712, 713, 714, or 715.	720 	Red bicycle signal: Do not begin crossing the road, and if you are already on the road, clear it immediately.
		721 	Green bicycle signal: It is permitted to cross the road cautiously.

Chart of road signs

Traffic lights and signals, and lane control



722	 Double flashing red light before a railway crossing: Stop before the stop line. If there is no stop line, stop before the nearest barrier (sign 404), and if there is no barrier, stop at least 4 meters before the nearest railway track. Crossing the track is prohibited until the double red light has stopped flashing and the barrier has been lifted. If you cannot stop safely before the crossing as specified above, or if you have already started to cross it, proceed across and clear it immediately.	725	 Move into the adjacent lane: Merge into the traffic lane adjacent to the lane above which the sign is posted, to the right or to the left, respectively, when traffic conditions permit.
723	 Lane closed: It is prohibited to travel in the lane above which this sign is posted, from the place where the sign is posted, until sign 426P or 724 or 724P, or until the next intersection.	726	 Exit lane: To exit from the road, travel in the lane above which this sign is posted.
723P		726P	
724	 Lane open: It is permitted to travel in a lane above which this sign is posted.		
724P			

Chart of road signs

Road surface markings


801	 Lane delineation or road center line - broken white line: Drive in the right-most lane, do not cross the line with the vehicle or part of it, except for the purpose of overtaking or for the purpose of obeying any other law, while obeying all laws.	807	 Solid yellow line: Line marking the edge of the road, in a place where there are no curbstones. Drive on the left side of the line and do not cross to the right side other than to prevent an accident or a delay to traffic while traveling slowly, or to obey any law.
802	 Alternating lane - double broken white line: Do not travel in this lane, unless one of signs 201 to 203, or 206 to 212, or 724 to 724P, is posted above it.	808	 Line of white rectangles: Lane exclusively for turning right or left, or a lane for acceleration, slowing or merging, or a lane that changes its designation. Travel according to the lane's designation.
803	 Double solid white separation line: Drive on the right side of the lines. Do not cross the lines with the vehicle or part of it.	809	 Broken white line: turn at an intersection: To turn, drive parallel to the broken line. U-turns are permitted unless prohibited by another sign.
804	 Path or lane designated for bicycles only. Travel only in the direction of the arrow.	810	 Stop line - white line across the lane: The place for stopping the vehicle or animal, before the line and close to it, where it is mandatory to stop.
805	 Broken white line, with short spaces - Warning before the appearance of a double solid separation line: Move into the right-hand lane before the double solid separation line begins.	811	 Pedestrian crossing: If a wide pedestrian crossing is divided into two, cross on the right side of the crossing.
806	 Broken white line next to a solid white line: It is permitted to cross the lines if the broken line is on the right side of the solid line and the road is clear.	812	 Crossing for bicyclists.

Chart of road signs

Road surface markings



813		Directions of travel permitted in the lane – white or yellow arrows on the road surface: Enter the intersection and cross it only in the direction of the arrow marked in the lane from which you entered the intersection. Yellow arrows indicate travel directions for public transit as specified for sign 501.
814		The lane is about to end – diagonal white arrows: Move into the adjacent lane in the direction of the arrows.
815		Traffic islands (in various shapes), marked on the road in white: It is prohibited to pass, stop or park on them.
816		Curbstones painted in black and white: To emphasize sidewalks, separations and constructed traffic islands, and to make them more prominent.
817		Curbstones painted in blue and white: Parking is permitted on the road next to the curbstones or on the sidewalk, according to the provisions of sign 439 or 626 or 627.
818		Curbstones painted red and white: It is prohibited to stop or park vehicles on the road next to the curbstones, unless required in order to obey any law.
819		Parking spots for vehicles, indicated in white: Parking in such spots shall be only within the bounds of the area marked on the road surface. If sign 627 is posted and an area on the sidewalk is marked, it is permitted for a private vehicle, a private dual-use vehicle or a commercial vehicle whose total permitted weight is up to 2200 kg, to park on the sidewalk within the bounds of the area marked on its surface, without blocking passage for pedestrians or for wheelchairs.
820		A place where parking is prohibited, marked in white: It is prohibited to park within the marked area.
821		Location of a speed bump.

Chart of road signs

Signs at work sites

901		Road works ahead.
901P		Travel according to the orange markings, if any.
902		End of work site and all its related limitations and prohibitions.
903		Warning and guidance for a sharp curve: Slow down and continue only in the direction indicated by the arrows on the sign. Pass in front of the sign.
904		Warning and guidance at a T-junction: Slow down and continue only in the directions indicated by the arrows on the sign. Pass in front of the sign.
905		Road narrows.
906		Road narrows on the right.
907		Road narrows on the left.
908		Narrow passage or obstacle: If the sign is posted on only one side of the road, it means there is an obstacle on that side of the road. The diagonal lines point downward towards the center of the adjacent lane.
909		Two-way traffic.
910		Change in the number of lanes: Road widens, lane added on right.
911		Change in the number of lanes: Road widens, lane added on left.

Chart of road signs

Signs at work sites

912		Change in the number of lanes: Right lane ends, road narrows.	917		Along the section of road ahead of you, indicated in meters, that stated on the sign above this one will apply.
913		Change in the number of lanes: Left lane ends, road narrows.	918		Lane delineation or road center line - broken orange line: Drive in the right-most lane, do not cross the line with the vehicle or part of it, except for the purpose of overtaking or for the purpose of obeying any other law, while obeying all laws.
914		Detour/bypass.	919		Alternating lane - double broken orange line: Do not travel in this lane, unless one of signs 201 to 203, 206 to 212, or 724 to 724P is posted above it.
915		Warning, instructional, prohibitive or advisory sign with information for which there is no sign in the chart of road signs. If the sign is placed immediately below another sign, what is stated on this sign shall apply in addition to the sign above it.	920		Double solid orange separation line: Drive on the right side of the lines. Do not cross the lines with the vehicle or part of it.
916		At the distance indicated in meters, that stated on the sign above this one, or within which it is posted, will apply.	921		Broken orange line, with short spaces - Warning before the appearance of a double solid separation line: Move into the right-hand lane before the solid double separation line begins.
			922		Broken orange line next to a solid orange line: It is permitted to cross the lines if the broken line is on the right side of the solid line, and the road is clear.

Chart of road signs

Signs at work sites

923		Line of orange rectangles: Lane exclusively for turning right or left, or a lane for acceleration, slowing or merging, or a lane that changes its designation. Travel according to the lane's designation.	930		Direction posts on the side of the road: The diagonal lines point downward towards the center of the adjacent lane.
924		Broken orange line: turn at an intersection: Drive parallel to the broken line. U-turns are permitted unless prohibited by another sign.	931		Traffic cone for guidance or to indicate an obstacle: Travel according to how the cones are positioned. It is prohibited to drive over the obstacle indicated by a cone.
925		Stop line - orange line across the lane. The place for stopping the vehicle or animal, before the line and close to it, where it is mandatory to stop.	932		Flashing orange light to mark, signal and warn.
926		Directions of travel permitted in the lane - orange arrows on the road surface, with or without white arrows: Enter the intersection and cross it only in the direction of the arrow marked in the lane from which you entered the intersection. White arrows indicate travel directions outside the work site.	933		Movable flashing board: Signal, warning and guidance.
927		The lane is about to end - diagonal orange arrows: Move into the adjacent lane in the direction of the arrows.	934		Movable flashing board: The road is closed.
928		Traffic islands (in various shapes), marked on the road in orange: It is prohibited to pass, stop or park on them.	929		Barrier: the road is blocked. If a sign is posted indicating a direction, it is permitted to advance only in the direction indicated on the sign.

Chart of road signs		Symbols (Examples)		
S-4		Center of the area, the city, the location.	S-21 	Crossroads intersection.
S-5		Toll road.	S-52 	Covered parking.
S-6		Overhead pedestrian crossing (with steps)	S-53 	Park and ride.
S-10		Pedestrians.	S-58 	Hospital.
S-20		Interchange.	S-100 	Road designated for travel in 4x4 vehicles only.

"REAR" "REAR IMPACT"
 "VEERING"
 "YIELDING IS VESTED"
 "TELLTALE SIGN"
 "STRENUOUS DRIVING"



S-106

Jeep tours



S-107

Regulated walking trail



S-108

Regulated site for mountain climbing or rappelling



S-109

Horse farm or riding services



S-110

Regulated site for hang-gliding or paragliding



S-111

Stream



S-112

Regulated fishing site



S-113

Birdwatching site



S-114

Zoo



S-115

Regulated bathing beach



S-116

Public swimming pool



S-117

Marine sports site




S-118

Mountain-bike trail



S-119

Sports center



S-130

Electric vehicle charging station



S-131

First edition
January 2014

© All rights reserved. Amal Group / Proper Driving

It is forbidden to copy, photograph or reproduce this book in whole or in part, or any other use, without written permission.

Design and printing: Studio Tamar Productions
info@tamarpr.com | 04-6390510

Registration center

Fax

Phone for checking grades

Email

054-4000088

03-6060113

054-4000055

amal-nehiga@amalnet.k12.il

24-hour registration site

www.amal-nehiga.org.il

Hebrew domain: עמל-נהיגה ארג