

# QUALITY INSPECTION

## INTRODUCTION

Our application specialize in advanced automation technologies such as surface detect inspection, OCR/OCV (Optical Character Recognition/Optical Character Verification), and critical measurements. These technologies are integrated into our specialized application, **QualityInspection**, which is designed to enhance precision and operational efficiency in various industrial processes.

## QUALITY INSPECTION DASHBOARD

ROKAM

QUALITY INSPECTION

← BACK

DASHBOARD

⚙️ SETTINGS

USER MANAGEMENT

SKU MANAGEMENT

MARKING ITEMS

CAMERA MANAGEMENT

IMAGE MANAGEMENT

TEACH IMAGE

COMMUNICATIONS

INSPECTION

ALARMS

RESULTS

REPORTS

TCP SERVER

MODBUS TCP

EDIT IMAGE SETTINGS

## USER MANAGEMENT

ROKAM

QUALITY INSPECTION

← BACK

Last Modified on : 08-04-2024

USER MANAGEMENT

USER NAME

User Name

PASSWORD

User Password

ROLE

ADD USER

USER NAME	ROLE	REMOVE
a	Administrator	×
m	Maintenance	×
o	Operator	×

# SKU MANAGEMENT

ROKAM

QUALITY INSPECTION

← BACK

031

SAMPLE NAME

+ ADD

□ COPY

SKU MANAGEMENT

Last Modified on :

ID	SKU CODE	REMOVE
----	----------	--------

IMAGE SETTINGS

✕ DELETE

COMMUNICATIONS

✕ DELETE

CAMERA SETTINGS

✕ DELETE

MARKING ITEMS

✕ DELETE

to add new job

to copy from existing job

# MARKING ITEMS

ROKAM

QUALITY INSPECTION

SAVE ← BACK

031-SAMPLENAME

Last Modified on :

MARKING ITEMS

Select Tool

004

Enter Marking Name

+ ADD

ID	TYPE	MARKING ITEMS	REMOVE
001	PatternMatchMax	pmm	✕
002	ColorPixelCounter	cpc	✕
003	PixelCounter	pc	✕

1. SELECT SKU NAME

2.SELECT TOOL

3.ENTER MARKING NAME

4.ADD

5.SAVE

LIST OF TOOLS

Select Tool

004

MAR

PatternMatchMax

PatternMatch

ColorFilter

ColorPixelCounter

PixelCounter

CodeReader1D

CodeReader2D

OCRAI

OCRMax

CombineResults

# CAMERA MANAGEMENT

Steps :

1.SELECT SKU

2.SELECT CAMERA

3.SET EXPOSURE TIME AND GAIN

4.START CAMERA

5. SAVE IMAGE

6.STOP CAMERA

7. SAVE

ROKAM

QUALITY INSPECTION

SAVE

BACK

027-test1

BL32411AAK00001

CAMERA MANAGEMENT

Image Acquisition : 3.44 FPS

Image Processing : 0.18 ms

Last Modified on :

Properties

Acq Interface : HWV3pdParty

Acq Name : HuarayTechnolo

Serial Number : BL32411AAK0000

Manufacturer : Huaray Technol

ModelName : AB3A20CU000E

Settings

Exposure Time : 300000

Gain : 1

Rotation Angle : 0

Mirror Enable : Off

Trigger

Trigger Mode : Off

Auto Save Image : Off

Live Processing

Enable DM Code

Enable QR Code

START CAMERA

SAVE IMAGE

STOP CAMERA

Calibration

Focal Length (mm) : 12.0

Plate Thickness (mm) : 2.0

Plate Dimension (mm) : 80

Working Distance (mm) : 100

Pixel Size(um) : 3.75

Smoothness : 0.50

CALIBRATE

Error :

ROKAM

Thanush H

+91 6362082407

applications@rokam.co

Rokam Technology Solutions LLP

#1027, 1st A Cross, 9th Block, Nagarbhavi

2nd Stage, Bangalore 560072

CAV1@4000x3000x3@3.44 FPS -

## IMAGE MANAGEMENT

Select SKU

Add IMAGE

ROKAM

QUALITY INSPECTION

BACK

Select SKU Number

ADD IMAGES

FILE NAME

REMOVE

IMAGE MANAGEMENT

Last Modified on : 21-09-2024


# Space (376 - 297)

Zoom: 100.00%


Value: --

## COMMUNICATIONS





### COMMUNICATIONS PART 03



### TEACH IMAGE



RESULTS

1.Select SKU

2.Select DATE

3.Select GET RESULTS

4.Select TRIGGER

Only ADMIN

ROKAM

QUALITY INSPECTION

← BACK

Select SKU Number

26 September 2024

GET RESULTS

CLEAR RESULTS

RESULTS

INSPECTIONS/G8

ID	TRIGGER	TIME	DELETE
----	---------	------	--------

PARAMETER	VALUE
-----------	-------

REPORTS

1.Select SKU

2.Select DATES

3.Select USERS

4.Select PASS/FAIL

5.GET REPORTS

ROKAM

QUALITY INSPECTION

← BACK

All SKUs

All Users

GET REPORTS

REPORTS

TOTAL PASS FAIL

ID	SKU	DATE	TIME	TRIGGER	USERNAME	RESULT
----	-----	------	------	---------	----------	--------

GET IN PDF FORM

FAILED COUNT

STATISTICS VALUE