BIOMETRIC BLOOD GROUP IDENTIFICATION SYSTEM

Final Year B.E. Major Project • Deep Learning AI Analysis Report

MEDICAL DISCLAIMER: AI-based preliminary estimation only. This result must be confirmed using a standard laboratory blood typing test before medical use. This system does not replace standard serological blood typing.

1. EXAMINATION & SAMPLE AUDIT DETAILS

Report ID:	BG-000188	**Timestamp:**	2026-09-05 12:42:31
Input Source:	MFS100 Consensus (3 Impressions)	**Evaluation Status:**	LOW_CONFIDENCE
Model Name:	ResNet50 Transfer Learning	**Confidence:**	**44.02%**

2. BIOMETRIC IMPRESSION & PREDICTED BLOOD GROUP



Predicted Blood Group:

O-

Confidence Score: **44.02%**
Threshold: 60.0%
Classification: Low Confidence - Retest Required
Derived ABO Group: **O** (62.2% prob) | Rh Factor: **-**

Rh FACTOR UNCERTAINTY ADVISORY: Rh factor (±) determination is uncertain (moderate 8-class confidence (44.0%); predicted Rh-negative requires serological validation due to weak ridge-Rh correlation). ABO group appears to be 'O' (62.2% confidence). Standard serological laboratory blood typing is required to confirm Rh factor.

3. 8-CLASS BLOOD GROUP PROBABILITY DISTRIBUTION

A+	A-	AB+	AB-	B+	B-	O+	O-
32.1%	0.5%	0.1%	5.0%	0.0%	0.1%	18.2%	44.0%