BIOMETRIC BLOOD GROUP IDENTIFICATION SYSTEM

Final Year B.E. Major Project • Deep Learning AI Analysis Report

MEDICAL DISCLAIMER: AI-based preliminary estimation only. This result must be confirmed using a standard laboratory blood typing test before medical use. This system does not replace standard serological blood typing.

1. EXAMINATION & SAMPLE AUDIT DETAILS

Report ID:	BG-000218	**Timestamp:**	2026-09-05 16:33:05
Input Source:	MFS100 Consensus (3 Impressions) | Standard Finger: LEFT THUMB	**Evaluation Status:**	LOW_CONFIDENCE
Model Name:	ResNet50 Transfer Learning	**Confidence:**	**52.14%**
Standard Acquisition Finger:	**LEFT THUMB** (Convention-based protocol — not automatically verified by scanner)		

2. BIOMETRIC IMPRESSION & PREDICTED BLOOD GROUP



Predicted Blood Group:

O+

Confidence Score: **52.14%**

Threshold: 60.0%

Classification: Low Confidence - Retest Required

Derived ABO Group: **O** (87.9% prob) | Rh Factor: **+**

Rh FACTOR UNCERTAINTY ADVISORY: Rh factor (±) determination is uncertain (narrow Rh probability margin (16.4%); moderate 8-class confidence (52.1%)). ABO group appears to be 'O' (87.9% confidence). Standard serological laboratory blood typing is required to confirm Rh factor.

3. 8-CLASS BLOOD GROUP PROBABILITY DISTRIBUTION

A+	A-	AB+	AB-	B+	B-	O+	O-
2.4%	5.7%	0.1%	3.9%	0.0%	0.0%	52.1%	35.7%