

ClientsAppAttestation - SQL Server Table Structure Documentation

Server: clipvwbpod02 | Database: ClientsAppAttestation

Prepared from the screenshots and SQL structures discussed in the chat. This document covers table purpose, fields, primary keys, sample data, import file paths, and implementation notes. Humanity survived another schema document. Barely.

Schema Overview

Table	Purpose	Primary Key	Key Notes
dbo.Users	Stores associate/user master data.	AssociateID	ID is identity unique. AssociateID is the business key.
dbo.Clients	Stores client master data.	ClientID	ClientID is varchar to preserve leading zeroes like 0039.
dbo.ClientTools	Maps client to application/tool names.	UserID	Earlier import-based structure uses Application Name directly.
dbo.UsersToolAccess	Stores user access against client/application with date window.	UserID	Access values shown as TRUE/FALSE. Dates stored as varchar per original requirement.
dbo.Cycles	Attestation cycle master.	CycleID	Identity key with cycle dates.
dbo.ToolCycleAttestation	Stores attestations per cycle/user/client/tool.	Composite: CycleID, AssociateID, ClientID, ToolID	Normalized design expects a ToolID. See mismatch note.
dbo.AttestationLogs	Logs attestation submissions.	LogID	FK to Cycles recommended.
dbo.LoginLogs	Logs user login attempts.	LoginLogID	AssociateID nullable for failed login capture.
dbo.SuperUsers	Department-wise elevated access for Admin/VP users.	SuperUserID	Unique combination AssociateID, RoleName, Department.
dbo.IFHGFHMapping	Maps Area/Department to IFH and GFH.	ID	Imported from Mapping sheet.

Important Design Note

Most import tables were created with varchar columns because the source Excel files contain leading zeroes and mixed formatting. This is especially important for ClientID. Excel likes deleting leading zeroes, because apparently it believes identifiers are numbers. They are not.

There is one normalization mismatch from the screenshots: the design snapshot references ToolID and composite keys for ClientTools/UserToolAccess, while the earlier Excel import screenshots use Application Name directly and no ToolID column. The document records both the actual import-based tables and the normalized attestation design where relevant.

dbo.Users

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	C:\Prakash Files\Dash\Users.xlsx	Not specified, commonly Sheet1	AssociateID

Column Structure

Column	Data Type	Nullable	Description
ID	INT IDENTITY(1,1)	No	Unique identity column, not inserted from Excel
AssociateID	VARCHAR(50)	No	Primary key / associate business identifier
FirstName	VARCHAR(100)	Yes	User first name
LastName	VARCHAR(100)	Yes	User last name
EMailAddr	VARCHAR(255)	Yes	Email address
PrimaryLocationId	VARCHAR(100)	Yes	Primary location ID
UserName	VARCHAR(100)	Yes	Network/user login name
ManagerId	VARCHAR(50)	Yes	Manager associate ID
Department	VARCHAR(150)	Yes	Department / area text

Sample Data

AssociateID	FirstName	LastName	EMailAddr	PrimaryLocationId	UserName	ManagerId	Department
173926	Praveen	Kalapurayil	Praveen.Kalapurayil@broadridge.com	NWK	KalapurayilP	352116	DTC Settlements
173935	Gurpreet	Kaur	gurpreet.kaur@broadridge.com	NWK	KaurG	343522	International
178371	Shruti	Chitneni	Shruti.X.Chitneni@broadridge.com	NWK	ChitneniS	173935	International

dbo.Clients

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	C:\Prakash Files\Dash\Clients.xlsx	Sheet1 or Clients	ClientID

Column Structure

Column	Data Type	Nullable	Description
ID	INT IDENTITY(1,1)	No	Unique identity column, not inserted from Excel
ClientID	VARCHAR(50)	No	Primary key; preserve leading zeroes
ClientName	VARCHAR(255)	Yes	Client short/display name
ClientDesc	VARCHAR(255)	Yes	Client description/full name
CurrentState	VARCHAR(100)	Yes	Active/inactive state
Tier	VARCHAR(50)	Yes	Tier value

Sample Data

ClientID	ClientName	ClientDesc	CurrentState	Tier
0039	mcB	Alliance Bernstein	Active	Tier 2

ClientID	ClientName	ClientDesc	CurrentState	Tier
0010	Apex	Apex Clearing	Active	Tier 1
0293	Barclays	Barclays Capital	Active	Tier 1
0529	BBVA	BBVA	Active	Tier 2

dbo.ClientTools

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	C:\Prakash Files\Dash\ClientTools.xlsx	Govies Access	UserID

Column Structure

Column	Data Type	Nullable	Description
UserID	INT IDENTITY(1,1)	No	Primary key / unique identity column
ClientID	VARCHAR(50)	Yes	Client identifier; preserve leading zeroes
Application Name	VARCHAR(255)	Yes	Tool/application name

Sample Data

ClientID	Application Name
0039	BDC
0039	Security IDs
0039	BPS
0039	Mailbox
0039	BOSS
0010	BPS
0010	FICC

dbo.UsersToolAccess

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	C:\Prakash Files\Dash\UsersToolAccess.xlsx	Not specified, commonly Sheet1	UserID

Column Structure

Column	Data Type	Nullable	Description
UserID	INT IDENTITY(1,1)	No	Primary key / unique identity column

Column	Data Type	Nullable	Description
AssociateID	VARCHAR(50)	Yes	Associate identifier
ClientID	VARCHAR(50)	Yes	Client identifier
Application Name	VARCHAR(255)	Yes	Tool/application name
Access	VARCHAR(50)	Yes	TRUE/FALSE access flag
FromDate	VARCHAR(50)	Yes	Access start date from Excel
ToDate	VARCHAR(50)	Yes	Access end date from Excel

Sample Data

AssociateID	ClientID	Application Name	Access	FromDate	ToDate
353582	0039	ADP Postedge	FALSE	1/1/2026	1/31/2031
353582	0039	BDC	TRUE	1/1/2026	1/31/2031
353582	0039	BOSS	FALSE	1/1/2026	1/31/2031
353582	0039	BPS	FALSE	1/1/2026	1/31/2031

dbo.Cycles

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	Application/manual entry	N/A	CycleID

Column Structure

Column	Data Type	Nullable	Description
CycleID	INT IDENTITY(1,1)	No	Primary key
CycleName	NVARCHAR(100)	No	Cycle name
StartDate	DATE	Yes	Cycle start date
EndDate	DATE	Yes	Cycle end date
DueDate	DATE	Yes	Submission due date

Sample Data

CycleID	CycleName	StartDate	EndDate	DueDate
1	Q1 2026 Attestation	2026-01-01	2026-01-31	2026-02-05

dbo.ToolCycleAttestation

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	Generated by attestation cycle process	N/A	CycleID + AssociateID + ClientID + ToolID

Column Structure

Column	Data Type	Nullable	Description
CycleID	INT	No	Foreign key to Cycles
AssociateID	VARCHAR(50)	No	Associate identifier
ClientID	VARCHAR(50)	No	Client identifier
ToolID	INT	No	Tool/application identifier in normalized design
UsedThisCycle	BIT	Yes	Whether tool was used this cycle
AttestationStatus	NVARCHAR(50)	No	Default Pending
Remarks	NVARCHAR(500)	Yes	Optional remarks
SubmittedAt	DATETIME	Yes	Submission timestamp

Sample Data

CycleID	AssociateID	ClientID	ToolID	UsedThisCycle	AttestationStatus	Remarks	SubmittedAt
1	353582	0039	1	1	Submitted	Used for BDC review	2026-01-31 10:30:00

dbo.AttestationLogs

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	Generated by attestation application	N/A	LogID

Column Structure

Column	Data Type	Nullable	Description
LogID	INT IDENTITY(1,1)	No	Primary key
CycleID	INT	No	Foreign key to Cycles
AssociateID	VARCHAR(50)	No	Associate identifier
SubmittedAt	DATETIME	No	Submission timestamp
ToolCount	INT	No	Count of tools submitted
Summary	NVARCHAR(100)	Yes	Summary of submission

Sample Data

LogID	CycleID	AssociateID	SubmittedAt	ToolCount	Summary
1	1	353582	2026-01-31 10:31:00	8	All tools reviewed

dbo.LoginLogs

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	Generated by application login module	N/A	LoginLogID

Column Structure

Column	Data Type	Nullable	Description
LoginLogID	INT IDENTITY(1,1)	No	Primary key
AssociateID	VARCHAR(50)	Yes	Nullable; captures failed login attempts too
LoginTime	DATETIME	No	Login timestamp
Status	NVARCHAR(50)	No	Success / UserNotFound

Sample Data

LoginLogID	AssociateID	LoginTime	Status
1	353582	2026-01-31 09:50:00	Success
2		2026-01-31 09:55:00	UserNotFound

dbo.SuperUsers

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	Application/manual administration	N/A	SuperUserID

Column Structure

Column	Data Type	Nullable	Description
SuperUserID	INT IDENTITY(1,1)	No	Primary key
AssociateID	VARCHAR(50)	No	Super user associate ID
RoleName	VARCHAR(50)	No	Admin / VP / Manager / Reviewer
Department	VARCHAR(150)	No	Department for elevated access
AccessLevel	VARCHAR(50)	Yes	Full / ReadOnly / Approver
IsActive	VARCHAR(10)	No	Default TRUE
CreatedOn	DATETIME	No	Default GETDATE()

Column	Data Type	Nullable	Description
CreatedBy	VARCHAR(50)	Yes	Creator associate/system ID

Sample Data

AssociateID	RoleName	Department	AccessLevel	IsActive	CreatedBy
173926	Admin	DTC Settlements	Full	TRUE	System
179335	VP	International	Approver	TRUE	System

dbo.IFHGFHMapping

Server	Database	Source File	Sheet	Primary Key
clipvwbpod02	ClientsAppAttestation	C:\Prakash Files\Dash\Department IFH GFH Mapping.xlsx	Mapping	ID

Column Structure

Column	Data Type	Nullable	Description
ID	INT IDENTITY(1,1)	No	Primary key / unique identity column
Area	VARCHAR(150)	Yes	Area/department name
IFH	VARCHAR(150)	Yes	IFH name
GFH	VARCHAR(150)	Yes	GFH name

Sample Data

Area	IFH	GFH
Admin	Pankaj	Satminder Kaur
Asset Management	Manish	John Whittle
Asset Transfer	Elango	John Whittle
DTC Settlements	Shankar	Brian Hayes
Reorg	Manohar	Frank Conti

Recommended SQL Server Import Pattern

Use OPENROWSET with ACE OLEDB when importing directly from Excel. Ad Hoc Distributed Queries must be enabled and the SQL Server service account must be able to read the local file path. This is not optional, despite Windows making it feel personally negotiable.

```
EXEC sp_configure 'show advanced options', 1;
RECONFIGURE;
EXEC sp_configure 'Ad Hoc Distributed Queries', 1;
```

```
RECONFIGURE;
```

Path Access Note

The Excel paths shown are local Windows paths. If SQL Server runs under a service account on server clipwbpod02, that account needs access to the same path or a shared UNC path. Your login seeing the file is not enough. SQL Server is not your friend, merely your co-worker.

Appendix A - Consolidated Table Creation SQL

```
USE ClientsAppAttestation;
GO

-- Users
CREATE TABLE dbo.Users
(
    ID INT IDENTITY(1,1) NOT NULL UNIQUE,
    AssociateID VARCHAR(50) NOT NULL,
    FirstName VARCHAR(100) NULL,
    LastName VARCHAR(100) NULL,
    EmailAddr VARCHAR(255) NULL,
    PrimaryLocationId VARCHAR(100) NULL,
    UserName VARCHAR(100) NULL,
    ManagerId VARCHAR(50) NULL,
    Department VARCHAR(150) NULL,
    CONSTRAINT PK_Users_AssociateID PRIMARY KEY (AssociateID)
);
GO

-- Clients
CREATE TABLE dbo.Clients
(
    ID INT IDENTITY(1,1) NOT NULL UNIQUE,
    ClientID VARCHAR(50) NOT NULL,
    ClientName VARCHAR(255) NULL,
    ClientDesc VARCHAR(255) NULL,
    CurrentState VARCHAR(100) NULL,
    Tier VARCHAR(50) NULL,
    CONSTRAINT PK_Clients_ClientID PRIMARY KEY (ClientID)
);
GO

-- ClientTools, import-based structure
CREATE TABLE dbo.ClientTools
(
    UserID INT IDENTITY(1,1) NOT NULL,
    ClientID VARCHAR(50) NULL,
    [Application Name] VARCHAR(255) NULL,
    CONSTRAINT PK_ClientTools_UserID PRIMARY KEY (UserID)
);
GO

-- UsersToolAccess, import-based structure
CREATE TABLE dbo.UsersToolAccess
(
    UserID INT IDENTITY(1,1) NOT NULL,
```



```

    AssociateID VARCHAR(50) NULL,
    ClientID VARCHAR(50) NULL,
    [Application Name] VARCHAR(255) NULL,
    Access VARCHAR(50) NULL,
    FromDate VARCHAR(50) NULL,
    ToDate VARCHAR(50) NULL,
    CONSTRAINT PK_UsersToolAccess_UserID PRIMARY KEY (UserID)
);
GO

-- Cycles
CREATE TABLE dbo.Cycles
(
    CycleID INT IDENTITY(1,1) NOT NULL,
    CycleName NVARCHAR(100) NOT NULL,
    StartDate DATE NULL,
    EndDate DATE NULL,
    DueDate DATE NULL,
    CONSTRAINT PK_Cycles_CycleID PRIMARY KEY (CycleID)
);
GO

-- ToolCycleAttestation, normalized cycle design
CREATE TABLE dbo.ToolCycleAttestation
(
    CycleID INT NOT NULL,
    AssociateID VARCHAR(50) NOT NULL,
    ClientID VARCHAR(50) NOT NULL,
    ToolID INT NOT NULL,
    UsedThisCycle BIT NULL,
    AttestationStatus NVARCHAR(50) NOT NULL CONSTRAINT DF_ToolCycleAttestation_Status DEFAULT ('Pending'),
    Remarks NVARCHAR(500) NULL,
    SubmittedAt DATETIME NULL,
    CONSTRAINT PK_ToolCycleAttestation PRIMARY KEY (CycleID, AssociateID, ClientID, ToolID),
    CONSTRAINT FK_ToolCycleAttestation_Cycles FOREIGN KEY (CycleID) REFERENCES dbo.Cycles (CycleID)
);
GO

-- AttestationLogs
CREATE TABLE dbo.AttestationLogs
(
    LogID INT IDENTITY(1,1) NOT NULL,
    CycleID INT NOT NULL,
    AssociateID VARCHAR(50) NOT NULL,
    SubmittedAt DATETIME NOT NULL,
    ToolCount INT NOT NULL,
    Summary NVARCHAR(100) NULL,
    CONSTRAINT PK_AttestationLogs_LogID PRIMARY KEY (LogID),
    CONSTRAINT FK_AttestationLogs_Cycles FOREIGN KEY (CycleID) REFERENCES dbo.Cycles (CycleID)
);
GO

-- LoginLogs
CREATE TABLE dbo.LoginLogs
(
    LoginLogID INT IDENTITY(1,1) NOT NULL,
    AssociateID VARCHAR(50) NULL,
    LoginTime DATETIME NOT NULL,

```

```

        Status NVARCHAR(50) NOT NULL,
        CONSTRAINT PK_LoginLogs_LoginLogID PRIMARY KEY (LoginLogID)
    );
GO

-- SuperUsers
CREATE TABLE dbo.SuperUsers
(
    SuperUserID INT IDENTITY(1,1) NOT NULL,
    AssociateID VARCHAR(50) NOT NULL,
    RoleName VARCHAR(50) NOT NULL,
    Department VARCHAR(150) NOT NULL,
    AccessLevel VARCHAR(50) NULL,
    IsActive VARCHAR(10) NOT NULL DEFAULT 'TRUE',
    CreatedOn DATETIME NOT NULL DEFAULT GETDATE(),
    CreatedBy VARCHAR(50) NULL,
    CONSTRAINT PK_SuperUsers_SuperUserID PRIMARY KEY (SuperUserID),
    CONSTRAINT UQ_SuperUsers_Associate_Role_Department UNIQUE (AssociateID, RoleName, Department)
);
GO

-- IFHGFHMapping
CREATE TABLE dbo.IFHGFH

Mapping
(
    ID INT IDENTITY(1,1) NOT NULL,
    Area VARCHAR(150) NULL,
    IFH VARCHAR(150) NULL,
    GFH VARCHAR(150) NULL,
    CONSTRAINT PK_IFHGFHMapping_ID PRIMARY KEY (ID)
);
GO

```

Appendix B - Source Snapshots

The following images are the screenshots used as source references. They are included so the document is auditable instead of relying on sacred spreadsheet folklore.

Users initial screenshot

A	B	C	D	E	F	G	H
AssociateId	FirstName	LastName	EMailAddr	PrimaryLocationId	UserName	ManagerId	Department
173926	Praveen	Kalapurayil	Praveen.Kalapurayil@broadridge.com	NWK	KalapurayilP	352116	DTC Settlements
173935	Gurpreet	Kaur	gurpreet.kaur@broadridge.com	NWK	KaurG	343522	International
178371	Shruti	Chitneni	Shruti.X.Chitneni@broadridge.com	NWK	ChitneniS	173935	International
179528	Paul	Arndt	Paul.Arndt@broadridge.com	NWK	ArndtP	186052	Reorg
179555	Robert	Bishop	Robert.Bishop@broadridge.com	NY	BishopR	186062	Reorg
179568	Dennis	Brannick	Dennis.Brannick@broadridge.com	NWK	BrannickD	357023	Money/Mutual Funds

Clients screenshot

ClientID	ClientName	ClientDesc	CurrentState	Tier
0039	 Alliance Bernstein	Alliance Bernstein	Active	Tier 2
0010	Apex	Apex Clearing	Active	Tier 1
0293	Barclays	Barclays Capital	Active	Tier 1
0222	Barclays	LNBR	Active	Tier 1
0224	Barclays	Barclays PLC	Active	Tier 1
0529	BBVA	BBVA	Active	Tier 2
0368	BBVA	BBVA	Active	Tier 2
0074	Beta	Beta Capital Securities, LLC	Active	Tier 2
0068	BMO	BMO	Active	Tier 1
0084	BMO	BMO	Active	Tier 1
0044	CIBC 044	CIBC 044	Active	Tier 1
0001	CIBC	CIBC	Active	Tier 1
0066	CIBCCA	CIBC CANADA	Active	Tier 1
0073	ICBC	Industrial and commercial bank of China Financial services LLC	Active	Tier 2
0302	ING	ING	Active	Tier 2
0102	ING	ING	Active	Tier 2
3737	Jane Street	Jane Street	Active	Tier 2
0032	Jefferies	Jefferies	Active	Tier 1
0015	Macquarie	Macquarie Capital	Active	Tier 2
0314	Marex	Marex	Active	Tier 2

ClientTools screenshot

A	B
ClientID	Application Name
0039	BDC
0039	Security IDs
0039	BPS
0039	Mailbox
0039	BOSS
0010	BPS
0010	FICC
0010	IMPACT
0010	Web Connect

UsersToolAccess screenshot

A	B	C	D	E	F
Associate ID	ClientID	Application Name	Access	FromDate	Todate
353582	0039	ADP Postedge	FALSE	1/1/2026	1/31/2031
353582	0039	BDC	TRUE	1/1/2026	1/31/2031
353582	0039	BOSS	FALSE	1/1/2026	1/31/2031
353582	0039	BPS	FALSE	1/1/2026	1/31/2031
353582	0039	Bony	FALSE	1/1/2026	1/31/2031
353582	0039	IMPACT	FALSE	1/1/2026	1/31/2031
353582	0039	Mailbox	FALSE	1/1/2026	1/31/2031
353582	0039	NEXFN/BNY FRR REPORTING	FALSE	1/1/2026	1/31/2031

Attestation design screenshot

Table	Primary Key	Columns
ClientTools	(ClientID, ToolID) composite	ToolName nvarchar(200) NOT NULL
UserToolAccess	(AssociateId, ClientID, ToolID) composite	Tier nvarchar(50) NOT NULL ("Primary"/"Secondary"), AccessFrom date NOT NULL, AccessTo date null (null — still active), GrantedBy int null (FK → Users)
Cycles	CycleID int IDENTITY	CycleName nvarchar(100) NOT NULL, StartDate date, EndDate date, DueDate date
ToolCycleAttestation	(CycleID, AssociateId, ClientID, ToolID) composite	UsedThisCycle bit null, AttestationStatus nvarchar(50) NOT NULL (default 'Pending'), Remarks nvarchar(500) null, SubmittedAt datetime null
AttestationLogs	LogID int IDENTITY	CycleID int FK, AssociateId int FK, SubmittedAt datetime NOT NULL, ToolCount int NOT NULL, Summary nvarchar(1000) — written when Sub- mit All fires
LoginLogs	LoginLogID int IDENTITY	AssociateId int null (FK, nullable — captures failed logins too), LoginTime datetime NOT NULL, Status nvar- char(50) NOT NULL ("Success" / "UserNotFound")

IFH GFH Mapping screenshot

	A	B	C	D
1	Area	IFH	GFH	
2	Admin	Pankaj	Satminder Kaur	
3	Asset Management	Manish	John Whittle	
4	Asset Transfer	Elango	John Whittle	
5	BIA	Manish	John Whittle	
6	Business Continuity	Pankaj	Satminder Kaur	
7	Client Relations	Elango	Gurpreet Kaur	
8	Complaints Management	Elango	John Whittle	
9	Data Management	Pankaj	Satminder Kaur	
10	Dividend	Manohar	Frank Conti	
11	DTC Settlements	Shankar	Brian Hayes	
12	Government Settlement	Shankar	Brian Hayes	
13	International	Tilak	Gurpreet Kaur	
14	Margin	Manish	John Whittle	
15	Money/Mutual Funds	Elango	John Whittle	
16	New Accounts	Elango	John Whittle	
17	Options / CNF	Manish	John Whittle	
18	PNI	Manohar	Frank Conti	
19	PNS	Manish	John Whittle	
20	Recon	Lakshmi	Satminder Kaur	
21	Regulatory Reporting	Elango	Charles Sax	
22	Reorg	Manohar	Frank Conti	
23	Risk	Pankaj	Satminder Kaur	
Mapping +				
READY				