

Day 1 Lab Summary


Completed Docker basic labs focused on container management and image handling. Learned how to:

- Verify Docker installation
- Run and stop containers
- Inspect running and stopped containers
- Manage Docker images
- Remove containers and images
- Use Linux command-line filters like grep, wc, and tail
- Understand Docker container lifecycle
- Perform cleanup operations

Main commands practised:

```
docker -v
docker ps
docker images
docker run
docker stop
docker rm
docker rmi
```

1)



QUESTION 2 OF 17

2

3

1

0

How many containers are running on this host?

```
~ → docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
~ →						

QUESTION 3 OF 17

Preview only — answers can't be changed or retried here.

How many `images` are available on this host?

1

0

9

BACK TO CURRENT QUESTION

[← Previous](#) [Next →](#)

```
~ → docker images

REPOSITORY          TAG          IMAGE ID      CREATED      SIZE
mysql                latest       f6b0ca07d79d 7 months ago 934MB
postgres             latest       a38f9f77ff88 7 months ago 456MB
alpine               latest       706db57ff206 7 months ago 8.32MB
nginx                latest       5e7abcedd2021 7 months ago 52.7MB
nginx                latest       657fddc1c365 7 months ago 152MB
redis                latest       466e5b1da2ef 7 months ago 137MB
ubuntu               latest       97bed23a3497 7 months ago 78.1MB
kodekloud/simple-webapp-mysql latest       129dd9f67367 7 years ago 96.6MB
kodekloud/simple-webapp latest       c6e3cd9aae36 7 years ago 84.8MB

~ → docker images | tail -n +2 | wc -l
9

~ →
```

Task

Hint

AI Assistant

53:04

QUESTION 4 OF 17

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

Run a container using the `redis` image

NOTE: Run the container in detached mode if you don't want the container to take over your current terminal. This allows your terminal to remain free for other commands, or you can open a new terminal to run the command.

Check

Next

Image: redis

Previous

Next

Terminal 1

Stop Lab

```
~ ➔ docker run -d redis
9c8c5ace0289cd1160440bf26b30ebab5072fd13a1a1a5cd209e0b755510e

~ ➔
```

Task

Hint

AI Assistant

51:43

QUESTION 5 OF 17

Stop the container you just created

Check

Next

Container Stopped

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS
9c0c5acee289   redis    "docker-entrypoint.s..." About a minute ago Up About a minute 6379/tcp
pedantic_gould

~ → docker stop 9c
9c

~ →
```

Task

Hint

AI Assistant

50:56

QUESTION 6 OF 17

How many containers are **RUNNING** on this host now?

3

1

0

2

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS     NAMES
0

~ → docker ps | tail -n +2 | wc -l
0

~ →
```

Task

Hint

AI Assistant

50:15

QUESTION 7 OF 17

How many containers are **RUNNING** on this host now?

We just created a few.

0

4

3

2

1

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS
6bb05c43c600   alpine    "sleep 1000"            28 seconds ago Up 28 seconds
quizzical_payne
2e65fb890715   nginx:alpine "/docker-entrypoint..." 29 seconds ago Up 28 seconds 80/tcp
nginx-2
7796e0f85fb9   nginx:alpine "/docker-entrypoint..." 30 seconds ago Up 29 seconds 80/tcp
nginx-1
bd1b8ee84a39   ubuntu    "sleep 1000"            30 seconds ago Up 30 seconds
awesome_northcut

~ → docker ps | tail -n +2 | wc -l
4

~ →
```

TaskHintAI Assistant

49:12

QUESTION 8 OF 17

Preview only — answers can't be changed or retried here.

How many containers are **PRESENT** on the host now?

Including both **Running** and **Not Running** ones

1

0

4

3

6

BACK TO CURRENT QUESTION

PreviousNext

Terminal 1

```
~ → docker ps -a
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS
PORTS         NAMES
0e3859be5f93   alpine     "/bin/sh"               About a minute ago    Exited (0) About a minute ago
6bb05c43c660   agitated_colden   alpine     "sleep 1000"         About a minute ago    Up About a minute
                quizzical_payne
2e65fb890715   nginx:alpine "/docker-entrypoint..." About a minute ago    Up About a minute
80/tcp        nginx-2
7796e0f85fb9   nginx:alpine "/docker-entrypoint..." About a minute ago    Up About a minute
80/tcp        nginx-1
bd1b8ee84a39   ubuntu     "sleep 1000"           About a minute ago    Up About a minute
                awesome_northcut
9c0c5acee289   redis      "docker-entrypoint.s..." 3 minutes ago        Exited (0) 2 minutes ago
                pedantic_gould

~ → docker ps -a | tail -n +2 | wc -l
6

~ →
```

TaskHintAI Assistant

48:04

QUESTION 9 OF 17

What is the image used to run the **nginx-1** container?

nginx

nginx.v2

alpine

nginx:1

nginx:alpine

Terminal 1

```
~ → docker ps -a | grep nginx
2e65fb890715   nginx:alpine "/docker-entrypoint..." 2 minutes ago    Up 2 minutes    80/tcp
nginx-2
7796e0f85fb9   nginx:alpine "/docker-entrypoint..." 2 minutes ago    Up 2 minutes    80/tcp
nginx-1

~ →
```

TaskHintAI Assistant

48:56

QUESTION 10 OF 17

What is the name of the container created using the **ubuntu** image?

eager_romanticjan

nginx-1

silly_kismet

awesome_northcut

Terminal 1

```
~ → docker ps -a | grep ubuntu
bd1b8ee84a39   ubuntu     "sleep 1000"           3 minutes ago    Up 3 minutes
                awesome_northcut

~ →
```

QUESTION 11 OF 17

Preview only — answers can't be changed or refilled here.

What is the `ip` of the container that uses the `alpine` image and is `not running`?

133e238a8f1c87f68a8fc727950396a55d9f9c0504a
63957b57cd8a8c2ba84

0e3859be5f934810b48c1338ac53f989fa8115df2a67d
a89c855e1a605b423

E7040ed7bdc52078c258112fa267402810e1b6ae92e
a0f531cd363af29c790e

BACK TO CURRENT QUESTION

PreviousNext

```
➔ docker ps -a | grep alpine
0e3859be5f93 alpine "/bin/sh" 4 minutes ago Exited (0) 4 minutes ago
agitated_colden 68b9c43c660 alpine "sleep 3000" 4 minutes ago Up 4 minutes
quizzical_payne 2a65fb080715 nginx:alpine "/docker-entrypoint..." 4 minutes ago Up 4 minutes 80/tcp
nginx-2 7796e0f85fb9 nginx:alpine "/docker-entrypoint..." 4 minutes ago Up 4 minutes 80/tcp
nginx-1
```

```
➔
```

QUESTION 12 OF 17

What is the state of the stopped `alpine` container?

COMPLETED

EXITED

STOPPED

STARTED

RUNNING

PreviousNext

```
➔ docker ps -a | grep alpine
0e3859be5f93 alpine "/bin/sh" 4 minutes ago Exited (0) 4 minutes ago
agitated_colden 68b9c43c660 alpine "sleep 3000" 4 minutes ago Up 4 minutes
quizzical_payne 2a65fb080715 nginx:alpine "/docker-entrypoint..." 4 minutes ago Up 4 minutes 80/tcp
nginx-2 7796e0f85fb9 nginx:alpine "/docker-entrypoint..." 4 minutes ago Up 4 minutes 80/tcp
nginx-1
```

```
➔
```

QUESTION 13 OF 17

Delete all containers from the Docker Host.

Both `Running` and `Not Running` ones. Remember you may have to stop containers before deleting them.

Check

Next

All containers deleted

```
➔ docker rm -f $(docker ps -aq)
0e3859be5f93
68b9c43c660
2a65fb080715
7796e0f85fb9
bd1b8ee84a39
9c0c5ace0289
```

```
➔
```

TaskHintAI Assistant43:41

QUESTION 14 OF 17

Progress bar

Delete the `ubuntu` image.

Check

Next →

✔ `ubuntu` image deleted

Terminal 1

```
~ → docker images
REPOSITORY          TAG                 IMAGE ID            CREATED             SIZE
mysql                latest             f686ca05d79d       7 months ago       935MB
postgres             latest             a3899f77f988       7 months ago       450MB
alpine               latest             706da57fb206       7 months ago       8.32MB
nginx                latest             657fcd01c365       7 months ago       15.2MB
nginx                alpine            5c72ac8d2021       7 months ago       52.7MB
redis                latest             46a6eb1d62e6       7 months ago       13.9MB
ubuntu               latest             97aed33e3497       7 months ago       78.3MB
karakulov/simple-webapp-mysql latest             129dd995c7362     7 years ago        96.6MB
karakulov/simple-webapp latest             c7c6c0f8a636       7 years ago        84.8MB

~ → docker rmi -f ubuntu
Untagged: ubuntu:latest
Deleted: sha256:97aed33e349797804e6d254abb67a73a8772388d1f494834779c4d4a84f86
Deleted: sha256:073ec47db32b4a88a675d799c9ef2f36de843685d30b1b6f6d3395f5a6c

~ →
```

TaskHintAI Assistant43:03

QUESTION 15 OF 17

Progress bar

You are required to pull a docker image which will be used to run a container later. Pull the image `nginx:1.14-alpine`.

Only pull the image, do not create a container.

Check

Next →

✔ Image pulled

Terminal 1

```
~ → docker pull nginx:1.14-alpine
1.14-alpine: Pulling from library/nginx
ba9001b3a09: Pull complete
3d0e573c8fcd: Pull complete
8129fa2b66: Pull complete
34c99f57d0af: Pull complete
Digest: sha256:4038618f9fac7ff6c463cad9621114a94d57a3948b3c98d7e53a47fbd38d37
Status: Downloaded newer image for nginx:1.14-alpine
docker.io/library/nginx:1.14-alpine

~ →
```

TaskHintAI Assistant42:09

QUESTION 16 OF 17

Progress bar

Run a container using the image name `nginx:1.14-alpine` (not the image ID) and name it `webapp`.

Check

☐ Container created

☐ Name: webapp

Terminal 1

```
~ → docker run -d --name webapp nginx:1.14-alpine
64ae5997f764787a79b7ef0daea77c0d5457f4c8b054992cd4c70ff37a7d2

~ →
```

Labs: Basic Docker CommandsREPORT AN ISSUE

TaskHintSolutionAI Assistant40:40

QUESTION 17 OF 17

Progress bar

Cleanup: Delete all images on the host

Remove containers as necessary

Check

Next →

✔ Remove all images

Terminal 1

```
~ → docker rm -f $(docker ps -aq)
64ae5997f764

~ → docker rmi -f $(docker images)
Untagged: mysql:latest
Untagged: mysql@sha256:569c4128dfa625ac2ac62cdd8af588a3a6a60a049d1a8d8f0fac95880ecdbbe5
Deleted: sha256:f6b0ca07d79d7d19c8da64558c3cdd4ea635ac2193f551a1cb5370f33b494e8
Deleted: sha256:22ef7ea60fab35085352ae2948a44aed0d8e5ed5314d03c2197bc7d2f39f7acc
Deleted: sha256:f79c2a7c92eca3a6e4fb1dca0426bd84bee0bc1f76722f2e2fa52fb7ef72fe
Deleted: sha256:ce50c8b7f223646b11db7b5e285508119b3355f4a5bf4aa0b6fe80df2a70a18
Deleted: sha256:224e2d4ed386879e3631fee574742b707189b0e4d09e4d9c316131a9a61740
Deleted: sha256:54eeb2ae7c2a084c50422ec7ab05f9bd45a379b01c344a805da816fa969159
Deleted: sha256:7ddfed6a95dd4183145423499b92640acc19e40e09a7da6f554f533c1688e4f
Deleted: sha256:75a644825b21613a9ee371fccf0788d1c2b7f4ae26259f7c562a81995bdf
Deleted: sha256:7f73c7c0e2954674ff7437f3deff246727e7b49ec55d2d236a37f2f441c313b
Deleted: sha256:a14875b5624cb4d89c24a4bd2321a279fed3132c85dac606382c73a8fae66f7a
Deleted: sha256:827b99c091a57f0fc1ad0a026084fa9335638ba911267b9764a85b991077a0da
Untagged: alpine:latest
Untagged: alpine@sha256:4b7ce07002c69e8f3d704a9c5d6fd3053be500b7f1c69fc0d8090c2ad8dd412
Deleted: sha256:706db57b2063f39f69632c5b5c9c439633fda35110e65587c5d85553fd1cc38
Untagged: postgres:latest
```

Day 2 Lab Summary

Completed Docker networking and container deployment labs. Learned how to:

- Inspect published ports
- Understand host vs container networking
- Map ports between host and container
- Deploy web applications inside containers
- Use formatted Docker output
- Analyze container networking configurations

Main commands practiced:

`docker ps --format`

`docker run -p`

`grep`

`sort`

`wc`

Key concept learned:

- Docker port publishing and container networking architecture.

The screenshot shows a lab interface with a question on the left and a terminal on the right.

QUESTION 1 OF 6

Preview only — answers can't be changed or retried here.

Let us first inspect the environment. How many containers are running on this host?

0

3

2

1

BACK TO CURRENT QUESTION Previous Next

Terminal 1

Welcome to the KodeKloud Hands-On Lab

ALL RIGHTS RESERVED

```
> docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED     STATUS      PORTS
d982de600ebf   nginx:alpine "/docker-entrypoint..." 2 minutes ago Up 2 minutes 0.0.0.0:3456->3456/tcp, :::3456->3456/tcp, 0.0.0.0:38080->80/tcp, :::38080->80/tcp clever_maxwell

~> docker ps | tail -n +2 | wc -l
1

~>
```

Task

Hint

AI Assistant

55:56

QUESTION 2 OF 6

What is the image used by the container?

ubuntu

redis

nginx:alpine

tomcat

nginx

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS
d982de600ebf   nginx:alpine  "/docker-entrypoint..." 3 minutes ago  Up 3 minutes  0.0.0.0:3456->3456/tcp
, :::3456->3456/tcp, 0.0.0.0:38080->80/tcp, :::38080->80/tcp  clever_maxwell

~ →
```

Task

Solution

AI Assistant

52:52

QUESTION 3 OF 6

How many unique ports are published on this container (count each port only once even if it appears for IPv4 and IPv6)?

3

2

1

0

4

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS
d982de600ebf   nginx:alpine  "/docker-entrypoint..." 6 minutes ago  Up 6 minutes  0.0.0.0:3456->3456/tcp
, :::3456->3456/tcp, 0.0.0.0:38080->80/tcp, :::38080->80/tcp  clever_maxwell

~ → docker ps --format '{{.Ports}}' | grep -oE '[0-9]+/tcp|[0-9]+/udp' | sort -u | wc -l
2

~ → docker ps --format '{{.Ports}}' | grep -oE '[0-9]+/tcp|[0-9]+/udp' | sort -u
3456/tcp
80/tcp

~ →
```

Task

Hint

AI Assistant

47:00

QUESTION 4 OF 6

Preview only — answers can't be changed or retried here.

Which of the following ports are mapped on the container side (i.e., exposed inside the container)?

3456 & 3456

3456 & 80

22 & 3456

80 & 8080

Previous

Next

Terminal 1

```
~ → docker ps
CONTAINER ID   IMAGE      COMMAND                  CREATED        STATUS        PORTS
d982de600ebf   nginx:alpine  "/docker-entrypoint..." 11 minutes ago  Up 11 minutes  0.0.0.0:3456->3456/t
cp, :::3456->3456/tcp, 0.0.0.0:38080->80/tcp, :::38080->80/tcp  clever_maxwell

~ → docker ps --format '{{.Ports}}' | grep -oE '>[0-9]+'
>3456
>3456
>80
>80

~ → docker ps --format '{{.Ports}}' | grep -oE '>[0-9]+' | sort -u
>3456
>80

~ → docker ps --format '{{.Ports}}' | grep -oE '>[0-9]+' | sort -u | wc -l
2

~ →
```


Task

Hint

AI Assistant

45:29

QUESTION 5 OF 6

Preview only — answers can't be changed or retried here.

Which of the below ports are published on `Host`?

3456 & 80

3456 & 3456

38080 & 3456

22 & 3456

80 & 80

BACK TO CURRENT QUESTION

Previous

Next

Terminal 1

HOST:38282

Stop Lab

```
~ → docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	NAMES	STATUS	PORTS
d982de609ebf	nginx:alpine	"/docker-entrypoint..."	13 minutes ago	Up 13 minutes	0.0.0.0:3456->3456/tcp	
cp,	:::3456->3456/tcp	0.0.0.0:38080->80/tcp	:::38080->80/tcp	clever_maxwell		

```
~ → docker ps --format "{{.Ports}}" | grep -oE ':[0-9]+'
```

```
:3456
:3456
:38080
:38080
```

```
~ → docker ps --format "{{.Ports}}" | grep -oE ':[0-9]+' | sort -u
```

```
:3456
:38080
```

```
~ →
```

Task

Hint

AI Assistant

35:28

QUESTION 6 OF 6

Run an instance of `kodekloud/simple-webapp:blue` and name the container `blue-app`, mapping port `8080` on the container to port `38282` on the host

Check

Next

Is the blue-app container running?

Is the blue-app utilizing the image: kodekloud/simple-webapp:blue?

Is the application exposed on Container Port 8080?

Is the application exposed on Host Port 38282?

Terminal 1

HOST:38282

Stop Lab

```
~ → docker rm -f blue-app
```

```
blue-app
```

```
~ → docker run -d --name blue-app -p 38282:8080 kodekloud/simple-webapp:blue
```

```
ac60b4140d91cf7d627c38e8228c3eff3e9661f1ac21aaa207b40c6d69905dbc
```

```
~ →
```