

KNOWN PROJECT ENVELOPE

Length 6200 | Span 5400 | Wing planform approx. 11 m2 | Four lift modules

Module circles show equal-area 1.20 m2 placeholders only; final duct geometry is TBD.

5400 OVERALL SPAN

SIDE-BY-SIDE COCKPIT

ENERGY SLED ENVELOPE 1450 x 1050

CRTFE V5 - BLUE-PENCIL GRAPH DRAWING

GENERAL ARRANGEMENT - TOP VIEW

SCALE 1:20

UNITS: mm unless noted

SHEET 1/3

REV P0 - 2026-08-23


CONCEPT GENERAL ARRANGEMENT - NOT A FABRICATION DRAWING - VERIFY ALL GEOMETRY BY CAD / LOADS / TEST

6200 OVERALL LENGTH

SIDE VIEW
REFERENCE STATIONS (PRELIMINARY PACKAGING)

Nose/avionics ~1200 | Cockpit ~1300 | Central battery/power bay ~1600 | Cryogenic/thermal ~1100 | Aft structure ~1000

Station lengths are conceptual envelopes, not production bulkhead locations.



CRTFE V5 - BLUE-PENCIL GRAPH DRAWING

GENERAL ARRANGEMENT - SIDE AND FRONT VIEWS

SCALE 1:20

UNITS: mm unless noted

SHEET 2/3

REV P0 - 2026-08-23


CONCEPT GENERAL ARRANGEMENT - NOT A FABRICATION DRAWING - VERIFY ALL GEOMETRY BY CAD / LOADS / TEST

DIMENSION STATUS

Released project values: sled envelope 1450 x 1050 x 340 max; vehicle battery system allowance 120 kg.

Layer thicknesses shown are visual study allocations only and are NOT released dimensions.

Fastener spacing, bolt-hole coordinates, laminate schedules, vent area, seals and connector locations remain TBD by engineering.



CRTFE V5 - BLUE-PENCIL GRAPH DRAWING

ENERGY SLED AND MULTI-LAYER KEEL SHIELD

SCALE 1:5

UNITS: mm unless noted

SHEET 3/3

REV P0 - 2026-08-23