

```
    valid_lft 84207sec preferred_lft 84207sec
    inet6 fe80::a00:27ff:fe74:9906/64 scope link noprefixroute
    valid_lft forever preferred_lft forever
[root@localhost dir]# cd /
[root@localhost /]# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:74:99:06 brd ff:ff:ff:ff:ff:ff
    inet 192.168.0.108/24 brd 192.168.0.255 scope global dynamic noprefixroute enp0s3
        valid_lft 84186sec preferred_lft 84186sec
    inet6 fe80::a00:27ff:fe74:9906/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
[root@localhost /]# history
 1  yum install nfs-utils
 2  yum install firewalld
 3  systemctl enable nfs-utils
 4  systemctl enable firewalld
 5  systemctl start nfs-utils
 6  systemctl status nfs-utils
 7  systemctl status firewalld
 8  cd /
 9  mkdir nfshare
10  vi /etc/exports
11  mkdir dir
12  vi /etc/exports
13  exportfs -avr
14  firewall-cmd --permanent --add-service=nfs
15  firewall-cmd --permanent --add-service=rpc-bind
16  firewall-cmd --permanent --add-service=mountd
17  firewall-cmd --reload
18  systemctl restart nfs-server
19  cd dir
20  touch apple.txt
21  touch grapes.txt
22  vi apple.txt
23  ls -ltrh
24  ip a
25  cd /
26  ip a
27  history
[root@localhost /]#
```

```
root@serverb:/  
/dev/sda1          960M  347M  614M  37% /boot  
tmpfs              178M   96K  178M   1% /run/user/1000  
192.168.0.108:/dir  17G   5.6G   12G  34% /newdir  
[root@serverb /]# history  
 1 yum install nfs-utils  
 2 yum install firewalld  
 3 systemctl enable firewalld  
 4 systemctl start firewalld  
 5 systemctl start nfs-utils  
 6 systemctl status nfs-utils  
 7 systemctl status firewalld  
 8 showmount -e 192.168.0.103  
 9 showmount -e 192.168.0.108  
10 cd /  
11 mkdir newdir  
12 mount -t nfs 192.168.0.108:/dir /newdir  
13 cd newdir  
14 ls -ltrh  
15 cat apple.txt  
16 cd /  
17 vi etc/fstab  
18 df -h  
19 history  
[root@serverb /]#
```