








Quick Work
Page No.:
Date:
M T W T F S S

Ex: No. 8 a)


Nmap Live Host & Discovery using ARP, ICMP, TCP, and UDP


Aim:


To discover live hosts using Nmap Scans such as ARP, ICMP, TCP and UDP on the TryHackMe platform.


Algorithm:

1. Open the TryHackMe platform and access the Nmap Live Host Discovery room.
2. Study the concept of live host discovery before performing network scanning.
3. Start with an ARP scan to identify live hosts in the local network.
4. Observe the ARP requests and responses from the target hosts.
5. Perform an ICMP scan to check whether the target system respond to ICMP requests
6. Compare the results obtained from ARP, ICMP, TCP, and UDP host-discovery methods
7. Record the live host identified by Nmap and study the scan result.

























Result: Thus the live hosts were successfully discovered using ARP, ICMP, TCP, and UDP scanning techniques in Nmap

Date:
M T W T F S S





EX:NO: 8(b)

Quick Work
Page No.:
Date:
M T W T F S S

CONFIGURATION OF WIRELESS LAN USING CISCO PACKET TRACER.

Aim:

To design and configure a wireless LAN using Cisco Packet Tracer with Three PCs connected to a Linksys Wireless Router.

ALGORITHM:

1. Open Cisco Packet Tracer and create a new workspace.
2. place a Linksys Wireless Router and 3 PCs
3. Configures the router with the required network Settings.
4. Set the wireless SSID as mother network.
5. configure WEP Security for the wireless network.
6. open the wireless settings of the first PC and select mother network.
7. Repeat the same configuration for the other two PCs.
8. Verify that all three PCs are connected to the wireless network.
9. Test communication between the connected PCs

Result:

Thus, the wireless LAN was Successfully Configured using Cisco Packet Tracer with Three PCs connected to the Linksys