

UnifAI Configuration

This guide explains UnifAI settings — **what each one means** and what you should put.

Main file: `.env` (copy from `.env.example`).

```
cp .env.example .env
```

Never put real passwords in Git. Keep secrets only in `.env` on the server.

1. What is configuration?

Item	Meaning
<code>.env</code>	Master settings for your company UnifAI server
<code>configs/config.json</code>	App settings (MCP catalog path, etc.)
<code>configs/mcp-library.json</code>	List of MCP servers shown in the UI
<code>data/</code>	Runtime files UnifAI creates while running

You usually only edit `.env`. Other files stay as shipped unless support tells you to change them.

2. Website and ports — what they mean

Setting	What it means	Example
<code>SERVER_DOMAIN</code>	Public web address users open for UnifAI	<code>https://unifai.yourcompany.com</code>
<code>APP_PORT</code>	Port UnifAI listens on inside the server	<code>8081</code>
<code>APP_HOST</code>	Network bind. <code>0.0.0.0</code> = allow outside connections	<code>0.0.0.0</code>
<code>PROXY_PORT</code>	Port for optional office network Guard proxy	<code>8082</code>

Simple rule: `SERVER_DOMAIN` must be the HTTPS URL people type in the browser. That URL must reach port `8081`.

3. Database — what they mean

Setting	What it means	Example
<code>DB_TYPE</code>	Which database engine you use	<code>postgres</code> (recommended)
<code>DB_HOST</code>	Where the database computer is	<code>db.yourcompany.com</code>
<code>DB_PORT</code>	Port number of the database	<code>5432</code>
<code>DB_NAME</code>	Name of the UnifAI database	<code>unifai</code>
<code>DB_USER</code>	Database login username	<code>unifai</code>
<code>DB_PASSWORD</code>	Database login password	<code>*(secret)*</code>
<code>DB_SSL_MODE</code>	Encrypt connection to database?	<code>disable</code> or <code>require</code>

Simple rule: Create an empty database first. UnifAI fills tables when it starts.

Other allowed `DB_TYPE` values: `mysql`, `mariadb`, `sqlite`.

4. Admin login — what they mean

Setting	What it means	Example
ADMIN_EMAIL	First administrator email (first login)	admin@yourcompany.com
ADMIN_PASSWORD	First administrator password	*(strong password)*

Simple rule: After first login, change this password in the product if your process requires it.

5. AI helper (Ollama) — what it means

Setting	What it means	Example
OLLAMA_URL	Address of your Ollama / local LLM service (Guard Bot)	http://host.docker.internal:11434

Simple rule: If you do not use Guard Bot / Ollama yet, still set a valid URL or leave your engineer's value. UnifAI maps this to BROWSER_AI_OLLAMA_URL inside Docker.

6. Logs — what they mean

Setting	What it means	Suggested value
LOG_LEVEL	How much detail in logs: debug, info, warn, error	info
LOG_STYLE	Log format: json (production) or console (dev)	json
APP_DIR	Folder inside container for runtime data	/app/data

7. MCP catalog — what it means

Setting / file	What it means
configs/mcp-library.json	Catalog of MCP servers shown in MCP Library
mcp_library_url in configs/config.json	Where UnifAI loads that catalog from

Correct value:

file:///app/configs/mcp-library.json

Simple rule: Do not use old remote URLs that no longer work. After change, open MCP Library in UI and run **Force Sync**.

8. Optional — network Guard proxy

Only if you use the shared office proxy container:

Setting	What it means
PROXY_PORT	Port browsers use for the shared proxy (default 8082)
Compose service unifai_brower_proxy	The shared network Guard process

Laptop Guard on each PC uses its own local settings (backend_url, local port 8085) — that is separate from this .env file. See the Windows Guard guide.

9. After you change settings

- Save .env
- Restart UnifAI:

docker compose up -d --force-recreate zen_gauss_v1

- Check:

Check	Meaning of success
Open SERVER_DOMAIN/health	Server is up
Login with admin email/password	Admin settings are correct
Database errors gone in logs	Database settings are correct

Quick map

Group	Settings
Website	SERVER_DOMAIN, APP_PORT, APP_HOST
Database	DB_TYPE, DB_HOST, DB_PORT, DB_NAME, DB_USER, DB_PASSWORD, DB_SSL_MODE
Admin	ADMIN_EMAIL, ADMIN_PASSWORD
AI helper	OLLAMA_URL
Logs	LOG_LEVEL, LOG_STYLE, APP_DIR
Optional proxy	PROXY_PORT

That is the configuration you need to understand for hosting UnifAI.