

UnifAI Server Hosting

This guide shows how to put UnifAI on your server and check that it works.

Before you start

You need these ready:

You need	Meaning
A server with Docker	Docker and Docker Compose installed
A PostgreSQL database	Empty database + username + password
A website address (HTTPS)	Example: <code>https://unifai.yourcompany.com</code>
This UnifAI project folder	On the server

Your website address must send traffic to port **8081** on that server.

Step 1 — Create settings

Run these in the project folder:

```
mkdir -p data
cp .env.example .env
```

Open the `.env` file and set these values:

Setting	What to type	Example
SERVER_DOMAIN	Your public UnifAI URL	<code>https://unifai.yourcompany.com</code>
APP_PORT	Keep as	<code>8081</code>
APP_HOST	Keep as	<code>0.0.0.0</code>
DB_TYPE	Keep as	<code>postgres</code>
DB_HOST	Database server address	<code>db.yourcompany.com</code>
DB_PORT	Database port	<code>5432</code>
DB_NAME	Database name	<code>unifai</code>
DB_USER	Database user	<code>unifai</code>
DB_PASSWORD	Database password	<code>*(your secret)*</code>
DB_SSL_MODE	Usually	<code>disable</code>
ADMIN_EMAIL	First login email	<code>admin@yourcompany.com</code>
ADMIN_PASSWORD	First login password	<code>*(strong password)*</code>
OLLAMA_URL	Local AI helper URL (if used)	<code>http://host.docker.internal:11434</code>
LOG_LEVEL	Keep as	<code>info</code>
LOG_STYLE	Keep as	<code>json</code>
APP_DIR	Keep as	<code>/app/data</code>

Also check:

File	Must be true
configs/mcp-library.json	File exists
configs/config.json	Contains mcp_library_url = file:///app/configs/mcp-library.json

If Docker Compose mentions 1panel-network, run this once:

```
docker network create 1panel-network
```

(Or ask your engineer to remove that network line from docker-compose.yml.)

Step 2 — Build and start UnifAI

```
docker build -f deploy/docker/Dockerfile.local -t unifai-local:latest .  
docker compose up -d zen_gauss_v1
```

Wait about 1–2 minutes for the first start.

Step 3 — Check it works

Replace your -domain with your real SERVER_DOMAIN.

Do this	You should see
Open https://your-domain/health	OK status in JSON
Open https://your-domain	UnifAI login page
Login with ADMIN_EMAIL / ADMIN_PASSWORD	Dashboard opens
Open https://your-domain/api/browser-ai/targets	JSON data (not a login HTML page)

Useful commands:

```
docker compose ps  
docker compose logs -f zen_gauss_v1
```

Step 4 — HTTPS (important)

Point	Detail
UnifAI listens on	Port 8081
Your job	Put SSL (HTTPS) in front with reverse proxy / 1Panel / load balancer
SERVER_DOMAIN	Must match the public HTTPS address users open

Step 5 — Stop or restart

Stop UnifAI:

```
docker compose stop zen_gauss_v1
```

Or remove containers (files stay):

```
docker compose down
```

After you change `.env`, restart like this:

```
docker compose up -d --force-recreate zen_gauss_v1
```

Note: this does **not** delete your PostgreSQL database.

Optional — office network Guard proxy

Only if your company uses a shared network proxy (not laptop Guard):

```
docker compose up -d unifai_broswer_proxy
```

Default proxy port: 8082.

Quick summary

1. Fill `.env`
2. Build and start
3. Open `/health` and login
4. Keep HTTPS in front of port 8081

That is all for server hosting.