

UnifAI — Windows Guard Implementation Guide

Version: 1.0

Date: 10 Sep 2026

Guard release: see `apps/browser-guard/release/VERSION.txt` (current: **1.6.21**)

Audience: Company IT · Desktop support · Employees

Scope: Install, upgrade, uninstall, verify Windows Guard

Related docs:

- Server → `SERVER\_IMPLEMENTATION.md`

- Config keys → `CONFIGURATION.md`

1. Overview

UnifAI Guard is a Windows desktop agent. It:

1. Connects to the company UnifAI server (`backend\_url`)
2. Runs a **local proxy** on this PC only: `127.0.0.1:8085`
3. Applies company **Target websites** and **rules**
4. Sends prompt/activity logs to Browser AI → **Prompt Logs**
5. Appears in Browser AI → **Guard Agents** as type **Laptop** (`endpoint`)

| Item | Value |

|-----|-----|

| Preferred package | `UnifAI\_Guard\_Setup.exe` |

| Portable package | `UnifAI\_Guard.exe` |

| Install folder | `%LOCALAPPDATA%\Programs\UnifAI\Guard\` |

| Runtime data / logs | `%LOCALAPPDATA%\UnifAI\Guard\` |

| Status page | `http://127.0.0.1:18085/` |

| Local proxy | `127.0.0.1:8085` |

| Log file | `%LOCALAPPDATA%\UnifAI\Guard\unifai\_guard.log` |

| CA status | `%LOCALAPPDATA%\UnifAI\Guard\ca\_install\_status.txt` |

Guard does **not** need Docker on the laptop and does **not** talk to the database directly.

2. Before you install (IT checklist)

Confirm the **server** is ready:

https://<SERVER_DOMAIN>/health

https://<SERVER_DOMAIN>/api/browser-ai/targets

https://<SERVER_DOMAIN>/api/browser-ai/rules

https://<SERVER_DOMAIN>/api/browser-ai/proxy.pac?proxy=127.0.0.1:8085

All must return **JSON** or **PAC text**, not the UnifAI HTML page.

Know your company values:

Item	Where
----- -----	
Backend URL	e.g. `https://unifaiv2.dev-yp.com`
Uninstall key	Browser AI → Setup (give to employees for uninstall)
Package version	Must match `release/VERSION.txt`

3. Install — employees (Setup EXE)

Steps

1. Get `UnifAI\_Guard\_Setup.exe` from IT or UnifAI **Download Setup ZIP**.
 2. Close old Guard if present: Task Manager → end **all** `UnifAI\_Guard.exe`.
 3. Run **UnifAI_Guard_Setup.exe**.
 4. Keep **"Start automatically at Windows login"** checked (recommended).
 5. Finish the wizard — Guard starts in the background (no black console window required).
 6. Open `http://127.0.0.1:18085/`
 - Version = `VERSION.txt`
 - Proxy port healthy
 7. Ask IT to confirm Browser AI → Guard Agents shows your PC **Active** with the same version.
 8. Fully quit Chrome/Edge (all windows) → reopen.
 9. Open a company **Target Website** and send a test prompt.
- IT confirms a row in **Prompt Logs**.

Certificate warnings

If the browser shows certificate errors on AI sites:

- Tell IT.
- Check `%LOCALAPPDATA%\UnifAI\Guard\ca\_install\_status.txt`.
- CA trust must succeed for HTTPS inspect to work.

What got installed

Location	Contents
----- -----	
%LOCALAPPDATA%\Programs\UnifAI\Guard\	`UnifAI_Guard.exe`, config, Start Menu / Desktop shortcuts
HKCU Run (if autostart checked)	`UnifAI_Guard` → starts at login
Start Menu	UnifAI Guard · Uninstall UnifAI Guard

4. Install — portable EXE (IT / emergency)

Use when Setup is older than `VERSION.txt`, or for quick replace:

1. End all `UnifAI\_Guard.exe` in Task Manager.
2. Copy `UnifAI\_Guard.exe` (and `unifai\_guard\_config.json` if needed) to:

```text

%LOCALAPPDATA%\Programs\UnifAI\Guard\

```

3. Run **as Administrator once** if CA install fails without elevation.
4. Verify `http://127.0.0.1:18085/` version.
5. Restart browsers and test a Target site.

5. Upgrade

1. End all `UnifAI\_Guard.exe`.
2. Install newer Setup **or** replace EXE with the build that matches new `VERSION.txt`.
3. Confirm status page version.
4. Confirm Guard Agents UI version (not an old number like 1.6.0).
5. Restart Chrome/Edge and retest.

After each company rebuild, IT must redeploy the server so **Download Setup ZIP** contains the new files.

6. Uninstall — employees (Apps / Start Menu)

Method A — Windows Settings (recommended)

1. **Settings → Apps → Installed apps → UnifAI Guard → Uninstall**
or **Start Menu → UnifAI Guard → Uninstall UnifAI Guard**
2. When prompted, enter the **company uninstall key** from IT
(Browser AI → Setup).
Leave blank **only** if IT disabled the key requirement.
3. Finish the wizard.

Installer will:

- Run Guard with `--uninstall-prompt` (key check against backend)
- Stop `UnifAI\_Guard.exe`
- Remove app files and `%LOCALAPPDATA%\UnifAI\Guard` data
- Remove autostart registry value (if installed with that task)

Method B — command line (IT)

```
"%LOCALAPPDATA%\Programs\UnifAI\Guard\UnifAI_Guard.exe" --uninstall "YOUR_COMPANY_KEY"
```

Or interactive key dialog:

```
"%LOCALAPPDATA%\Programs\UnifAI\Guard\UnifAI_Guard.exe" --uninstall-prompt
```

Then remove leftovers via Apps uninstall if the folder remains.

Method C — admin remote uninstall

From UnifAI UI (Browser AI), admin can request uninstall on an agent.

The laptop Guard receives it on heartbeat and stops **without** employee key (`uninstall-ack`).

If uninstall is rejected

| Cause | Fix |

|-----|-----|

| Wrong key | Get key from Browser AI → Setup |

| Backend unreachable | Connect laptop to network; key cannot verify offline (PAC may stay on) |

| Exit code non-zero | See message: check uninstall key; try again |

7. Hybrid: laptop + office network

Full detail: `apps/browser-guard/HYBRID\_DEPLOY.txt`.

| Mode | Install | Proxy | Agent type |

|-----|-----|-----|-----|

| Laptop | Setup/EXE on PC | `127.0.0.1:8085` | `endpoint` |

| Network | Docker `unifai\_browser\_proxy` on server | `:8082` | `network` |

****One dashboard:**** Workspace → Browser AI (Prompt Logs + Agents + shared rules).

****Do not double-MITM:**** same browser session must not use laptop PAC ****and**** corp PAC together.

- Office → corp PAC → `:8082`

- Home/remote → laptop Guard only

Network PAC example:

`https://<SERVER_DOMAIN>/api/browser-ai/pac?proxy=proxy.company.local:8082`

Distribute mitmproxy CA to machines using the network proxy.

8. IT rebuild (how to make a new installer)

```
apps/browser-guard/  
  agent/unifai_agent.py  
  proxy/browser_ai_proxy.py  
  config/unifai_guard_config.json    ← set backend_url  
  installer/build_installer.bat  
  installer/UnifAI_Guard.iss  
  release/VERSION.txt  
  release/UnifAI_Guard_Setup.exe  
  release/UnifAI_Guard.exe
```

Build steps

1. Edit `config/unifai\_guard\_config.json` → correct `backend\_url`.

2. Update `VERSION.txt` (and keep ISS / build script version in sync when shipping).

3. Run:

```text

apps\browser-guard\installer\build\_installer.bat

```

4. Requires: Python build path + **Inno Setup 6** (`ISCC.exe`).

5. Outputs:

- `release\UnifAI\_Guard\_Setup.exe`

- `release\UnifAI\_Guard.exe` (also under `dist`)

6. Copy release folder onto UnifAI server; redeploy so Download ZIP updates.

7. Pilot on one PC → then company rollout.

Also see: `installer/IT\_README.txt`, `installer/EMPLOYEE\_README.txt`.

9. Default laptop config

File: `apps/browser-guard/config/unifai\_guard\_config.json`

Field	Laptop value
-------	--------------

----- -----	
-------------	--

`backend_url`	Company UnifAI HTTPS URL
---------------	--------------------------

`proxy_addr`	`127.0.0.1:8085`
--------------	------------------

`server_mode`	`false`
---------------	---------

`agent_type`	`endpoint`
--------------	------------

`listen_host`	`127.0.0.1`
---------------	-------------

`pac_sync_seconds`	`3`
--------------------	-----

10. Mac note

Mac Guard agent is **not** production-ready.

Until it ships: use **network proxy + PAC + CA** (Section 7). Mac traffic shows as Network agent, not Laptop Guard.

11. Known limitations

Item	Status
------	--------

----- -----	
-------------	--

Site coverage	Target list based (not every website)
---------------	---------------------------------------

LLM classification	Often incomplete; regex path used
--------------------	-----------------------------------

Chrome "all sites"	Not implemented
--------------------	-----------------

12. Verify checklist

Install

- [] Status page version = `VERSION.txt`

- [] Guard Agents = Active + same version
- [] Target site → Prompt Logs row
- [] Autostart works after reboot (if enabled)
- [] No unexpected cert errors (or CA status OK)

****Uninstall****

- [] Uninstall key accepted
- [] `UnifAI\_Guard.exe` gone from Task Manager
- [] App removed from Settings → Apps
- [] Agent no longer Active (or marked uninstalled) in UI
- [] Browser proxy/PAC cleared for that user

13. Troubleshooting

| Problem | Fix |

|-----|-----|

| Status page not loading | Guard not running — start from Start Menu; check Task Manager |

| Wrong version in UI | Old EXE still running — kill all, replace, restart browsers |

| No Prompt Logs | Target not configured; backend URL wrong; PAC not applied; restart browser |

| Cert warnings | Fix CA trust; read `ca\_install\_status.txt` |

| Uninstall blocked | Correct key; network to UnifAI; or admin remote uninstall |

| Setup older than EXE | Prefer EXE matching `VERSION.txt` until Setup rebuilt |

End of Windows Guard Implementation Guide.