YP-RAKSHA

Real-time AI Knowledge Screening & Hazard Audit

User Manual

Field	Value
Product name used in this document	YP-RAKSHA
Name in the running software	Gateway (default). Brand mark: Raksha.
Subtitle in the product	Real-time AI Knowledge Screening & Hazard Audit
Organisation default	YesPanchi Group of Companies
Document version	Repository baseline, Guard agent 1.1.20
Document date	12 October 2026
Classification	Internal
Audience	Employees, business users, and administrators who use the website
Source of truth	This Git repository. Not a certification claim.

The repository default product string is Gateway, set by GATEWAY_PRODUCT_NAME. The brand string defaults to Raksha. This document set uses the requested product name YP-RAKSHA for the same implementation.

This document describes behaviour found in source code, configuration samples, and existing Markdown guides. Where a feature is partial or absent, the text says so. It does not claim ISO certification, complete hazard detection, or guaranteed AI safety.

Contents

Contents 2
1. Introduction 3
2. What you can do 3
3. Before you start 3
4. Sign in 3
5. The sidebar 3
6. Prompt Repository 4
7. Browser protection, in plain language 4
8. If you are an administrator 4
8.1 Add a person 4
8.2 Roles and Permissions 5
8.3 User Provisioning 5
8.4 Browser AI administration 5
9. Your responsibilities 5
10. Common questions 5
11. Pages you may be asked to use 6
12. Reading a prompt log 6
13. Glossary 7
14. Password rules 7
15. What each main area is for 7
16. Skills Repository, for a person installing a coding assistant 8
17. If the computer program warns you 8
18. Errors you may see 9
19. More questions 9

If the contents list is empty, press Ctrl+A then F9 in Word, or right-click the contents and choose Update Field.

1. Introduction

YP-RAKSHA helps an organisation use AI services with control. People and applications send AI requests through the company gateway, or use approved websites that the company browser protection watches. The product records activity and can block, hide, or warn about content when an administrator has created a rule.

It does not read every AI conversation on the internet. It applies to the gateway and to the websites your administrator listed. A rule can miss something, or it can stop a harmless message. A person still has to decide what may be shared with an AI service.

2. What you can do

- Sign in to the workspace your administrator gave you.
- Open the pages that appear in your sidebar. Hidden pages are not granted to you.
- Use Prompt Repository to work with prompts, when that page is available.
- If you are an administrator, manage users, keys, models, rules, and logs.
- If Gateway Guard is installed on your computer, browsing an approved AI site may be checked against company rules.

3. Before you start

- You need the company web address, a user name, and a password.
- New accounts receive a temporary password by email. The first sign-in asks for a new password with at least 8 characters, including upper case, lower case, a number, and a symbol.
- Chat inside Prompt Repository needs a virtual key. Without one you can open prompts but you cannot send messages. Ask an administrator if the key is missing.
- Screenshot to add: the sign-in page at your company address.

4. Sign in

1. Open the company YP-RAKSHA address in a browser.
2. Enter your email or user name and password.
3. If this is the first time, set a new password when asked.
4. Expected result: the workspace opens. You land on Prompt Repository if your role is User, or on a home page your grants allow.

If sign-in fails, check the password and caps lock. Use the password reset on the sign-in page if it is shown. If you still cannot enter, contact your administrator. Do not share the temporary password in chat.

5. The sidebar

The left sidebar is the map of the product. You only see sections an administrator allowed. Names you may see, when allowed, are:

- Observability: Dashboard, LLM Logs, MCP Logs, Connectors, Logs Settings.

- Browser AI: Overview, Target Websites, Guard Rules, Prompt Logs, Search Logs, Setup, Guard Agents, Guard Insights.
- Models: providers, catalog, budgets, routing, circuit breaker, pricing.
- MCP Gateway: catalog, library, tool groups, sessions, OAuth grants, settings.
- Plugins.
- Governance: Virtual Keys, Users, Teams, Business Units, Customers, User Provisioning, Roles and Permissions, Access Profiles, Audit Logs.
- Guardrails: Rules, Rule Providers, Cluster Config.
- Adaptive Routing, Prompt Repository, Skills Repository, and Settings.

Screenshot to add: your sidebar after login, with private data covered.

6. Prompt Repository

5. Open Prompt Repository.
6. Select a prompt you are allowed to use. If the list is empty, your administrator has not granted a repository.
7. Choose a virtual key if the panel asks for one. The panel can show your personal budget and the key budget.
8. Write the message and send it.
9. Expected result: a reply appears, or a clear error if the key, budget, or model is blocked.

Customer budget figures are an organisation limit. Do not treat them as your personal allowance. If a message says a budget is used up, stop and ask an administrator. Do not try another key that was not issued to you.

7. Browser protection, in plain language

Gateway Guard is a program on the computer. When you open a watched AI website, the program can see the text you are about to send and compare it with company rules.

- Block: the message is stopped.
- Redact: part of the message is hidden or replaced before it continues.
- Warn: you are told about a problem. Follow the instruction on the screen.

A rule may use a pattern, such as a format that looks like a secret, or it may ask an AI model to judge the text. Both can be wrong. If you believe a block is a mistake, do not try to sneak the text through another site. Contact the administrator and describe the task without pasting the sensitive text into email.

Screenshot to add: a block or warn banner from a test that contains no real customer data.

8. If you are an administrator

8.1 Add a person

10. Open Governance, then Users.
11. Choose Add. Enter user name and email.

12. Choose the role. User is the normal employee role. Sub-admin manages selected areas. Admin can open everything.
13. For a User, choose a team, a virtual key, the pages they may open, and the prompt repositories they may use.
14. Save. Expected result: the person receives an email with a temporary password and appears in the user table.

Virtual keys on the user table stay short. One key is shown on the row. Several keys appear as a count. Select that count to open the list of key names and customer or team labels.

8.2 Roles and Permissions

This page has a global policy for all admins, all sub-admins, and all users, and a row for each person. Live sign-in follows the role policy and the pages stored on the user. Changing ticks on one person updates which pages they have. It does not, by itself, give a sub-admin every edit right on a newly ticked page. Use All Sub Admins when the whole role must gain or lose an action.

8.3 User Provisioning

Cloud directories (Microsoft Entra, Okta, Keycloak) can create users and teams. On-premises Active Directory can import users. Imported people arrive as role User. They do not receive a virtual key or extra pages automatically. After import, edit the user if they need more than Prompt Repository.

8.4 Browser AI administration

15. Add the AI websites you want to watch under Target Websites.
16. Add Guard Rules and choose block, redact, or warn.
17. Use Prompt Logs to see what was intercepted. Treat the text as confidential.
18. Use Guard Agents to see which computers are reporting.
19. Use Setup to download the Windows or Mac package. Current packages in this release line are version 1.1.20. Prefer the zip files. Do not hand out an old Mac package file.

9. Your responsibilities

- Do not paste passwords, national identifiers, customer lists, or unpublished financials into an AI box unless a written company rule allows that exact use.
- Do not send your virtual key or the temporary password to another person.
- Do not turn off Gateway Guard or install a personal bypass proxy.
- If a warning appears, read it. Do not rephrase a secret until the warning disappears unless security staff told you that is acceptable.
- Report a suspected leak to security even if the tool did not block it.

10. Common questions

Question	Answer
Why is my menu smaller than a colleague's?	Your account has fewer pages. Ask an administrator. Do not share logins.

I can open a prompt but cannot send.	A virtual key is missing, inactive, or out of budget.
I was imported from Active Directory. Why can I only see prompts?	Import creates a basic user. Pages and keys are added afterwards.
Does the tool check every website?	No. Only listed targets, and only when Guard is running.
Can the tool be wrong?	Yes. It can block a safe sentence or miss a risky one. People remain responsible.
Who sees prompt logs?	Administrators who were granted Browser AI logs. Assume the text is stored.

11. Pages you may be asked to use

Each row is a real workspace path. You see it only when your account is allowed to open it.

What you want	Where to go
See AI usage	Observability, LLM Logs
See tool-call logs	Observability, MCP Logs
Watch a website	Browser AI, Target Websites
Stop or warn on text	Browser AI, Guard Rules
Read intercepted prompts	Browser AI, Prompt Logs
Install the computer program	Browser AI, Setup
See which computers report in	Browser AI, Guard Agents
Add a model vendor	Models, Model Providers
Create a key for an app	Governance, Virtual Keys
Add a colleague	Governance, Users
Connect a company directory	Governance, User Provisioning
Change what a role can do	Governance, Roles and Permissions
Read admin change history	Governance, Audit Logs
Work with prompts	Prompt Repository
Publish a skill	Skills Repository

12. Reading a prompt log

20. Open Browser AI, Prompt Logs.

21. Find the time and the computer or user column.
22. Read the action. Block means it was stopped. Redact means text was changed. Warn means the person was notified.
23. Do not copy the prompt into chat, email, or a ticket if it contains personal or customer data. Describe the incident instead.
24. Expected result: you can explain what the rule did. You cannot treat one log line as proof that no other copy of the text exists on the AI vendor side if the action was warn or if the request was not intercepted.

13. Glossary

Word	Plain meaning
Gateway	The company service that calls AI models for you so vendor passwords stay on the server.
Virtual key	Your key for that gateway. It is not the same as a personal ChatGPT password.
Hazard	In this product, content an administrator rule is trying to stop or mark. It is not a fixed legal list.
Audit log	A record of administrative changes, separate from the text of AI prompts.
Prompt log	A record of text the browser protection saw.

14. Password rules

- Use at least 8 characters.
- Include an upper-case letter, a lower-case letter, a number, and a symbol.
- The first password you receive by email is temporary. The site will ask you to replace it.
- If Forgot password does nothing or shows a server error, ask an administrator. Email reset must be switched on. Do not keep guessing.

15. What each main area is for

Area	Use it when
Dashboard and LLM Logs	You need to see gateway AI usage, and you were given Observability.
Browser AI	You manage watched websites, rules, logs, or the computer program.
Models	You connect a model vendor, prices, budgets, or routing.
MCP Gateway	You connect tools that an AI assistant may call.

Plugins	You turn optional gateway behaviours on or off.
Governance	You manage people, teams, keys, customers, and permissions.
Guardrails	You set rules on traffic that applications send through the gateway. This is separate from Browser AI rules.
Adaptive Routing	You let the gateway choose among models.
Prompt Repository	You write and send prompts with a virtual key.
Skills Repository	You publish instruction packs for coding assistants.
Settings	You change client, cache, security, proxy, and feature flags.

Screenshot to add: one image per area you actually use, with names and prompt text covered.

16. Skills Repository, for a person installing a coding assistant

An administrator copies a command from the Skills page. The exact address is your company gateway. These are the shapes of the commands, not a promise that your assistant is already connected.

25. Claude Code uses a marketplace web address under /api/skills/serve/claude-code.
26. Codex uses a marketplace add command whose address ends in /api/skills/serve/codex.
27. Cursor uses git clone of the address ending in /api/skills/serve/cursor, then the skill folders are copied into the Cursor skills directory.
28. Antigravity uses a plugin install address ending in /api/skills/serve/antigravity/plugins/gateway-all-skills.

If the command fails, you may be off the company network, or the skill was not published. Ask the administrator. Do not paste a personal access token into a skill file.

17. If the computer program warns you

29. Read the message. Note whether it says the text was blocked, changed, or only warned.
30. Do not retype the same sensitive text on a different website to get around it.
31. If you believe the warning is wrong, contact the administrator and describe the task. Do not forward the original text if it contains secrets or customer data.
32. Expected result: either you change the message so it is allowed, or the administrator adjusts the rule after review.

Screenshot to add: a warning from a test message such as a fake sample, never a real customer record.

18. Errors you may see

What you see	What to do
Invalid username or password	Check the email and password. Use reset if it is offered. After several failures the account may pause login attempts.
You must change your password	Set a new password that meets the rules in section 14.
Insufficient permissions or 403	That page or button is not allowed for your role. Ask an administrator. Do not borrow another login.
Cannot send in Prompt Repository	Ask for a virtual key, or ask whether the budget is used up.
No reply from a model	The vendor or the model name may be unavailable. Try later or ask the person who manages Models.
Guard does not seem to run	Confirm the program is open and you are on a website your company listed. Other sites are not watched.
A page is missing from the sidebar	It was not granted. Prompt Repository is the page a basic user still has.

19. More questions

Question	Answer
Are gateway rules and browser rules the same?	No. Gateway rules apply to applications that call the company API. Browser rules apply to watched websites on a computer running Gateway Guard.
Does a warning mean the company model read my text?	A pattern rule does not need a model. An AI Guard Bot rule does send the extracted text to the model your administrator chose.
Can I turn Guard off?	No. Pausing an agent is an administrator action for a fault, not a personal setting.
Who can delete logs?	Only people whose role includes delete on logs. Deleting logs does not delete the copy an outside AI vendor may already have stored.
I was added from Microsoft AD. What do I have?	A user login and Prompt Repository. Extra pages and a virtual key are added by an administrator afterwards.
Is every hazard caught?	No. The tool catches what the rules match. People remain responsible for what they type.

End of user manual. Add the screenshots marked above before you send this document to employees.