ZAID - Milestone 1: Dashboard UI

Complete Google Antigravity prompt, based on your reference HUD mockup

How to use this document


- Create the folder `D:\AI\ZAID\docs\reference` and save your reference image there as `zaid-hud-reference.png`. You can also attach the image to the Antigravity chat.
- Open **only** `D:\AI\ZAID` as the Antigravity workspace. Do not open or add `D:\AI\OpenJarvis`.
- Copy the prompt starting on page 3 (or use the companion `.md` file, which has no line breaks inserted by the PDF) and paste it into Antigravity as one message.
- When the agent reports completion, run the build, tests, and the manual checks in the appendix yourself. Do not rely only on the report.
- Only after all checks pass, ask for the Milestone 2 prompt (FastAPI backend, token auth, loopback binding, streaming chat to Ollama).

Important: the mockup is a look, not a status report

The reference image shows fabricated live values (LIVE, ONLINE, CONNECTED, green integration dots, AI LISTENING, SECURE / PRIVATE). ZAID Milestone 1 has no backend and connects to nothing, so the prompt reproduces the visual style but replaces every such claim with honest labels:

Mockup element	Milestone 1 behaviour
System, network, storage, weather	Labelled DEMO DATA, placeholder values
Local AI Model: ONLINE	NOT CONNECTED, model name shown as unverified target, metrics shown as --
Integrations: green dots	All Unimplemented, clicking shows a toast only
AI LISTENING waveform	Voice input not implemented, mic disabled, no mic permission
SECURE / PRIVATE badge	Replaced by: This preview makes no network requests
Active tasks: 4 running	Sample items, labelled demo, none running
Quick Launch apps	Navigate to placeholder pages or show a toast; nothing launches

Reference mockup (provided by you)



Use as inspiration for layout, mood, and component types. All values shown in this mockup are fictional.

The prompt (copy from here)

Paste everything below into Antigravity as a single message. Section headings begin with ##.

ROLE AND SCOPE

You are building Milestone 1 of ZAID, a personal AI assistant for Windows. Milestone 1 is the DASHBOARD UI ONLY. There is no backend, no AI, no system access, and no network access in this milestone. The result must be a polished, responsive, accessible front-end that visually follows the reference HUD design, while being completely honest about what is and is not working.

HARD RULES (NEVER BREAK)

- Work ONLY inside D:\AI\ZAID. Create it if it does not exist.
- NEVER read, modify, move, overwrite, or delete anything in D:\AI\OpenJarvis or in any folder outside D:\AI\ZAID.
- Before creating files, inspect D:\AI\ZAID and report what exists. If any file you would write already exists, STOP and ask me before overwriting or deleting it.
- Do not install agent tools, Qwen Code, or unrelated global packages. Do not run anything as administrator. Do not change system settings or environment variables.
- Add the fewest dependencies possible. Allowed: react, react-dom, react-router-dom, typescript, vite, @vitejs/plugin-react, vitest, jsdom, @testing-library/react, @testing-library/jest-dom, @testing-library/user-event, eslint with its TypeScript and React plugins. NOT allowed: UI kits, CSS frameworks, animation libraries, chart libraries, state libraries, icon packs, remote fonts, CDN assets. Draw all icons, gauges, charts, and the AI core as inline SVG/CSS. If you think another dependency is necessary, ASK first.
- Do NOT implement: shell or PowerShell access, launching programs, reading or writing files, microphone or camera access (no getUserMedia), notifications, geolocation, any fetch/XHR/WebSocket call, authentication, message sending, phone calls, file deletion, or any backend code. This milestone makes ZERO network requests at runtime.
- Do NOT fabricate real data. Every number, status, or list that is not real MUST come from src/data/demo.ts and MUST be visibly labelled DEMO DATA in the UI.
- Do not claim anything works unless it does. Do not claim tests or builds passed unless you ran them and saw them pass.

REFERENCE IMAGE

A reference mockup of the target look is provided (attached to this task, and/or at D:\AI\ZAID\docs\reference\zaid-hud-reference.png). If it is not available, say so and continue using the written visual specification below. Use the image as INSPIRATION for layout, mood, and component types. Do not copy it pixel for pixel. Do not embed the reference image inside the app UI. The mockup contains fake "live" values and "connected/online/listening/secure" claims; these must NOT be reproduced as real. See the HONESTY MAPPING section.

PROJECT SETUP

- Create a Vite + React + TypeScript (strict mode) app in D:\AI\ZAID\frontend.
- Create D:\AI\ZAID\README.md and D:\AI\ZAID\.gitignore (node_modules, dist, coverage, .env, .env.*, !.env.example, *.db, *.sqlite, *.log, .venv, __pycache__, *.gguf, *.safetensors, OllamaModels).
- Create placeholder folders, each with a short README.md saying "Reserved for a later milestone": docs\, backend\, shared\, config\, scripts\. Create docs\reference\ and copy nothing into it unless I provide the image.
- Initialise git ONLY if D:\AI\ZAID is not already a repository.
- Configure the Vite dev and preview servers to bind to 127.0.0.1 (host: "127.0.0.1"), not 0.0.0.0.
- Add npm scripts: dev, build, preview, lint, test, typecheck.
- Set document title to "ZAID - Personal AI System". Use an inline SVG favicon. No external requests.

DESIGN TOKENS (src/styles/tokens.css)

Define ALL of the following as CSS variables and use ONLY tokens in components (no hard-coded colours, sizes, or durations in component CSS):

- Backgrounds: --bg-0: #050505; --bg-1: #0b0706; --surface: #140d09; --surface-raised: #1c120c.
- Accents: --red: #ff3b2f; --red-deep: #b3140c; --orange: #ff7a1a; --amber: #ffb000; --gold: #ffd166. Sparing cool data accent: --cyan: #35d0e6 (progress bars, one orb arc). Sparing --green: #3ddc84 is defined but MUST NOT be used to indicate any real or implied connection in this milestone.
- Text: --text: #f4e9dc; --text-dim: #b3a393 (must keep at least 4.5:1 contrast on surfaces); --text-faint for decoration only, never for essential text.
- Borders and glows: --border: rgba(255,122,26,0.35); --border-strong: rgba(255,122,26,0.7); --glow-sm, --glow-md, --glow-lg (layered box-shadow / drop-shadow values).
- Status colours with matching icons AND text labels (never colour alone): connected, disconnected, unavailable, demo, unimplemented.
- Typography (system fonts only): --font-display: "Bahnschrift", "Segoe UI Semibold", "Arial

Narrow", sans-serif; --font-body: "Segoe UI", system-ui, sans-serif; --font-mono: "Cascadia Mono", Consolas, monospace. Display font uses uppercase with wide letter-spacing for headings and labels. Sizes as a scale (--fs-xs through --fs-3xl, plus --fs-hero for the ZAID wordmark using clamp()).
- Spacing scale (--space-1...-space-8), radii, z-index layers (background, content, overlay, drawer, toast).
- Animation: --dur-fast, --dur-med, --dur-slow, --dur-orb (e.g. 60s), --ease. Under @media (prefers-reduced-motion: reduce) set all animation durations to 0 and remove rotation, pulse, scanning, glow-flicker, and smooth scrolling.

LAYOUT SPECIFICATION (desktop >= 1280px, Overview page)

Build the Overview as a CSS Grid HUD composition with these regions, inspired by the reference:
1. Header band: left = decorative target/radar icon + live LOCAL clock and date (real browser time via Date; this is the only live value allowed, updated each second via setInterval cleaned up on unmount); centre-left = "THINK | PLAN | EXECUTE" and "YOUR PERSONAL AI ASSISTANT"; centre = large glowing "ZAID" wordmark with "PERSONAL AI SYSTEM" below; right = short tagline text, a decorative dotted-world SVG, and a weather card marked DEMO.
2. Left rail: "QUICK LAUNCH" vertical list (Computer, Browser, Files, Code, Notes, Calendar, WhatsApp, Telegram, Email, Photos, Music, Settings).
3. Left column: SYSTEM STATUS panel (four radial gauges: CPU, RAM, TEMP, BATTERY; an area/sparkline chart; four small stats: CPU clock, RAM usage, CPU temp, GPU usage), LOCAL AI MODEL panel, STORAGE panel (three progress bars: Windows (C:), Data (D:), Ollama Models (D:)).
4. Centre: very large CoreOrb (inline SVG): concentric rings, dashed/segmented arcs in red, orange, amber and one cyan accent arc, tick marks, a faint radar sweep, a dotted/starfield-like texture made with SVG patterns, and a glowing radial core. Slow rotation and subtle pulse (transform/opacity only). A small caption beside it reads "UI PREVIEW - AI CORE NOT CONNECTED".
5. Right column: NETWORK panel (Wi-Fi, download/upload, sparkline), ACTIVE TASKS panel, UPCOMING EVENTS panel.
6. Right rail: INTEGRATIONS list (Google, Gmail, Outlook, Calendar, WhatsApp, Instagram, YouTube, GitHub, Canva, Cloud Drive, Custom API, MCP Servers).
7. Bottom dock: arc-style row of circular glowing buttons: Chat, Computer, Files, Phone, a larger central microphone button, Messages, Automation, Memory, Settings. Chat, Computer, Files, Phone, Messages, Automation, Memory, Settings navigate to their routes. The central microphone button is DISABLED.
8. Bottom-left: VOICE INPUT panel with a flat/static waveform graphic and a disabled mic and text field (see mapping).
9. Bottom-centre: a decorative "ANALYZE . PLAN . EXECUTE" strip. It is NOT a button. Mark it aria-hidden and give it no hover or click styling.
10. Bottom-right: RECENT ACTIVITY panel and a decorative globe.

Panels use thin glowing borders with corner brackets (CornerFrame component), subtle circuit/grid CSS background patterns, and a faint scanline layer (pointer-events: none, behind content).

HONESTY MAPPING (reference mockup -> what you must build)

- "LIVE" badge on System Status -> DemoBadge reading "DEMO DATA". Add a one-line caption: "Not real system metrics".
- Gauges, sparkline, CPU clock, RAM usage, temperature, GPU usage, battery -> values from src/data/demo.ts, inside the DEMO-labelled panel.
- Weather "Chennai 28C Cloudy" -> a weather card labelled DEMO with placeholder values. Do not call any weather API and do not use geolocation.
- Network panel "CONNECTED", Wi-Fi name, IP, speeds -> DEMO label, placeholder values, IP shown as 192.168.x.x. No real network detection.
- Local AI Model "ONLINE" -> StatusBadge "NOT CONNECTED". Show model name "qwen3.5:4b" with the caption "Configured target (not verified)". GPU, RAM, and Response fields show "--" (not numbers). "Change Model" and "AI Settings" buttons are rendered disabled with a title and aria-description "Available in a later milestone".
- Storage values (C:, D:, Ollama Models) -> DEMO label and placeholder numbers; never read the disk.
- Active Tasks "4 RUNNING" and progress bars -> header reads "DEMO - none running"; entries are labelled sample items; no green "Running" indicator.
- Upcoming Events and Recent Activity -> sample entries labelled DEMO DATA, or the EmptyState component when the constant SHOW_DEMO_DATA (exported from src/data/demo.ts, default true) is false. Do not add any UI toggle for it.
- Integrations green dots / "connected" -> every item uses the "unimplemented" status: a hollow dim indicator plus visually hidden text "Unimplemented", and the panel caption "All integrations: Unimplemented". Clicking an item shows a toast: "<Name> integration is not implemented yet." Nothing opens, connects, or authenticates.
- "AI LISTENING" + animated waveform -> label "VOICE INPUT - NOT IMPLEMENTED", flat static waveform, "Mic: off" indicator, disabled mic button (aria-disabled="true"), disabled text input with placeholder "Voice and commands arrive in a later milestone". No microphone permission request, ever.
- "INITIALIZING SYSTEMS... AI CORE ONLINE READY" -> "UI PREVIEW - AI CORE NOT CONNECTED".
- "SECURE / PRIVATE / UNDER YOUR CONTROL" badge -> a neutral decorative globe with the caption "This preview makes no network requests." Do not make security claims.

- Quick Launch items: Computer, Browser, Files, Calendar, Settings navigate to their routes; WhatsApp, Telegram, Email navigate to /messages; Code, Notes, Photos, Music show a toast "<Name> launcher is not implemented yet." NOTHING launches a real application.

NAVIGATION AND ROUTES

Use react-router-dom (BrowserRouter). Routes: / (Overview), /chat, /computer, /files, /browser, /phone, /messages, /calendar, /integrations, /automation, /memory, /activity, /settings, plus a friendly 404 page.

- A "Menu" button in the top bar opens an accessible drawer (dialog semantics, focus trap, Escape to close, focus restored on close) listing ALL 13 pages in this order: Overview, Chat, Computer, Files, Browser, Phone, Messages, Calendar, Integrations, Automation, Memory, Activity, Settings. The current page has aria-current="page".
- Overview shows the full HUD composition. All other pages use a slim top bar (ZAID wordmark, clock, Menu button, "Mic: off") and the left Quick Launch rail on wide screens, with the page content in the centre.

PAGES

- Chat: message list with EmptyState, composer (textarea + Send button; Enter sends, Shift+Enter inserts a newline; Send is disabled when empty), model status header showing "qwen3.5:4b - Not connected". When the user sends, append their message locally and then a clearly styled SYSTEM notice (not an assistant message): "AI engine not connected. Local model chat arrives in Milestone 2." Do NOT fake an AI reply. State in React only (no localStorage, no persistence). Use aria-live="polite" for notices.
- Computer, Files, Browser, Phone, Messages, Calendar, Integrations, Automation, Memory, Activity, Settings: each shows the page title, a one-paragraph description of the intended purpose, a StatusBadge "Unimplemented", a "Planned features (not working)" list, and a note on the safety model planned for that area (for example Files: "read-only first, approved folders only"). No control on these pages may look functional if it is not. Disabled controls must be visibly disabled and explain why.
- Integrations page: grid of the same 12 integration cards, all "Unimplemented", plus a legend explaining the five status types (connected, disconnected, unavailable, demo, unimplemented).

COMPONENTS (reusable, typed, one folder per group under src/components)

- layout: AppShell, TopBar, MenuDrawer, QuickLaunchRail, BottomDock, Toast/ToastProvider.
- hud: CoreOrb, CornerFrame, ScanlineBackground, RadialGauge, Sparkline, ProgressBar, WaveformStatic.
- panels: SystemStatusPanel, LocalModelPanel, StoragePanel, NetworkPanel, ActiveTasksPanel, UpcomingEventsPanel, IntegrationsPanel, RecentActivityPanel, VoicePanel, WeatherCard.
- common: Panel, StatusBadge (variants connected, disconnected, unavailable, demo, unimplemented; icon + text), DemoBadge, EmptyState, ErrorState, IconButton, Icon (inline SVG set), VisuallyHidden, ErrorBoundary.
- pages: one file per route in src/pages.
- Shared types in src/types. Demo data ONLY in src/data/demo.ts. Keep each component file focused and under about 200 lines where practical.

RESPONSIVE BEHAVIOUR

- >= 1280px: full HUD grid as specified above.
- 768-1279px: two-column layout; CoreOrb first and smaller; panels in a responsive grid; dock becomes a centred wrapped row; Quick Launch collapses into the Menu drawer.
- < 768px (down to 360px): single column; compact header (wordmark + Menu); CoreOrb limited to a sensible size; panels stacked; dock becomes a horizontally scrollable or wrapped grid of large touch targets (at least 44px). No horizontal page scrolling at any width from 360px to 1920px. Check large 2560px width: keep a max-width and centre the layout.
- Use rem/clamp and grid/flex; avoid fixed pixel layouts.

ACCESSIBILITY, MOTION, PERFORMANCE

- Semantic landmarks (header, nav, main, aside), a skip-to-content link, one h1 per page, logical heading order.
- Visible focus rings (2px+ using a token), full keyboard operation, ARIA labels on every icon-only control, aria-live regions for toasts and chat notices.
- Text contrast >= 4.5:1; essential information is never colour-only.
- Honour prefers-reduced-motion (see tokens). Also pause decorative animations when document.hidden (set a data-attribute on the root element via a visibilitychange listener).
- Animate only transform and opacity. Avoid animating large blur/box-shadow layers. Avoid more than a few simultaneous infinite animations. Decorative layers use pointer-events: none and never intercept clicks.
- The page should idle at low CPU usage; do not use requestAnimationFrame loops for decoration (CSS animation only; the clock uses a 1-second interval).
- Provide a top-level ErrorBoundary with a friendly ErrorState and a "Reload" button.

TESTS (Vitest + Testing Library)

Write tests for at least:
1. All 13 navigation entries appear in the Menu drawer in the specified order and each route renders its page.
2. The drawer opens, traps focus, closes on Escape, and restores focus.
3. Overview shows "DEMO DATA" labels for System Status, Network, Storage, Tasks, Events, Activity and Weather.
4. Local AI Model panel shows "NOT CONNECTED" and no numeric GPU/RAM/Response values.
5. Every Integrations item is labelled Unimplemented and none shows a connected status.
6. The central microphone button and voice input are disabled; no call to navigator.mediaDevices is made (spy and assert).
7. Chat: Enter sends, Shift+Enter does not send, empty input cannot be sent, and the SYSTEM notice appears with no fake assistant reply.
8. Placeholder pages show "Unimplemented".
9. StatusBadge renders all five variants with text.
10. A test asserts that no fetch, XMLHttpRequest, or WebSocket is called during render of the Overview and Chat pages (spy on globals).
11. Quick Launch: unimplemented launchers show the toast and nothing else happens.

README (D:\AI\ZAID\README.md)

Include: what ZAID is; current milestone and honest limitations; prerequisites (report the Node.js and npm versions actually detected); exact commands: cd D:\AI\ZAID\frontend, npm install, npm run dev, npm run build, npm run preview, npm run test, npm run lint, npm run typecheck; the local URL printed by Vite (127.0.0.1); folder structure; a clear statement that nothing is connected to Ollama, the filesystem, or any online service yet; the DEMO DATA policy; and the roadmap list of upcoming milestones (Milestone 2: connect to Ollama).

PROCESS

1. Inspect D:\AI\ZAID and report what exists. Ask before overwriting anything.
2. Report your plan briefly, then build in small steps.
3. Run: npm install, npm run typecheck, npm run lint, npm run test, npm run build. Fix all errors and warnings you introduced.
4. Start the dev server and confirm that it responds on 127.0.0.1, if your environment allows. Otherwise state that you could not verify it.
5. Visually self-check at roughly 360px, 768px, 1280px, and 1920px if your tools allow screenshots; otherwise say you could not.
6. Final report MUST include: (a) the exact list of files created or modified; (b) the exact commands you ran and their real outcomes; (c) anything you could not run or verify; (d) any deviation from this prompt and why; (e) known limitations.
7. STOP after Milestone 1. Do not start Milestone 2. Do not add a backend. Do not connect to Ollama.

Appendix: manual verification before Milestone 2

Complete every item yourself.

- D:\AI\OpenJarvis is unchanged (check modified dates). All new files are under D:\AI\ZAID.
- Run: cd D:\AI\ZAID\frontend, npm install, npm run dev; open the printed 127.0.0.1 URL. Also run npm run build, npm run test, npm run lint, npm run typecheck yourself.
- Honesty: nothing claims a model is running, every number is labelled DEMO DATA, every integration says Unimplemented, mic is disabled, no permission prompts appear.
- Open browser DevTools, Network tab: no requests are made after the page loads (apart from the app's own files).
- All 13 routes work from the Menu drawer, including browser refresh and the Back button; 404 page appears for unknown routes.
- Responsive: check 360px, 768px, 1280px, 1920px (DevTools device toolbar). No horizontal scrolling; dock buttons are easy to tap.
- Accessibility: Tab through the whole UI, focus is always visible, Escape closes the drawer and focus returns to the Menu button.
- Reduced motion: enable Windows 'Animation effects: off' (or DevTools rendering emulation) and confirm animations stop and the UI is still usable.
- Performance: with Overview open, idle CPU in Task Manager stays low; switching tabs pauses animation.
- package.json contains only allowed dependencies. git status shows no node_modules, secrets, or model files.
- Before Milestone 2, confirm Ollama separately: ollama --version, ollama list, ollama show qwen3.5:4b, curl.exe http://127.0.0.1:11434/api/version, and check where the model files physically are (D:\AI\OllamaModels vs C:\Users\thouf\.ollama\models).